

POST SECONDARY  
CORRADINO COMPLEX  
LIBRARY  
PAOLA

# TECHNICAL DRAWING

## FUNDAMENTALS • CAD • DESIGN

Second Edition

David L. Goetsch  
John A. Nelson  
William S. Chalk

LIBRARY  
CORRADINO COMPLEX

 Delmar Publishers Inc.<sup>®</sup>

LLRC  
MCAST

# Contents

## SECTION ONE • BASICS 1

### Introduction 2

drawings described • types of drawings • types of technical drawings • purpose of technical drawings • applications of technical drawings • regulation of technical drawings • what students of technical drawing and drafting should learn • review

### Chapter 1 • Drafting instruments and their use 22

conventional and CAD/CAM drafting equipment • conventional drafting requisites • drawing sets • scales • measuring • ink tools • technical pens • mechanical lettering sets • butterfly-type scribe • airbrush • paper sizes • whiteprinter • files • open-end typewriter • care of drafting equipment • review • problems

### Chapter 2 • Lettering, sketching, and line techniques 67

freehand lettering • freehand lettering techniques • line work • sketching • types of sketches • sketching materials • sketching techniques • review • problems

### Chapter 3 • Geometric construction 93

geometric nomenclature • elemental construction principles • polygon construction • circular construction • supplementary construction • review • problems

## SECTION TWO • TECHNICAL DRAWING FUNDAMENTALS 145

### Chapter 4 • Multiview drawings 146

orthographic projection • planning the drawing • sketching procedure • centering the drawing • rounds and fillets • runouts • treatment of intersecting surfaces • curve plotting • cylindrical intersections • incomplete views • aligned features • how to represent holes • conventional breaks • visualization • first-angle projection • review • problems

### Chapter 5 • Sectional views 193

sectional views • cutting-plane line • direction of sight • section lining • multisection views • kinds of sections • sections through ribs or webs • holes, ribs and webs, spokes and keyways • aligned sections • fasteners and shafts in section • intersections in section • review • problems

### Chapter 6 • Auxiliary views 225

auxiliary views defined • secondary auxiliary views • partial views • auxiliary section • half auxiliary views • review • problems

### Chapter 7 • Descriptive geometry 245

descriptive geometry projection • steps used • notations • fold lines • how to project a line into other views • how to locate a point in space (right-view) • how to find the true length of a line • how to construct a point view of a line • how to find the true distance between a line and a point in space • how to find the true distance between two parallel

lines · how to find the true distance between two non-parallel lines · how to project a plane into another view · how to construct an edge view of a plane surface · how to find the true distance between a plane surface and a point in space · how to find the true angle between two planes · how to determine the visibility of lines · how to determine the piercing point by inspection · how to determine the piercing point by construction · how to determine the piercing point by line projection · how to find the intersection of two planes by line projection · how to find the intersection of a cylinder and a plane surface by line projection · how to find the intersection of a sphere and a plane surface · how to find the intersection of two prisms · bearings, slope, and grade · how to construct a line with a specified bearing, slope angle, and length · how to construct a line with a specified bearing, percent of grade, and length · review · problems

#### Chapter 8 · **Patterns and developments** 289

developments · parallel line development · radial line development · triangulation development · true-length diagram · notches · bends · review · problems

#### Chapter 9 · **Dimensioning and notation** 323

dimensioning systems · dimension components · laying out dimensions · steps in dimensioning · specific dimensioning techniques · summary of dimensioning rules · notation · rules for applying notes on drawings · review · problems

### SECTION THREE · **COMPUTER-AIDED DRAFTING** 391

#### Chapter 10 · **Computer-aided drafting technology** 392

overview of CAD · computer-aided drafting systems · CAD hardware · CAD software · CAD users · modern CAD system configurations · advantages of CAD · microCADD · microCADD in the beginning · advantages of microCADD · limitations of microCADD · review

#### Chapter 11 · **Computer-aided drafting operations** 407

general system operation · input commands · manipulation commands · output commands · review · problems

### SECTION FOUR · **DESIGN DRAFTING APPLICATIONS** 429

#### Chapter 12 · **Geometric dimensioning and tolerancing** 430

summary of geometric dimensioning and positional tolerancing terms · general tolerancing · geometric dimensioning and positional tolerancing defined · modifiers · feature control symbol · true position · flatness · straightness · circularity (roundness) · cylindricity · angularity · parallelism · perpendicularity · profile · runout · review · problems

#### Chapter 13 · **Fasteners** 457

classifications of fasteners · threads · screw thread forms · tap and die · threads per inch (TPI) · pitch · single and multiple threads · right-hand and left-hand threads · thread representation · thread relief (undercut) · screw, bolt, and stud · rivets · keys and keyseats · grooved fasteners · spring pins · fastening systems · retaining rings · review · problems

#### Chapter 14 · **Springs** 505

spring classification · helical springs · flat springs · terminology of springs · required spring data · how to draw a compression spring · how to draw an extension spring · other spring design layout · standard drafting practices · section view of a spring · isometric views · review · problems

**Chapter 15 • Cams 521**

cam principle • basic types of followers • cam mechanism • cam terms • cam motion • laying out the cam from the displacement diagram • how to draw a cam with an offset follower • how to draw a cam with a flat-faced follower • timing diagram • dimensioning a cam • review • problems

**Chapter 16 • Gears 535**

kinds of gears • gear ratio • pitch diameter • gear blank • backlash • basic terminology • diametral pitch • pressure angle • center-to-center distances • measurements required to use a gear tooth caliper • required tooth-cutting data • rack • bevel gear • worm and worm gear • gear train • materials • design and layout of gears • review • problems

**Chapter 17 • Assembly and detail drawings 552**

the engineering department • drawing revisions • invention agreement • title block • size of lettering within title block • checking procedure • numbering system • parts list • personal technical file • the design procedure • working drawings • patent drawings • computer drawings (see Chapters 10 and 11) • review • problems

**Chapter 18 • Pictorial drawings 579**

types of pictorial drawings • axonometric drawings • oblique drawings • perspective drawing • isometric principles • nonisometric lines • hidden lines • offset measurements • center lines • box construction • irregularly shaped objects • isometric curves • isometric circles or arcs • isometric arcs • isometric knurls • isometric screw threads • isometric spheres • isometric intersections • isometric rounds and fillets • isometric dimensioning • isometric templates • perspective drawing procedures • review • problems

**SECTION FIVE • RELATED TECHNOLOGY 619**

**Chapter 19 • Welding 620**

welding processes • basic welding symbol • size of weld • length of weld • placement of weld • intermittent welds • process reference • contour symbol • field welds • welding joints • types of welds • multiple reference line • spot weld • projection weld • seam weld • welding template • review • problems

**Chapter 20 • Shop processes 644**

shop processes • casting • forging • extruding • stamping • machining • special workholding devices • heat treatment of steels • automation and integration (CAM and CIM/FMS) • computer-aided manufacturing (CAM) • industrial robots • CIM/FMS • review

**Chapter 21 • Pipe drafting 684**

types of pipe • types of joints and fittings • types of valves • pipe drawings • dimensioning pipe drawings • review • problems

**Chapter 22 • Electronic drafting 705**

electronics symbols • schematic diagrams • connection diagrams • block diagrams • logic diagrams • printed circuit board drawings • review • problems

**Chapter 23 • Charts and graphs 720**

functional classes: an overview • five basic components • specific charts and graphs • review • problems

**Chapter 24 • The design process 791**

time • learning the design process • the design process: phases and steps • design projects: routine and non-routine • review • problems

**Appendix A • Mechanical drafting mathematics 842**

mathematics for drafters • rounding decimal fractions • expressing common fractions as decimal fractions • millimeter-inch equivalents (conversion factors) • evaluating formulas • ratio and proportion • arithmetic operations on angles expressed in degrees, minutes, and seconds • degrees, minutes, seconds—decimal degree conversion • types of angles • angles formed by a transversal • types of triangles • common polygons • definitions of properties of circles • geometric principles of circle circumference, central angles, arcs, and tangents • geometric principles of angles formed inside a circle • geometric principles of angles formed on a circle and angles formed outside a circle • internally and externally tangent circles • trigonometry: trigonometric functions • trigonometry: basic calculations of sides • trigonometry: common drafting applications • trigonometry: oblique triangles—law of sines and law of cosines • review

**Appendix B • contents 874**

**Glossary 928**

**Index 935**

# Index

- Acme thread form, 459
- Addendum in gears, 541
- Adjacent alignment chart, 728
- Airbrushes, 49, 51
- Alignment charts, 741, 743-52
- Allowance, 353
- Angle gears, 536
- Angle plate fixture, 660, 661
- Angle plate jig, 658, 659
- Angles
  - acute, arc tangent constructed to an, 113
  - bisecting, 99
  - described, 94
  - dimensioning, 331-32
  - obtuse, arc tangent constructed to an, 114
  - right, arc tangent constructed to an, 112
  - transfer of, 104
- ANSI standard, for
  - clearance locational fits, 360-61
  - force and shrink fits, 362-63
  - interference locational fits, 360-61
  - running and sliding fits, 359
  - transition locational fits, 360-61
- Appliques, use of, 57
- Arc tangent
  - constructed to
    - acute angle, 113
    - obtuse angle, 114
    - right angle, 112
    - straight line and curve, 115
    - two radii or diameters, 116
- Architect's scale, 39
- Architectural drawings, 20
- Arcs
  - dimensioning, 331-32
  - drawing, 99
  - isometric, 591
  - drawing, 589-91
  - template for drawing, 588-89
- Arrowheads, 329
- Artistic drawings, described, 2
- Assembly drawings, 558-59
- Auxiliary views, 225-44
  - auxiliary section, 231
  - drawing, 226-27
    - irregular curved surface, 229-30
    - round surface, 229
    - round surface projection from an inclined or slanted surface, 227-28
  - half auxiliary, 232
  - partial views and, 231
  - secondary, 231
- Axonometric drawings, 579-81
  - diametric projection, 580
  - trimetric projection, 580-81
- Axonometric projections, 7, 8
- Axonometric sketching, 77, 78, 82
- Backing weld, 631-32
- Bar charts, 720, 721
  - spreadsheets and, 736
- Base circle, cams, defined, 523
- Baseline diagrams, 706
- Beam compass, 30
- Beam diagrams, 732, 733, 770-76
- Bends, 305-7
  - finding
    - bend allowance of, 307, 308
    - straight sides of, 307
    - total straight-side length adjoining, 308
  - sheet metal, dimensioning, 346
- Bevel gears, 536, 537, 545
- Beveled retaining rings, 489, 491
- Bolts, 468, 469
  - bolt center, locating, 336-37
  - center lines, concentric arcs and, 337
  - defined, 466
- Boring mills, 655-56
- Bow compass, with lead clutch, 29
- Bowed, retaining rings, 489
- Box jig, 659
- Brass pipe, 685
- Brazing, 620
- Broaching machines, 656
- Burnishing plates, care of, 57-58
- Bushings, 669-71
- Butterfly scribe, 48-49
- Buttress thread form, 460
- Cabinet drawings, 582
- CAD/CAM, 8
  - equipment, 23
  - notations
    - on drawings and, 364-72
    - of tooth gears with, 542-43
- Calipers
  - measurement of tooth gears with, 542-43
  - vernier, 42
- Callouts, dimensioning, 338-40
- CAM (computer-aided manufacturing), 672-76

- Cams
  - dimensioning, 528-29
  - displacement diagram, laying out from, 524-27
  - flat-faced follower, drawing, 517
  - mechanisms of, 522
  - motion of, 523-24
  - offset follower, drawing, 525-26
  - principles of, 521-22
  - terminology of, 522-23
  - timing diagram, 528
- Cap screws, 466
  - drawing, 467
- Cast iron pipe, 684
- Casting, 645-47
- Cavalier drawings, 581-82
- Center lines, 72
  - orthographic projections and, 157
- Centrifugal casting, 646
- Chain intermittent weld, 624
- Chain and sprockets, 538
- Chamfers
  - external, dimensioning, 343
  - head fits for undercut, 344
  - internal, dimensioning, 343
- Channel jig, 659, 660
- Charts
  - communicating information, 720-22
  - components of, 733-35
  - generating information, 722-33
- Check valves, 690, 691
  - data, 696-97
- Chords, dimensioning, 331-32
- Circles
  - described, 95
  - drawing, 99
    - an involute of, 135
  - isometric, drawing, 589-91
  - locating center of, 110-11
- Circular diameter in gears, 540
- Civil engineer's scale, 39
- Clamping principles, 664-68
- Clearance, 353
- Clearance in gears, 541
- Closed jig, 658
- Compasses, 27-30
  - care of, 57
- Compression springs, 505-7
  - drawing, 509-12
- Computer-aided design (CAD), 8
  - equipment, 23
  - notations on drawings and, 364-72
- Computer-aided drafting, 392-428
  - advantages of, 398-99
  - commands
    - input, 409-10, 412, 414
    - manipulation, 414, 416-17
    - output, 417
  - hardware, 394-97
    - digitizer, 395
    - functions menu, 396
    - graphics display, 395
    - keyboard, 395
    - plotter, 397
    - processor, 397
    - text display, 395
  - micro, 399, 402-5
  - overview of, 392-94
  - software, 397
  - system operation, 407-9
    - cursor control, 408
    - digitizing, 408
    - entering commands, 408-9
- Computer-aided manufacturing, 672-76
- Computer-integrated manufacturing, 678-81
- Computer numerical control, 673-75
  - applications, 675-76
- Concrete, prestressed, drawings, 19
- Concurrency charts, 741, 743-52
- Cones
  - described, 97
  - dimensioning, 347
  - truncated, radial line development and, 300-2
- Copper pipe, 685
- Curve plotting, multiview drawings, 163-64
- Curves
  - adjustable, 30
  - arc tangent constructed to, 115
  - cycloidal, drawing, 135-36
  - dimensioning, 333
  - French, 33, 34
  - ogee, drawing, 117-18
  - parabolic, drawing a, 131
- Cutting plane line, 72
- Cycloidal curve, drawing a, 135-36
- Cylinder
  - dimensioning, 340
  - truncated, parallel line development of, 296-98
- Datums, 435
  - establishing, 435-36
- Decimal-inch dimensioning, 324
- Descriptive geometry, 245-88
  - azimuth bearing, 263-64
  - bearing of a line, 263
  - bearings and headings
    - angles between, 266-67
    - construction of a line with, 267-70
  - fold lines and, 246-63
    - cylinder and plane surface intersection line projection, 262
  - distance between nonparallel lines, 252
  - distance between a plane surface and

- a point in space, 254-55
- edge view of a plane surface, 253-54
- finding true line length, 248-49
- intersection of two planes by line projection, 261
- piercing point by construction determination, 257-59
- piercing point by inspection determination, 257
- piercing point by line projection determination, 259-61
- plane projection into another view, 252
- point location in space, 248
- point view of a line construction, 249-50
- projecting into other views, 247-48
- sphere and plane surface intersection, 262-63
- true angle between two planes, 255
- true distance between a line and a point in space, 250-51
- true distance between parallel lines, 251
- two prisms intersection, 263
- visibility of lines determination, 256-57
- grade percent, 265
- north/south deviation, 263
- notations used in, 246
- projection, 245
- slope angle, 264-65
- steps used in, 245-46
- Design layouts, 558
- Design procedure, 557-58
- Design process, 7-9, 791-841
  - learning, 792
  - phases and steps
    - alternative solutions evaluation, 799-804
    - alternative solutions synthesis, 796, 798-99
    - problem identification and defining, 792-96
    - solution, 804-19
    - time, 791
- Design projects, 819-29
- Detail drawings, 560
- Developments
  - bends, 305-7
  - defined, 289
  - design practices, 291
  - laps and seams, 290-91
  - notches, 305
  - surface, 289-90
  - thickness of materials, 291-92
  - triangulation, 302
- Diametral pitch in gears, 541
- Die casting, 646
- Dies, 460
- Dimension, bolt holes, 348-49
- Dimension lines, 72, 326-28
- Dimensioning
  - angles, 331-32
  - arcs, 331-32
  - cams, 528-29
  - chords, 331-32
  - components, 325-29
  - cones, 347
  - contours not defined as arcs, 333
  - curved surfaces, 332
  - curves, 333
  - cylinders, 340
  - double, 340
  - external chamfers, 343
  - flat tapers, 345
  - geometric
    - angularity, 442
    - circularity, 441
    - concentricity, 445-48
    - cylindricity, 441
    - defined, 432
    - feature control symbol, 436-37
    - flatness, 439
    - modifiers, 432-36
    - parallelism, 442
    - perpendicularity, 442
    - profile, 442-44
    - runout, 444
    - straightness, 439-41
    - terms of, 430-31
    - true position, 437-38
  - holes
    - along a line, 337-38
    - cutouts, 334
    - locations of, 336
  - internal chamfers, 343
  - internal slots, 341-42
  - isometric, 595-96
  - keyseats, 473
  - keyways, 345
  - knurls, 344
  - multiple radii, 333
  - necks and undercuts, 344
  - offsets, 333, 334
  - pad and a boss, 346
  - pipe drawings, 701-2
  - pyramids, 346-47
  - radius, 332
  - rectangular coordinate, 348
  - reference, 340-41
  - repetitive features, 338
  - round holes, 334
  - round tapers, 345-46
  - rounded ends, 342

- rules, 357-58
- sectional views, 346
- shafts, 348
- sheet metal bends, 346
- spheres, 334
- squares, 340
- steps in, 329-30
- symbols, 330-31
- systems, 323-25
- tabular, 351
- techniques, 330-56
- threads, 346
- Dimensions
  - nominal, 342-43
  - not to scale, 342
  - staggered, 344
- Dimetric projection, axonometric drawings, 580
- Displacement diagram, defined, 522-23
- Divider, defined, 30
- Drafters, left-handed, 24
- Drafting
  - electronic, 705-19
    - diagrams, 705-11
    - printed circuit board drawings, 712-14
    - symbols, 705, 706
  - overlay, 59-61
- Drafting brushes, 37
- Drafting equipment
  - care of, 56-57
  - drawing
    - surface, 24
    - table, 23
  - parallel straightedge, 25
  - T-squares, 24-25
- Drafting instruments, 22-66
  - CAD/CAM, 23
  - conventional, 22-23
  - See also* specific type of instrument
- Drafting machines, 25-26
- Drafting sets, equipment contained in, 27-37
- Drawing scales, 37-40
- Drawing surface, 24
- Drawing table, 23
- Drawings
  - architectural, 20
  - artistic, 2
  - assembly, 558-59
  - axonometric, 579-81
    - diametric projection, 580
    - trimetric projection, 580-81
  - cabinet, 582
  - cavalier, 581-82
  - checking procedure, 554, 556
  - detail, 560
  - mechanical drawings, isometric, 14
  - multiview, 146-92
    - aligned features, 168
    - centering, 160-61
    - conventional breaks in, 170-71
    - curve plotting, 163-64
    - cylindrical intersections, 164-66
    - first angle projection of, 173
    - incomplete views and, 166-67
    - intersecting surfaces, treatment of, 163
    - orthographic projection, 147-58
    - planning, 158-59
    - representing holes in, 168-70
    - rounds and fillets, 162
    - runouts, 162
    - sketching procedure, 159-60
    - visualization of, 171-72
  - numbering systems, 556
  - oblique, 581-82
  - parts list of, 556
  - patent, 561
  - perspective, 582
    - procedures, 596-602
  - pictorial drawings, 579-617
    - axonometric, 579-81
    - box construction, 585-86
    - center lines, 585
    - hidden lines, 584
    - isometric circles, 587-91
    - isometric principles of, 582-84
    - nonisometric lines, 584
    - offset measurements, 585
    - perspective, 582
  - pipe, 698-701
  - revisions, 552-53
  - technical, 2-3, 5-7
    - applications of, 9-15
    - architectural, 10, 12, 13
    - civil, 12
    - described, 2-3, 5
    - electrical, 11
    - HVAC, 11
    - purpose of, 7-9
    - regulation of, 15
    - structural, 11
    - types of, 5-7
  - text on, 58-59
  - title block, 554
  - types of, 2-7
  - See also* specific type of drawing
- Drill bushings, 669
  - mounting, 669, 671
  - renewable, 670
- Drill presses, 653
- Drill size, tolerancing, 335-36
- Drop bow compass, 29, 30
- Drop forging, 647, 648
- Dry cleaning powder, 37

- Dry transfer sheets, 57
- Duplex fixture, 662
- Dwell, defined, 523
- Electronic drafting, 705-19
  - diagrams
    - block, 708-9
    - connection, 706-7
    - logic, 710-11
    - schematic, 705-6
  - electronic, 712-14
  - symbols, 705, 706
- Ellipse
  - drawing
    - concentric circle method, 119-21
    - foci, 122-23
    - inclined plane, 594
    - major and minor axis location, 124
    - tangent drawn to
      - from a distant point, 125-26
      - with located center, 124-25
    - trammel, drawing a, 121-22
- Empirical equations, 753-61
- Ends, rounded, dimensioning, 342
- Equilateral triangles, 95
  - drawing, 107
- Erasers, 36-37
- Extension lines, 72, 325
- Extension springs, 507
  - drawing, 512-13
- External retaining rings, 489
- Extruding, 648-49
- Fasteners
  - bolts, 465-67
  - classifications of, 457
  - grooved, 474-86
    - pins, 475-84
    - sizes, 477, 481
    - spring pins, 486-87
    - studs, 481
    - types, 476-77
  - keys and keyseats, 472-73
  - pitch, 460-61
  - retaining rings, 488-98
    - external series, 497-98
    - internal series, 495-96
    - materials and finishes, 491
    - selection considerations, 491
    - symbols, 493-94
    - types of, 489-91
  - rivets, 470-72
  - screw thread forms, 458-60
  - screws, 465-67
  - studs, 465-67
  - tap and die, 460
  - threads, 458
    - relief, 463, 465
    - representation of, 462-63
    - right-hand and left-hand, 462
    - single and multiple, 461
    - threads per inch (TPI), 460
- Fastening devices, 671, 672
- Fastening systems, 488
- Field welds, 627-28
- Files, drawing, 56
- Fillet weld, 628
- Filletts
  - isometric, 595
  - multiview drawings and, 162
- Finish marks, 350
- Fittings
  - pipe, 685-90
    - symbols for, 698-99
  - screwed, 685-690
- Fixed-renewable bushings, 669
- Fixtures, 660-63, 675
- Flange weld, 633-34
- Flanged fittings, 690
- Flanged joints, 690
- Flat springs, 507-8
- Flow charts, 723
- Foci ellipse, drawing a, 122-23
- Foreshortening, 147
- Forge welding, 620
- Forging, 647-48
- Fractional dimensioning, 325
- French curves, 33, 34
- Friction-joint compass, 27, 28
- Fusion welding, 620
  - symbols, 622
- Gate valves, 690, 691
  - data, 692-93
- Gears
  - backlash, 540
  - blank, 539
  - design and layout of, 548
  - diametral pitch, 541
  - materials of, 548
  - pitch diameter, 539
  - rack, 544
  - ratio, 538-39
  - terminology of, 540-41
  - tooth caliper, using, 542-43
  - tooth cutting data, 542-44, 547
  - train, 546, 548
  - types of, 535-38
- Geometric
  - elemental construction principles, 98-106
  - nomenclature, 93-97
- Geometric dimensioning
  - angularity, 442
  - circularity, 441
  - concentricity, 445-48

- cylindricity, 441
- datums, 435
- defined, 432
- establishing, 435-36
- feature control symbol, 436-37
- flatness, 439
- least material condition, 434
- maximum material condition, 432-33
- modifiers, 432
- parallelism, 442
- perpendicularity, 442
- profile, 442-44
- projected tolerance zone, 435
- regardless of feature size, 434
- runout, 444
- straightness, 439-41
- terms of, 430-31
- true position, 437-38
- Geometry, descriptive, 245-88
  - azimuth bearing, 263-64
  - bearing of a line, 263
  - bearings and headings
    - angles between, 266-67
    - construction of a line with, 267-70
  - fold lines and, 246-63
    - cylinder and plane surface intersection line projection, 262
    - distance between nonparallel lines, 252
    - distance between a plane surface and a point in space, 254-55
    - edge view of a plane surface, 253-54
    - finding true line length, 248-49
    - intersection of two planes by line projection, 261
    - piercing point by construction determination, 257-59
  - piercing point by inspection determination, 257
  - piercing point by line projection determination, 259-61
  - plane projection into another view, 252
  - point location in space, 248
  - point view of a line construction, 249-50
  - projecting into other views, 247-48
  - sphere and plane surface intersection, 262-63
  - true angle between two planes, 255
  - true distance between a line and a point in space, 250-51
  - true distance between parallel lines, 251
  - two prisms intersection, 263
  - visibility of lines determination, 256-57
  - grade percent, 265
  - north/south deviation, 263
  - notations used in, 246
  - projection, 245
  - slope angle, 264-65
  - steps used in, 245-46
- Globe valve, 690, 691
  - data, 694-95
- Graphical calculus, 730, 731
- Graphical integration, pole and ray method of, 761-70
- Graphs
  - communicating information, 720-22
  - components of, 733-35
  - generating information, 722-33
- Grinders, 654
- Groove weld, 628-30
- Helical springs, 505-7
- Helix, drawing a, 132-33
- Hex head bolt, 469
- Hexagon, drawing a, 109
- Hidden lines, 72
  - orthographic projections and, 156-57
  - pictorial drawings, 584
- Highway diagrams, 708
- Holes
  - bolt center, locating, 336-37
  - bolt, dimensioning, 348-49
  - counterbored, callouts for, 338, 339
  - countersunk, callouts for, 338, 339
  - cutouts, dimensioning, 334
  - dimensioning, 334
    - along a line, 337-38
    - locations of, 336
  - limits, 353
  - multiview drawings and, 168-70
  - tapered, callouts for, 338
- Horizontal lines, 73
- Hyperbola, drawing a, 129-31
- Illustrations
  - described, 5
  - mechanical, 6
- Inclined plane, drawing an ellipse on, 594
- Indexing fixture, 662
- Indexing jig, 660
- Industrial robots, 676-78
- Ink, tools, 43
- Interference fit, 353
- Internal retaining rings, 489
- Intersections, isometric, 593-95
- Invention agreement, 554
- Investment casting, 646
- ISO metric thread form, 458, 459
- Isometric
  - arcs, 591
  - drawing, 589-91

- template for drawing, 588-89
- circles, drawing, 589-91
- dimensioning, 595-96
- drawings, 582-84
- fillets, 595
- intersections, 593-95
- knurls, 592
- object, centering, 595
- rounds, 595
- screw threads, 592
- sketching, 78, 83
- spheres, 592-93
- templates, 596
- Isometric projections
  - axonometric drawings and, 579
  - springs, 514
- Isosceles triangle, 95
- Jigs, 657, 658-60
- Joints
  - pipe, 685-90
  - welding, 628
- Keys and keyseats, 472-73
- Keyways, dimensioning, 345
- Knuckle thread form, 459-60
- Knurls
  - dimensioning, 344
  - isometric, 592
- Laps, 290-91
- Lathes, 651-52
- Lead holders, 35-36
- Leader lines, 328
- Leads, 35
- Leaf jig, 659, 660
- Lettering
  - characteristics of good, 70
  - freehand techniques, 71
  - guidelines, 71
  - pens, 48
  - styles, 67-70
- Lettering sets, mechanical, 46-48
- Linear coordinate graphs, 723
- Linear graphs, 724
- Lineless diagrams, 708
- Liner bushings, 669
- Lines
  - angular, 73
  - bisecting, 98
  - characteristics of, 72
  - described, 94
  - divide into proportional parts, 103-4
  - dividing into equal parts, 102-3
  - drawing an involute of, 134
  - horizontal and vertical, 73
  - parallel, 73-74
  - parallel to a curved, drawing, 100
  - parallel to a straight, drawing, 100
  - perpendicular, 74, 101-2
  - sketching, 75
  - straight, arc tangent constructed to, 115
- Locators, 664, 666
- Log-linear graphs, 725, 727
- Log-log graphs, 725, 727, 728
- Machine screws, 466
  - drawing, 467
- Machining, 651-57
- Measuring, 40-42
- Mechanical drawings, isometric, 14
- Mechanical engineer's scale, 37-39
- Mechanical illustration, 6
- Mechanical lettering sets, 46-48
- Mechanical pictorial drawings, 21
- Metric dimensioning, 323-24
- MicroCADD, 399, 402-5
  - advantages of, 402-3
  - limitations of, 403-5
- Micrometer
  - described, 41
  - reading a, 41-42
- Milling machines, 653
- Miter gears, 536, 537
- Multistation jig, 660
- Multiview drawings, 146-92
  - aligned features, 168
  - centering, 160-61
  - conventional breaks in, 170-71
  - curve plotting, 163-64
  - cylindrical intersections, 164-66
  - first angle projection of, 173
  - incomplete views and, 166-67
  - intersecting surfaces, treatment of, 163
  - orthographic projection, 147-58
    - center lines and, 157
    - hidden lines and, 156-57
  - planning, 158-59
  - representing holes in, 168-70
  - rounds and fillets, 162
  - runouts, 162
  - sketching procedure, 159-60
  - visualization of, 171-72
- Nomograms
  - alignment charts and, 741, 743-52
  - concurrency charts, 741, 743-52
- Nomographs, 725
- Nonisometric lines
  - pictorial drawings, 584
  - true length of, 594-95
- Notations, 364
  - on drawings, 364-72
    - detail notes, 366, 368, 371

- general notes, 366, 367, 369-70
- note specifications, 366
- writing notes, 366
- Notches, 305
- Numerically controlled machines, 656-57
- Nuts, 469
  
- Oblique drawings, 581-82
- Oblique projections, 7
- Oblique, sketching, 78, 79, 84-87
- Octagon, drawing a, 109-10
- Offsets, dimensioning, 333, 334
- Ogee curves, drawing, 117-18
- Oil-groove bushings, 670
- Open jig, 658
- Open-carriage typewriter, 58
- Orienting dimensioning, 325
- Orthographic
  - sketching, 77, 81
  - view of, 77, 82
- Orthographic projection, 5, 7
  - center lines and, 157
  - hidden lines and, 156-57
  - multiple, 6
  - multiview drawings, 147-58
- Outside diameter in gears, 540
- Overlay drafting, 59-61
  
- Paper, sizes of, 51-54
- Parabola
  - drawing a, 126-27
  - focus point of, 127-28
- Parabolic curve, drawing a, 131
- Parallel alignment chart, 729
- Parallel line development, 292-98
  - truncated cylinder developed from, 296-98
  - truncated prism developed from, 294-96
- Parallel lines, 73-74
- Parallel projections, 5, 7
- Parallel straightedge, 25
- Parts list, 556
- Patent drawings, 561
- Pencils, 35
- Pens
  - lettering, 48
  - technical, 43-44
  - cleaning, 44-46
- Pentagon, drawing a, 108
- Perpendicular lines, 74
- Perspective
  - projection, 7
    - one point, 8
  - sketching, 77, 84-87
  - three point, 8
- Perspective drawings, 582
  - procedures, 596-602
- Phantom lines, 72
  
- Pictorial charts, 721
- Pictorial drawings, 579-617
  - axonometric, 579-81
  - box construction, 585-86
  - center lines, 585
  - hidden lines, 584
  - isometric circles, 587-91
  - isometric principles of, 582-84
  - nonisometric lines, 584
  - offset measurements, 585
  - perspective, 582
- Pie charts, 720
  - spreadsheets and, 736
- Pinion gears, 535
- Pins
  - grooved, 475-84
  - spring, 486-87
- Pipe
  - drawings, 698-701
  - dimensions, 701-2
  - joints and fittings, 685-90
  - symbols for, 700
  - types of, 684-85
  - valves, 690-98
- Piping drawings, 18
- Pitch
  - diameter in gears, 540
  - fasteners and, 460-61
- Planers, 655
- Plastic pipe, 685
- Plate fixtures, 660, 661
- Plate jig, 658
- Plug weld, 632, 633
- Points in space, 93
- Point-to-point diagrams, 706
- Polar graphs, 724
- Pole method of graphical integration, 761-70
- Polygons
  - construction, 106-10
  - described, 95
  - force, 736, 738-41
- Polyhedron, described, 97
- Positional tolerancing, defined, 432
- Power metallurgy, casting and, 647
- Power saws, 654
- Precision grinders, 654
- Press forging, 647
- Press-fit bushings, 669
- Prism
  - described, 97
  - truncated, parallel line development and, 294-96
- Profile charts, 721
- Projection plane, 6
  - defined, 147
- Projection weld, 636-37

- Projections
  - axonometric, 7, 8
  - descriptive geometry, 245
  - dimetric, 580
  - isometric, 579
    - axonometric drawings and, 579
    - springs, 514
  - oblique, 7
  - orthographic, 5, 7
    - center lines and, 157
    - hidden lines and, 156-57
    - multiple, 6
    - multiview drawings, 147-58
  - parallel, 5, 7
  - perspective, 7
    - trimetric, 580-81
- Proportional dividers, 30
- Protractors, 26, 35
- Pyramid
  - described, 97
  - dimensioning, 346-47
  - truncated, radial line development and, 299-300
- Quadrilateral, described, 95
- Rack gears, 535
- Radial line development, 298-302
  - truncated cone development from, 300-2
  - truncated pyramid developed from, 299-300
- Radii, arc tangent constructed to, 116
- Radius, dimensioning, 332
- Ray method of graphical integration, 761-70
- Rectangular coordinate, dimensioning, 348
- Renderings, described, 5
- Renewable bushings, 669
- Retaining rings, 488-98
  - external series, 497-98
  - internal series, 495-96
  - materials and finishes, 491
  - selection of, 491
  - symbols, 493-94
  - types of, 489-91
- Right angle, arc tangent constructed to a, 112
- Right triangle, 95
- Ring gears, 535
- Robots, 676-78
- Rolling forging, 648
- Root diameter in gears, 540
- Rotation, cams, defined, 523
- Rounds
  - isometric, 595
  - multiview drawings and, 162
- Runouts, multiview drawings and, 162
- Sand casting, 645-46
- Sandwich jig, 658, 659
- Scales, drawing, 37-40
- Schematic charts, 722, 723
- Screw threads
  - forms, 458-60
  - gage, 460, 461
  - isometric, 592
  - left-hand and, 462
  - representation of, 462-63, 464
  - right-hand and, 462
  - single and multiple, 461
- Screwed fittings, 685, 690
- Screws, 465-68
  - heads, 470
- Scriber
  - butterfly-type, 48-49
  - templates, 46
- Seam weld, 637
- Seams, 290-91
- Sectional views, 193-224
  - aligned sections and, 206
  - assembly section, 202
  - auxiliary section, 202
  - broken-out section, 199-200
  - cutting-plant line, 193
  - dimensioning, 346
  - direction of sight, 193
  - fasteners and shafts, 205-6
  - full section, 195, 197
  - half section, 198-99
  - holes and, 203-4
  - intersections in, 206
  - keyways and, 205
  - multisection views and, 195
  - offset section, 197
  - removed section, 201
  - revolved section, 200
  - ribs and, 203, 204-5
  - section lining, 193-95
  - spokes and, 205
  - springs, 513-14
  - thinwall section, 202
  - webs and, 203, 204-5
- Self-locking retaining rings, 489
- Set blocks, 671
- Set screws, 467, 468
- Shafts
  - dimensioning, 348
  - limits, 353
- Shapers, 655
- Shapes
  - proportionally enlarge or reduce, 106
  - transfer of
    - complex, 105
    - odd, 104-5
- Shop processes, 644-83

- casting, 645-47
- clamping principles, 664-68
- construction principles, 669-72
- extruding, 648-49
- forging, 647-48
- locating principles, 664
- machining, 651-57
- stamping, 649-51
- workholding devices, 657-72
  - fixtures, 660-63, 675
  - jigs, 657, 658-60
- Sketches, types of, 76
- Sketching, 74-75
  - circles, 79, 80
  - ellipses, 79, 80
  - isometric, 77, 83
  - lines, 75
  - materials, 76
  - oblique, 78, 79, 84-87
  - orthographic, 77, 81
  - perspective, 84-87
  - proportion in, 81
  - straight lines and curves, 79
  - techniques, 76-87
- Slip-renewable bushings, 669
- Slot weld, 632
- Slots, internal, dimensioning, 341-42
- Spheres
  - described, 97
  - dimensioning, 334
  - isometric, 592-93
- Spiral
  - bevel gears, 536, 537
  - drawing a, 132
- Spot weld, 634-36
- Spotfaces, callouts for, 338, 340
- Spring, bow compass, 27, 28
- Spring pins, 486-87
- Springs
  - classification of, 505
  - flat, 507-8
  - helical, 505-7
    - drawing, 509-13
  - isometric view of, 514
  - sectional view of, 513-14
  - terminology of, 508-9
- Spur gears, 535
- Squares
  - dimensioning, 340
  - drawing a, 107
    - involute, 134
  - head bolt, 468, 469
  - thread form, 459
- Staggered intermittent weld, 625
- Stamping, 649-51
- Steel pipe, 684
- Steels, heat treatment of, 672
- Straightedges
  - drafting machine, 26
  - parallel, 25
- Structural steel drawings, 17
- Studs, 485-86
  - defined, 466
- Subassembly drawings, 559-60
- Surface weld, 632-33
- Tabular
  - dimensioning, 351
  - drawing, 351
- Tangent points, locating, 111
- Tapers
  - flat, dimensioning, 345
  - round, dimensioning, 345-46
- Taps, 460
- Technical drawings
  - applications of, 9-15
  - architectural, 10, 12, 13
  - civil, 12
  - described, 2-3, 5
  - electrical, 11
  - HVAC, 11
  - purpose of, 7-9
  - regulation of, 15
  - structural, 11
  - types of, 5-7
- Technical pens, 43-44
  - cleaning, 44-46
- Templates, 32, 33
  - center-to-center distance, 542
  - gears, 541
  - isometric, 596
  - jig, 658, 659
  - pressure angle, 542
  - scriber, 46
  - standard lettering, 46-48
  - welding, 637
- Threads
  - cut-offs, 469-70
  - dimensioning, 346
  - relief, 463, 465
  - screw
    - forms, 458-60
    - gage, 460, 461
    - isometric, 592
    - left-hand and, 462
    - representation of, 462-63, 464
    - right-hand and, 462
    - single and multiple, 461
- Threads per inch, 460
- Time interval, defined, 523
- Timing charts, 732
- Timing diagram, cams, 528
- Tolerancing, 351-53, 431-32
  - drill size, 335-36

- positional, defined, 432
- Topographic maps, 732
- Torsion springs, 507
- TPI (Threads per inch), 460
- Trammel ellipse, drawings, 121-22
- Transition fit, 354
- Triangles, 30-31
  - adjustable, 31
  - described, 94-95
  - drawing
    - equilateral, 107
    - an involute of, 134
    - known lengths of sides, 106-7
- Triangulation development, 302
- transitional piece
  - development using, 302-3
  - with no fold lines development using, 303-5
  - with a round end and development using, 303
- Trilinear graphs, 724, 725
- Trimetric projection, axonometric drawings, 580-81
- T-squares, 24-25
- Typewriters
  - open-carriage, 58
  - open-end, 56
- Typewritten text on drawings, 58-59
- Unified National thread form, 458, 459
- Valves
  - pipe, 690-98
  - symbols for, 698-99
- Vernier, 26
- Vernier caliper, 42
- Vertical lines, 73
- Views
  - auxiliary views, 225-44
    - auxiliary section, 231
    - drawing, 226-27
    - half auxiliary, 232
    - partial views and, 231
    - secondary, 231
  - sectional views, 193-224
    - aligned sections and, 206
    - assembly section, 202
    - auxiliary section, 202
    - broken-out section, 199-200
    - cutting-plant line, 193
    - dimensioning, 346
    - direction of sight, 193
    - fasteners and shafts, 205-6
    - full section, 195, 197
    - half section, 198-99
    - holes and, 203-4
    - intersections in, 206
    - keyways and, 205
    - multisection views and, 195
    - offset section, 197
    - removed section, 201
    - revolved section, 200
    - ribs and, 203, 204-5
    - section lining, 193-95
    - spokes and, 205
    - springs, 513-14
    - thinwall section, 202
    - webs and, 203, 204-5
- See also* specific type of view
- Vise jaw fixture, 660, 661
- Visible lines, 72
- Welding
  - abbreviations, 626
  - contour symbol, 627
  - joints, 628
  - multiple reference line, 634
  - process reference, 626-27
  - processes, 620-21
    - chart, 621
  - symbols, 621-22
  - template, 637
- Welds
  - field, 627-28
  - intermittent, 624-25
  - length of, 623, 624
  - placement of, 624
  - projection, 636-37
  - seam, 637
  - size of, 622-23
  - spot, 634-36
  - types of, 628-34
    - backing, 631-32
    - fillet, 628
    - flange, 633-34
    - groove, 628-30
    - plug and slot, 632, 633
    - surface, 632-33
- Whiteprinter, 54-55
- Whole depth in gears, 541
- Working circle, defined, 522
- Working depth in gears, 540
- Working drawings, 558-60
- Worm gears, 536, 537, 545-46
- Worm thread form, 459
- X-Y-Z coordinates, 350