1/123907.

Ozerojozioz Tre

Heating, ventilating, air conditioning and refrigeration



CIBSE Guide B







Contents

		1_1
Heat	ung	1-1
. 1.1	Introduction	1_1
1.2	Strategic design decisions	1_/L
1.3	Design criteria	1- 1
1.4	System selection	1-12
1.5	Plant and equipment	1 52
1.6	Fuels	1 50
Refe	rences	1 60
App	endix I.AI: Example calculations	1.67
App	endix I.A.2: Sizing and heights of chimneys and files	1-07
Ven	tilation and air conditioning	2-1
2.1	Introduction	2-1
2.2	Integrated approach	2-1
2.3	Requirements	2-12
2.4	Svstems	2-50
2.5	Equipment	2-106
Refe	rences	2-133
App	endix 2.A1: Techniques for assessment of ventilation	2-140
App	endix 2.A2: Psychrometric processes	2-142
••		
Duc	twork	3-1
3.1	Introduction	3-1
3.2	Strategic design issues	3-3
3.3	Design criteria	3-9
3.4	System Selection	3-26
3.5	Ductwork materials and fittings	3-36
3.6	Testing and commissioning	3-38
3.7	Maintenance and cleaning	3-41
Refe	rences	3-45
Bibl	iography	3-46
App	endix 3.A1: Recommended sizes for ductwork	3-48
App	endix 3.A2: Space allowances	3-51
App	endix 3.A3: Maximum permissible air leakage rates	3-53
App	endix 3.A4: Summary of fan types and efficiencies	3-54
App	endix 3.A5: Methods of fire protection	3-54
App	endix 3.A6: Example calculations	3-55
Keti	Igeration and heat rejection	4-1
4.1	Introduction	4-1
4.2	Design strategies	4-1
4.3	Requirements	4-9
4.4	System selection	4-18
4.5	Equipment	4-41
Refe	rences	4-53

Appen	dix 4.A1: Summary data for refrigerants	4-56
Appen	dix 4.A2: Pressure-enthalpy charts for refrigerants	4-57
Noise	and vibration control for HVAC	5-1
5.1	Introduction	5-1
5.2	Summary of noise and vibration problems from HVAC	5-3
5.3	Noise sources in building services	5-5
5.4	Noise control in plant rooms	5-7
5.5	Airflow noise — regeneration of noise in ducts	5-7
5.6	Techniques for control of noise transmission in ducts	5-9
5.7	Room sound levels	5-14
5.8	Transmission of noise to and from the outside	5-20
5.9	Criteria for noise in HVAC systems	5-20
5.10	Noise prediction	5-22
5.11	Vibration problems and control	5-22
5.12	Summary of guidance on noise and vibration control	5-33
References		5-34
Appendix 5.A1: Acoustic terminology		5-35
Appen service	dix 5.A2: Generic formulae for predicting noise from building s plant	5-38
Appendix 5.A3: Interpreting manufacturers' noise data		5-41
Appendix 5.A4: Basic techniques for prediction of room noise levels from HVAC systems		5-42
Appendix 5.A5: Noise instrumentation		5-45
Appendix A6: Vibration instrumentation		5-46
Appendix A7: Direct and reverberant sound in a room		5-47
Appendix A8: Noise criteria		
	Appen Appen Appen 5.1 5.2 5.3 5.4 5.5 5.6 5.7 5.8 5.9 5.10 5.11 5.12 Refere Appen Appen from H Appen Appen Appen Appen Appen Appen	 Appendix 4.A1: Summary data for refrigerants Appendix 4.A2: Pressure-enthalpy charts for refrigerants Noise and vibration control for HVAC 5.1 Introduction 5.2 Summary of noise and vibration problems from HVAC 5.3 Noise sources in building services 5.4 Noise control in plant rooms 5.5 Airflow noise — regeneration of noise in ducts 5.6 Techniques for control of noise transmission in ducts 5.7 Room sound levels 5.8 Transmission of noise to and from the outside 5.9 Criteria for noise in HVAC systems 5.10 Noise prediction 5.11 Vibration problems and control 5.12 Summary of guidance on noise and vibration control References Appendix 5.A2: Generic formulae for predicting noise from building services plant Appendix 5.A3: Interpreting manufacturers' noise data Appendix 5.A5: Noise instrumentation Appendix 5.A5: Noise instrumentation Appendix 5.A5: Noise instrumentation Appendix A7: Direct and reverberant sound in a room Appendix A8: Noise criteria

Index

5

Index

A-weighted noise measurement 5-3, 5-6, 5-20 to 21, 5-38, 5-41, 5-42, 5-45 - see also dBA levels Absorption coefficients 5-9, 5-12, 5-47 to 48 Absorption heat pumps 1-35 Absorption machines for heating and cooling in future energy systems 4-32, 4-34, 4-48 Absorption refrigeration 4-32 to 35, 4-47 capacity controls 4-53 cooling towers 4-12, 4-35 energy efficiency 4-4, 4-12, 4-33, 4-35 Enhanced Capital Allowances 4-15 heat dissipation ratio 4-35, 4-36 heat recovery 4-7, 4-33 noise control 4-12 steam turbine with 4-48 Acceleration 5-23, 5-25, 5-26, 5-46 Accelerometers 5-46 to 47 Access chimneys and flues 1-47 cooled surfaces 2-83 evaporative condensers 4-11 fan coil units 2-92 induction units 2-99 refrigeration and heat rejection systems 4-5, 4-9, 4-11, 4-12, 4-16, 4-18 sports facilities ventilation 2-46 - see also Ductwork access; Escape routes; Maintenance; Openings; Space requirements Acid smut emissions 1-48, 1-52 - see also Corrosion ACOPs (Approved Codes of Practice) 1-56; 2-128; 3-42; 4-10, 4-11, 4-43, 4-50 Acoustical criteria --- see Noise criteria Acoustics terminology 5-35 to 38 - see also Noise and noise control; Sound intensity; Sound power; Thermoacoustic refrigeration Action Energy 4-4 Action Energy GIL 65 4-17 Action Energy GPG 178 4-31 Action Energy GPG 256 4-34 Action Energy GPGs 4-1 Action levels 5-7 Active silencers 5-13, 5-20 Actuators 1-37 to 38; 2-64, 2-91, 2-112 Adiabatic humidifiers 2-125 Adiabatically enhanced dry coolers 4-49 Admittance procedure 1-25; 2-140 Adsorption refrigeration 4-32, 4-38 Advisory Committee on Dangerous Pathogens 2-39 Aerodynamic noise - see Regenerated noise Aesthetics 2-78 to 79; 3-5, 3-8; 4-3, 4-18 Affordable warmth targets 1-3 Agricultural buildings 2-48 Air blast coolers 2-82, 2-83 Air bricks 2-45, 2-110 to 111 Air change rates — see Ventilation rates Air cleaners — see Filters and filtration Air conditioning 2-10, 2-72 to 76 air control units 2-132 broadcasting studios 2-22 computer rooms 2-27 dampers 2-74, 2-75, 2-100; 4-7, 4-19 dealing rooms 2-49 domestic buildings 2-30 ductwork sizing 3-6 energy efficiency 2-1, 2-4, 2-73; 4-4, 4-7, 4-15 to 16 fans 2-75; 4-7

food processing facilities 2-24 free cooling 2-27, 2-73 to 74, 2-75; 4-19 heating and 1-44 to 45 high-rise buildings 2-33 hotels 2-35, 2-36 inspection 4-9, 4-14, 4-17 noise control 2-22; 3-21; 4-12 performance 2-51, 2-76 pollutant control 2-14 refrigeration and 4-5, 4-14, 4-19, 4-28, 4-32, 4-40 retail buildings 2-43 secondary coolants 4-36 sports centres 2-45 temperature control 4-19 variable air volume systems 1-44 ventilation efficiency 2-51 zones and zoning 2-36, 2-74, 2-75 to 76, 2-86, 2-100 to 101, 2-132; 3-6 - see also Air handling units (AHUS); Close control air conditioning; Dual duct systems; Ductwork; Glycol air conditioning systems; Hot deck/cold deck systems; Humidity control; Local air conditioning; Mechanical cooling; Room air conditioners; Single zone air conditioning; Split systems; Temperature control; Ventilation and air conditioning control Air control units 2-132 Air cooled condensers 2-27, 2-43; 3-21; 4-21, 4-42 to 43, 4-44, 4-49 Air cooler batteries 2-124 Air curtains 1-23; 2-32, 2-114 Air cycle refrigeration 4-39 to 40 Air diffusion — see Air distribution; Diffusers Air distribution 2-9, 2-19, 2-50 to 57, 2-70, 2 - 90- see also Air velocities; Coanda effect; Diffusers; Ductwork; Jets; Warm air systems Air entrainment 2-52 — see also Coanda effect Air extraction — see Extract ventilation Air filtration — see Filters and filtration Air handling luminaires 2-53, 2-56, 2-87, 2-103, 2-133; 3-39; 4-5 Air handling units dampers 3-34 ductwork sizing 3-1, 3-55, 3-57, 3-60, 3-63 face velocities 2-67 fan coil units 2-90 to 91 health care premises 2-33 to 34 hot deck/cold deck systems 2-86 industrial buildings 2-38 mechanical ventilation 2-66, 2-67 ozone concentrations 3-32 partially centralised air/water services 2-73 pressure drops 2-129; 3-1, 3-63 retail buildings 2-43 selection. 3-63 vibration control 5-28 warm air systems 1-44 see also Ducted direct expansion units; Split systems; Zoned air handling units Air heater batteries 1-44; 2-123 to 124; 3-38 Air infiltration air bricks and trickle ventilators 2-110 air quality parameter 2-50 domestic buildings 1-10; 2-28 heat recovery 1-14; 2-116

heating system design 1-9 to 10, 1-13, 1-14 high rise buildings 2-33 industrial buildings 1-10; 2-31, 2-32 louvres 2-111 office buildings 1-10 retail buildings 2-43 swimming pools 1-10 toilets 1-10 ventilation strategy selection 2-5, 2-6, 2-7 windows 2-63, 2-107, 2-108 Air inlets 2-106 to 107, 2-112 air filtration and 2-123 air quality parameter 2-50 air velocities 3-10; 5-9 airport terminals 2-47 car parks 2-46 chimneys and flues 1-48, 1-50, 1-51; 2-61: 3-32 cleanrooms 2-25 comfort 2-108, 2-110 cooling towers 2-107; 3-32; 4-50 ductwork 3-23, 3-31, 3-32, 3-62 extract ventilation 2-107; 3-32 filters and filtration 2-123 ground air cooling 2-93 high-rise buildings 2-30 inspection 3-45 kitchens 2-24; 3-32 mechanical supply and natural extract ventilation 2-66 multi-purpose sports facilities 2-44 noise and noise control 5-1, 5-4, 5-6, 5-7, 5-13, 5-20, 5-42 passive stack ventilation 3-36 pest control measures 2-106; 3-31 pollution 2-14, 2-106 to 107; 3-31, 3-32 pressure drops 3-30, 3-62 pressurisation systems 3-23 silencers 4-12 single sided ventilation 2-59 toilets 2-46 warm air heaters 1-44 - see also Cowls; Fan inlets; Openings Air leakage builders' shafts and work ducts 3-22, 3-36 domestic buildings 2-28, 2-29 ductwork 2-67; 3-4, 3-5, 3-6 to 7, 3-9, 3-17 to 19, 3-63 to 64 ductwork sizing 3-26, 3-29 to 30 fans 3-17, 3-30 high pressure ductwork 3-4, 3-6 to 7, 3-17, 3-18, 3-19, 3-40 index runs 3-64 jointing and sealing 3-17, 3-18, 3-30 low pressure ductwork 3-4, 3-6, 3-17, 3-18, 3-19, 3-63 mechanical ventilation 2-67 medium pressure ductwork 3-4, 3-6, 3-17, 3-18, 3-19 mixing boxes 2-88 natural ventilation openings 2-111 noise and noise control 3-17 openings 2-111 plant 3-17, 3-19 pressures 3-17, 3-26, 3-53, 3-63, 3-64 tees 3-64 testing 3-6 to 7, 3-18 to 19, 3-38, 3-39; 4-5 thermal wheels 2-117 to 118 ventilation design 2-5 ventilation heat recovery 1-14 ventilation rates and 2-28

- see also Air infiltration; Airtightness; Pressure drops Air leakage index 1-9 to 10; 2-26 Air leakage limits 3-4, 3-6 to 7, 3-17, 3-53 Air leakage margins 3-18, 3-63 Airlocks 2-26 Air movement 2-51 to 52, 2-140 to 141 air quality parameter 2-50 animal husbandry facilities 2-48 broadcasting studios 2-22 comfort 1-5; 2-5, 2-56 dealing rooms 2-49 displacement ventilation 2-56 education buildings 2-42 heating 1-30 horticultural facilities 2-50 swimming pools. 2-45 variable air volume systems 2-102, 2-103 - see also Air distribution; Air velocities; Airflow; Draughts; Temperature differences Air outlets 2-106 to 107 air velocities 3-10; 5-9 cooling towers 2-107; 4-50 kitchens 2-24 noise and noise control 5-6, 5-7, 5-13, 5-20, 5-42 pest control measures 2-106; 3-31 pollution 2-106 to 107; 3-31, 3-32 pressurisation systems 3-23 silencers 4-12 wind direction sensors 2-112 ---- see also Chimneys and flues; Cowls; Extract ventilation; Grilles; Louvres; Roof ventilators; 'Short-circuiting'; Stack heights; Terminals Air permeability - see Air infiltration Air pollution — see Pollution Air power fans 2-129 – see also Fan power Air quality 1-46; 2-12 to 16 cooling 2-89, 2-93 displacement ventilation 2-56 ductwork 3-43 to 44 natural ventilation 2-62, 2-63, 2-110, 2-111occupant satisfaction 2-51 parameters 2-50 pollution 2-50, 2-118 to 119; 3-43 to 44 standards 2-107 whole-house mechanical ventilation 2-30 - see also Air inlets; Filters and filtration; Pollution; Ventilation rates Air quality sensors 2-47, 2-113; 3-35 - see also Carbon dioxide sensors Air quality strategy for England, Scotland, Wales and Northern Ireland 2-123 Air speeds — see Air velocities Air springs 5-29 Air supply cleanrooms 2-25 computer rooms 2-27 ductwork pressure drops 3-62 heating system design 1-5, 1-7 hotels 2-36 jets 2-53 pressure drops 3-62 push-pull hoods 2-115 - see also Air inlets; Balanced supply and

extract ventilation; Ceiling-based air supply; Combined supply/extract fans; Floor-based air supply; Mechanical extract and natural

supply; Openings; Ventilation capacity; Ventilation rates Air temperatures - see Temperatures Air-to-air heat pumps 1-16, 1-34; 4-24, 4-25 Air-to-air heat recovery - see Ventilation heat recovery Air velocities air inlets and outlets 3-10; 5-9 air quality parameter 2-50 assembly halls and auditoria 3-10 bends 3-11, 3-12 'blow-through' plant 2-75 broadcasting studios 2-22 circular ducting 3-10; 5-9 cleanrooms 2-25 commercial buildings 3-10 cooling 2-52, 2-53, 2-89, 2-93 dampers 3-40 diffusers 5-9 domestic buildings 3-10 duct fittings 2-133; 3-4, 3-10 to 12, 3-31, 3-55, 3-56; 5-9 ductwork 2-66 to 67; 3-4, 3-5, 3-9, 3-10 to 12; 5-2, 5-5 to 6, 5-7 to 8, 5-9 ductwork maintenance 3-42 ductwork sizing 2-66; 3-26 to 30, 3-31, 3-55 to 57; 5-8 exhaust ventilation 2-37 to 38, 2-113 to 114, 2-115 grilles 3-10; 5-9 health care premises 2-34 heating 1-5; 2-52 high pressure ductwork 2-67; 3-4, 3-10 horticultural facilities 2-50 industrial buildings 2-32 jets 2-51 to 52 kitchens 2-24 laboratory discharge 2-39 libraries 3-10 louvres 3-31, 3-55, 3-56 low pressure ductwork 2-66; 3-4, 3-10, 3-28 maximum velocities 3-10, 3-27, 3-28; 5-9 mechanical ventilation 2-30, 2-66 to 67 medium pressure ductwork 2-67; 3-4, 3-10 multi-purpose sports facilities 2-44 occupant satisfaction 2-51 occupied zone 2-52 office buildings 3-10 openings 3-10, 3-31; 5-9 rectangular ducting 3-10; 5-9 residential buildings 3-10 retail buildings 3-10 terminals 2-133; 3-10 variable air volume systems 2-102 whole-house ventilation 2-30 --- see also Air movement; Airflow; Airflow measurement; Constriction velocity; Efflux velocities; Face velocities; Fan velocity pressure; Velocity method Air venting, steam systems 1-21, 1-41, 1-42 Air washers 2-125, 2-143; 3-21 - see also Capillary washers Airborne contaminants -- see Air quality; Pollution Airflow cleanrooms 2-25 cross ventilation 2-60 displacement ventilation 2-56, 2-81 duct connections 3-31 ductwork 2-33, 2-67; 3-10 to 13, 3-65 to 67

ductwork sizing 3-6, 3-27, 3-30

exhaust ventilation 2-113 high rise buildings 2-33 industrial buildings 2-32, 2-36, 2-37 models 2-141 night cooling 2-78 noise and noise control 5-1 to 3, 5-4, 5-5, 5-9, 5-34, 5-44 openings 2-109, 2-110; 3-39 refrigeration and heat rejection 4-12 trickle ventilators 2-111 variable air volume systems 2-105; 5-5 — see also Air velocities; Fans; Pressure drops Airflow generated noise — see Regenerated noise Airflow measurement 3-20, 3-38 to 39, 3-41 - see also Test holes Airflow patterns 2-25, 2-51, 2-52, 2-55, 2-81, 2-132; 3-31 Airflow rates air handling luminaires 2-56 assessment of requirements 2-140 cross ventilation 2-60 ductwork sizing 3-6 education buildings 2-43 evaporative cooling 2-89; 4-36 exhaust ventilation 2-113 to 114 filters 2-119 industrial buildings 2-36, 2-37 kitchens 2-23 modelling 2-141 natural ventilation 2-62, 2-65 single sided ventilation 2-59 swimming pools 2-45 temperature differences and 2-53 whole-house ventilation 2-30 - see also Air velocities; Ventilation rates Airflow regulation 2-32; 3-34 to 35 - see also Dampers Airport terminals 1-6; 2-47 Airtightness Building Regulations 4-15, 4-16 computer rooms 2-26 domestic buildings 2-28 ductwork 2-67; 3-17, 3-18, 3-34 education buildings 2-42 ground air cooling 2-93 heat losses 1-14 heat recovery 2-116 heating system design 1-3 heavyweight buildings 2-80 insulation and 3-36 mechanical ventilation 2-66 natural ventilation 2-62 thermal insulation 3-36 ventilation and air conditioning design 2-2, 2-7 to 8 whole-house mechanical ventilation 2-30 – see also Air leakage AIVC Technical Note 23 2-140 All-air systems comfort cooling and air conditioning 2-72, 2-73, 2-74 fan coil units 2-91 health care buildings 2-34 heat recovery and 2-68, 2-116 hotels 2-36 swimming pools 2-45 – see also Constant volume systems; Dual duct systems; Single duct systems; Variable air volume (VAV) systems Alternative technologies, refrigeration 4-37 to 41 Aluminium ducting — see Metal ducting

Index

Ambient air free cooling 4-19 Ammonia refrigeration 4-27, 4-28 to 29, 4-34 to 35 condensers 4-43 global warming potential 4-14, 4-31 health and safety 4-11, 4-14, 4-28 to 29, 4-35 maintenance 4-18 refrigerant detection 4-30, 4-35 waste disposal 4-14, 4-29 Amplifiers 5-47 Analogue sensors 1-37 Ancillary devices heating 1-13 - see also Dampers; Fans; Pumps; Sensors; Valves Ancillary halls, sports centres 2-44, 2-45 Anemometers 2-64, 2-112; 3-39 Animal husbandry facilities 2-48 ANSI Standard S12.2 5-50 Anti-vibration mounts 5-6, 5-29 to 33 - see also Vibration isolators Appearance --- see Aesthetics Approved Codes of Practice 1-56; 2-128; 3-42; 4-10, 4-11, 4-43, 4-50 Aquifers --- see Ground water cooling Army barracks 2-26 Art galleries 1-10; 2-13, 2-40 to 41 Ash extraction and disposal 1-58 ASHRAE acoustical criteria 5-21, 5-22 ASHRAE Bin Method 2-76 ASHRAE Handbook: HVAC Applications 2-46, 2-47; 5-15, 5-44 ASHRAE Standard 62 2-16 Aspect ratios 1-47; 2-67; 3-3, 3-4, 3-6, 3-9; 5-11 Assembly halls and auditoria 2-15, 2-18 to 19; 3-10; 5-19 Asymmetric thermal radiation --- see Radiant temperature asymmetry Atmospheric burners 1-32 Atmospheric dust spot efficiency 2-119, 2-120 Atria 2-19 to 21, 2-58, 2-61 buoyancy driven ventilation 2-8, 2-19 to 20 educational buildings 2-42 fire protection 2-20, 2-64 mixed mode ventilation 2-70 natural ventilation 2-9, 2-16, 2-19, 2-20, 2-61 smoke extraction and control 2-16, 2-20, 2-61Attenuation - see Noise and noise control Attenuators - see Silencers Auditoria — see Assembly halls and auditoria Automatic ventilators 2-50, 2-64, 2-110 Average absorption coefficient 5-47 to 48 Average atmospheric dust spot efficiency 2-119 Average room spaces 5-16 Average synthetic dust weight arrestance 2-119 Averaging element capillary sensors 3-38 Axial flow fans 2-129, 2-130, 2-131 duct connections 3-33 efficiency 3-7 guide vanes 3-8 test holes 3-41 variable air volume systems 3-40 Back-draught shutters 2-29, 2-32 Back-end corrosion 1-52 Background noise 2-63; 5-1 assessment 5-46 broadcasting studios 2-22

call centres 2-49 chilled ceilings 2-82 office buildings 5-1, 5-3, 5-18 specialist areas 2-35 -see also Privacy Balanced draught systems 1-50 Balanced flues 1-50 to 51; 2-28 Balanced noise criterion (NCB) 5-21, 5-49, 5-50 Balanced pressure steam traps 1-40 Balanced supply and extract ventilation 2-9, 2-65 to 66 Balancing dual duct systems 2-87 ductwork 2-33; 3-5, 3-26, 3-28, 3-38, 3-40, 3-45 fan noise and 5-5 heating systems 1-11, 1-15 to 16 Balancing dampers 3-40 Barracks 2-26 Baseline Guides 2-24, 2-38 Basements 3-22 Bathrooms air infiltration allowances 1-10 air supply rates 1-9 communal residential buildings 2-26 domestic buildings 2-29, 2-30 extract ventilation 2-36 health care premises 2-35 hotels 2-35, 2-36 passive stack ventilation 3-35 temperatures 1-6 underfloor heating 1-17 Batteries 1-44; 2-123 to 124; 3-38 Battery rooms 2-41 Bearers, ductwork 3-24, 3-25. Bearings 5-22, 5-27, 5-29 - see also Vibration isolators Bends 3-11 to 12 air cooler batteries 2-124 chimneys and flues 1-47 definitions 3-3 ductwork maintenance 3-43, 3-44 ductwork sizing 3-57, 3-59, 3-61 energy efficiency 3-7 noise and noise control 2-67; 3-4, 3-12, 3-31; 5-10 to 11, 5-12 passive stack ventilation 2-28; 3-35 pressure drops 2-67; 3-11, 3-12, 3-13, 3-59, 3-60, 3-61 turning vanes 3-8, 3-11 to 12 Bifurcated fans 2-132 Bio-fuels 1-53 to 54, 1-55 Biological agents 2-39 to 40; 3-45 - see also Microbiological contamination Bird screens - see Pest control measures Blackness test 2-120 Blinds — see Shading 'Blow-through' air handling plant 2-22, 2-34, 2-75 Boiler Directive 1-3 Boiler rooms 2-41 Boilers chimneys and flues 1-47, 1-48, 1-49 to 51 corrosion 1-52 efficiency 1-3, 1-13, 1-15, 1-16, 1-40 health and safety 1-22, 1-40 heat exchangers 1-31, 1-32 hydronic systems 1-14, 1-15, 1-16, 1-18, 1-19, 1-30, 1-31 to 33 inspection 4-17 noise 5-6 steam systems 1-20, 1-22, 1-39 to 40 - see also Gas-fired boilers; Multiple boilers; Oil-fired boilers; Sequencing controls

Boreholes 2-95, 2-96 Branched flue systems 1-51 Branches 3-12 airflow measurement 3-39 dampers 3-23, 3-34. documentation 3-40 ductwork sizing 3-5, 3-6, 3-12, 3-26, 3-28, 3-30, 3-57 to 58 effect of closing 3-65 to 67 noise and noise control 5-11 pressure drops 3-12, 3-57 space requirements 3-5, 3-6 test holes 3-20, 3-41 Brayton cycle · 4-39 BRE Digest 398: Continuous mechanical ventilation in dwellings 2-30 BRE Digest 399: Natural ventilation in nondomestic buildings 2-59 BRE Digest 454: Thermal mass in office buildings $1-7^{-1}$ BRE Environmental Building 2-94, 2-95 BRE IP 1/94: Minimising refrigerant emissions from air conditioning systems in buildings 4-31 BRE IP 6/2000: Modelling the performance of thermal mass 2-78 BRE IP 18/00: Ammonia refrigerants in buildings: minimising the hazards 4-29 BRE Report BR 262: Thermal insulation: avoiding risks 2-18 BRE Report BR 293: Radon in the workplace 2-16 BRE Report BR 345: Environmental design guide for naturally ventilated and daylit offices 2-140 BRE Report BR 368: Design methodologies for smoke and heat exhaust ventilation within atria 2-44, 2-65 BRE Report BR 375: Natural ventilation in atria for environment and smoke control 2 - 16Break-in noise 5-7, 5-14 Break-out noise 5-3, 5-4, 5-32, 5-43, 5-44 ceilings 5-14, 5-43, 5-44 ductwork 3-40; 5-4, 5-9, 5-14, 5-44 noise prediction 5-22, 5-44 plant rooms 5-7, 5-22 roof-top units 5-5, 5-6 variable air volume systems 5-5 BREEAM (Building Research Establishment Environmental Assessment Method) 1-3, 1-11; 2-4; 4-4 Brick chimneys 1-51 Bricks - see Air bricks Brickwork ducts 3-36 Brines 4-35 to 36 British Gas IM/11 1-47 British Refrigerating Association 4-15 Broadcasting studios 2-13, 2-21 to 22 BS 476 3-8, 3-20, 3-21, 3-22, 3-23, 3-54 BS 759: Part 1 1-22, 1-40 BS 779 1-31 BS 799-5 1-57 BS 806 1-22 BS 848; Part 1 2-129 BS 855 1-31 BS 1113 1-22, 1-39 BS 1387 1-56 BS 1780: Part 2 1-22 BS 2790 1-22, 1-31, 1-39, 1-40 BS 2869 1-53 BS 3463 1-22, 1-40 BS 3797 1-58 BS 3928 2-119, 2-120 BS 4076 1-51

BS 4434 2-41 BS 4485: Part 2 4-51 BS 4814 1-19 BS 4856 1-26; 2-129 BS 5250 2-18 BS 5410 1-57; 2-16, 2-41 BS 5422 3-14 BS 5440 1-49, 1-51; 2-16, 2-28, 2-41 BS 5449 1-15, 1-19 BS 5588 2-44, 2-65; 3-8, 3-20, 3-23 BS 5720 3-45 BS 5854 1-47 BS 5864 1-45; 2-28 BS 5918 1-35 BS 5925 2-14 BS 5970 3-14 BS 5990 1-45 BS 5991 1-45 BS 6230 1-23, 1-44 BS 6375: Part 1 2-107 BS 6399-2 2-112 BS 6472 5-25 BS 6540: Part 1 2-119 BS 6644 1-47 BS 6759 1-22, 1-40 BS 6785 1-35 BS 6798 2-16, 2-41 BS 6891 1-56 BS 6896 1-45, 1-46 BS 7074 1-19 BS 7258 2-39 BS 8313 3-5, 3-51 **BS EN 378** ammonia refrigeration 4-28 ducted direct expansion units 4-45 hydrocarbon refrigerants 4-30 pollution 4-12 refrigerant charges 4-28, 4-29, 4-45 refrigerant leakage procedure 2-44 safety 4-10, 4-11, 4-27 variable refrigerant flow units 4-45 BS EN 378-1 4-8, 4-19, 4-53 BS EN 378-4 4-11, 4-18 BS EN 442-2 1-26, 1-27 BS EN 676 1-32 BS EN 779 2-119, 2-120 BS EN 1057 1-56 BS EN 1264 1-17, 1-30, 1-31 BS EN 1319 1-45 BS EN 1822 2-120 BS EN 7730 1-1 BS EN 12207 2-107 BS EN 12354-4 5-22 BS EN 13829 1-10 BS EN 22063 3-38 BS EN ISO 1461 3-38 BS EN ISO 6946 1-8 BS EN ISO 10077 1-8 ·BS EN ISO 10211 1-8 BS EN ISO 13370 1-8 BS EN ISO 14644-1 2-24 BS ISO 156861-1 1-11 BSRIA AG 2/89: The commissioning of water

systems in buildings 1-16; 4-17 BSRIA AG 2/97: Air curtains — commercial applications 1-23 BSRIA AG 3/89.3: Commissioning air systems 3-8, 3-20, 3-38, 3-41 BSRIA AG 3/96: Radiant heating 1-23

BSRIA AG 5/90: Kaauni heating 1-25 BSRIA AG 10/94: Humidification in buildings 2-126

BSRIA AG 11/98: Project management handbook for building services 4-1

BSRIA AG 14/99: Variable speed pumping in heating and cooling circuits 1-37

BSRIA AG 16/2002: Variable-flow water systems: design, installation and commissioning guidance 1-16 BSRIA Commissioning Guides 1-11; 4-16 BSRIA GN 11/97: Oversized air handling 2-73 BSRIA RR 16/96: Free cooling systems: design and application guide 2-74; 4-22, 4-23 BSRIA Technical Appraisal 1/93: Heat rejection systems: some methods and their operating costs 4-49 BSRIA TM 1/90: Air conditioning condenser cooling systems 4-49 BSRIA TN 10/92: Spatial allowances for building services distribution systems 3-5, 3-51 BSRIA TN 11/86: Selection of air-to-air heat recovery systems 2-117 BSRIA TN 11/95: Control of natural ventilation 2-65BSRIA TN 14/96: Night cooling control strategies 2-79BSRIA TN 16/95: Pre-cooling in mechanically cooled buildings 2-79 BSRIA TN 18/92: Ventilation system hygiene — a review 3-45 Buildability 1-11 Builders' shafts and work ducts 2-19; 3-22, 3-36 Building envelope 1-7, 1-10; 2-62 --- see also Structural heat losses Building fabric condensation 2-17 to 18, 2-33 heat losses 1-8, 1-23, 1-24 heating 1-1, 1-3 mixed mode ventilation 2-69 to 70 natural ventilation 2-8 to 9, 2-62 refrigeration 4-4 to 5 ventilation strategy and 2-2, 2-5 - see also Night cooling Building form and orientation ductwork 3-6 heating 1-3 refrigeration 4-5, 4-18 ventilation and air conditioning 2-5, 2-6, 2-17 to 18, 2-62 see also Structural heat losses; Thermal insulation Building management systems 1-45, 1-46; 2-65, 2-91, 2-97; 4-53 Building performance — see Performance Building Regulations 2000 1-3, 1-12 to 13; 2-46; 3-22; 4-9, 4-15, 4-16 Building Regulations 2000: Approved Document B 2-13, 2-65; 3-8, 3-20, 3-22 Building Regulations 2000: Approved Document F 2-12, 2-28, 2-43, 2-110 Building Regulations 2000: Approved Document J 1-47, 1-49, 1-56, 1-57; 2-13, 2-16, 2-28 Building Regulations 2000: Approved Document L ductwork 3-1, 3-3, 3-6, 3-7, 3-9, 3-26, 3-30, 3-63 heating 1-11 ventilation and air conditioning 2-13, 2-18, 2-68, 2-76 Building Regulations 2000: Approved Document L1 I-8 Building Regulations 2000: Approved Document L2 4-15 to 17 air permeability 1-9, 1-10 heating 1-8, 1-11 refrigeration 4-4, 4-5, 4-7, 4-8, 4-9, 4-11, 4-14, 4-16 to 17

Building Regulations 2000: Part E 5-17

Building Regulations 2000: Part F1 2-12 Building Regulations 2000: Part F2 2-12 Building Regulations 2000: Part J 1-23, 1-47, 1-51, 1-57; 2-16, 2-41 Building Regulations 2000: Part L 1-3, 1-11; 2-1, 2-68 to 69; 5-1 Building Regulations 2000: Part L1 1-11, 1-13 Building Regulations 2000: Part L2 1-11, 1-13 Building Regulations (Northern Ireland) 1-11, 1-47 Building Research Establishment Environmental Assessment Method (BREEAM) 1-3, 1-11; 2-4; 4-4 Building Standards (Scotland) Regulations 1-11, 1-47; 2-1, 2-18, 2-46; 3-7; 5-1 Bulk LPG storage at fixed installations 1-56 Buoyancy driven ventilation 2-8, 2-19 to 20, 2-58 to 59 - see also Displacement ventilation; Mixing ventilation; Stack effects; Stack ventilation Burners 1-32 to 33 Bus terminals 2-46 to 47 Cabinet heaters 1-43 to 44, 1-49 Caged springs 5-30 Call centres 2-13, 2-48 to 49 Canopy extract systems 2-23, 2-29, 2-30, 2-113 to 114 Capacity controls 4-51 to 53 Capillary sensors 3-38 Capillary tubes 4-44, 4-46 Capillary washers 2-127, 2-142 - see also Air washers Car parks 2-13, 2-46; 3-22 Carbon dioxide 1-23; 2-15; 4-27, 4-36 - see also Carbon emissions; Carbon performance rating Carbon dioxide enrichment 2-50 Carbon dioxide sensors 2-63, 2-68 car parks 2-46 education buildings 2-43 historic materials storage 2-40 mechanical ventilation 2-40, 2-43, 2-44 mixed mode ventilation 2-71 natural ventilation 2-113 retail buildings 2-44 see also Air quality sensors Carbon emissions absorption chillers 4-33 heat pumps 1-35 heating 1-3, 1-4, 1-17, 1-54, 1-55 ice storage 4-37 refrigeration and heat rejection 4-4, 4-13 to 14 steam humidification 2-73 ventilation and air conditioning 2-1 see also Carbon performance rating; Climate change; Energy efficiency Carbon emissions calculation method 4-16 Carbon intensity 1-3 Carbon monoxide — see Combustion appliances and products; Exhaust gases Carbon performance rating 1-3, 1-11; 3-7; 4-15, 4-16 Care homes 2-26 Carnot cycle 4-32 Casing, definition 2-129 Casing break-out noise 5-5, 5-6, 5-14, 5-42, 5-44 Cast iron sectional boilers 1-31, 1-49 Catering — see Food processing facilities Cavity blinds 2-62 Cavity ventilation 2-18

CDM Regulations — see Construction (Design and Management) Regulations 1994 Ceiling-based air supply 2-66 Ceiling diffusers 2-54, 2-55; 3-39 Ceiling-mounted systems, dealing rooms 2-49 Ceiling-mounted terminal units 3-51, 3-52 Ceilings air jets 2-53, 2-54 airflow measurement 3-39 ductwork 3-4, 3-5, 3-10; 5-14 fan coil units 2-91, 2-92; 5-6 grilles 2-57 mixed mode ventilation 2-70 night cooling 2-78, 2-79 noise 5-6, 5-14, 5-15 to 16, 5-17, 5-43, 5-44 plenums 2-53, 2-56, 2-103 space requirements 3-5 vibration control 5-33 see also Chilled beams and ceilings; Cooled surfaces; False ceilings and floors Centralised all-air systems --- see All-air systems Centralised ventilation and air conditioning systems 2-30, 2-33, 2-43, 2-72 see also Partially centralised air/water systems Centre of gravity 5-29 to 30 Centrifugal compressors 4-46, 4-47, 4-52 Centrifugal fans 2-129, 2-130 cooling towers 4-50 duct connections 3-31, 3-32 efficiency 3-7 test holes 3-20, 3-41 variable air volume systems 3-40 - see also Fan coil units CFD (computational fluid dynamics) 2-141 Chain grate stokers 1-33, 1-50 Changing rooms 2-44, 2-45 Characteristic dimension 5-39 Charging, refrigerants 4-7, 4-28, 4-29, 4-31, 4-44, 4-45, 4-47 Chilled beams and ceilings 2-80 to 82 broadcasting studios 2-22 call centres and dealing rooms 2-49 desiccant cooling and 2-85; 4-37 displacement ventilation 2-56, 2-80, 2-81 ground water cooling 2-81; 4-20 mixed mode ventilation 2-71, 2-80 refrigeration and heat rejection design 4-5, 4-19 temperatures 2-80 to 82; 4-5, 4-19, 4-20 see also Cooled surfaces Chilled water systems 2-27; 4-7, 4-19, 4-21 to 22, 4-32, 4-53 - see also Condensers; Evaporators Chillers 4-46 to 49 coefficient of system performance 4-31 to 32 commissioning 4-17 electronic expansion valves 4-44 energy efficiency 4-44 energy meters 4-17 heat dissipation ratio 4-35, 4-36 ice storage systems 4-37 maintenance 4-18 noise control 4-12; 5-3 to 4, 5-6, 5-38 refrigerant charging 4-29 refrigerant leakage 4-35, 4-46 start-up time 4-7 to 8 - see also Absorption refrigeration; Multiple chillers; Refrigerant migration chillers; Shell and tube

evaporators; Thermosyphon chillers; Vapour compression chillers Chimney linings 1-51 Chimneys and flues 1-3, 1-46 to 52, 1-67 to 73 air inlets 1-48, 1-50, 1-51; 2-61; 3-32 ductwork 1-50; 3-32 extract fans 2-61 kitchens 2-24 laboratories 2-39 noise source 5-6 roof ventilators 2-61 thermal insulation 1-51 to 52; 2-61 ventilation 2-58, 2-61 warm air systems 1-43 - see also Balanced flues; Combustion appliances and products; Solar chimneys Chlorofluorocarbon refrigerants 4-4, 4-8, 4-12 to 14, 4-26, 4-31 CHP (combined heat and power) systems 1-17, 1-33 to 34, 1-53; 2-35; 4-7, 4-33 to 34 CIBSE AM10: Natural ventilation in non-domestic buildings 1-5; 2-57, 2-59, 2-62, 2-65, 2-140 CIBSE AM11: Building energy and environmental modelling 1-25; 2-140 CIBSE AM12: Small-scale combined heat and power for buildings 1-17, 1-34 CIBSE AM13: Mixed mode ventilation 2-70 CIBSE Building Energy Code 1: Energy demands and targets for heated and ventilated buildings 1-11 CIBSE Building Energy Code 2: Air conditioned buildings 1-11; 2-76 CIBSE Building Energy Codes 1-3 CIBSE Commissioning Code A: Air distribution systems 3-8, 3-38 CIBSE Commissioning Code C: Automatic controls 2-65 CIBSE Commissioning Code R: Refrigeration systems 4-17, 4-27 CIBSE Commissioning Code W: Water distribution systems 1-16 CIBSE Commissioning Codes 1-11; 4-16 CIBSE GN1: CFCs, HCFCs and halons 4-1, 4-10, 4-12, 4-27 CIBSE Guide A: Environmental design air quality 2-13, 2-14, 2-16, 2-107 comfort 2-3, 2-16, 2-62, 2-74 diversity factors 1-10 heat balance 1-5 heat loss calculations 1-8 humidity control 2-17, 2-74, 2-124 noise and vibration control 5-23, 5-25, 5-43, 5-49 occupant satisfaction 1-5 plant sizing 1-10, 1-25 radiant temperature asymmetry 1-5 refrigeration 4-5, 4-19 surface heat transfer 2-83 temperatures 1-5, 1-6 to 7, 1-30; 2-16, 2-62, 2-140 thermal bridging 1-8 thermal capacity 1-11 thermal response factor 1-7, 1-25 U-values 1-8 ventilation and air conditioning 1-9; 2-18, 2-50, 2-51, 2-62, 2-65, 2-140 wind and stack effects 2-59, 2-65 CIBSE Guide B14: Refrigeration and heat rejection 4-1 CIBSE Guide C: Reference data duct friction factors 1-73 ductwork clearances 3-31

ductwork pressure losses 3-1, 3-26, 3-30, 3-55, 3-56, 3-57, 3-58, 3-59 ductwork sizing 3-26, 3-30, 3-31, 3-56, 3-58, 3-59 ductwork tapers 3-13 ductwork tees 3-12 flexible ducting roughness 3-34 fuel properties 1-53, 1-54 gas pressure losses 1-56 heat emissions 1-30 heat transfer equations 2-78, 2-106 heating pressure losses 1-15, 1-36, 1-64, 1-65, 1-66 noise and noise control 5-39 steam tables 1-20 ventilation and air conditioning 2-106 CIBSE Guide D: Transportation systems in buildings 2-41 CIBSE Guide E: Fire engineering 2-16, 2-65, 2-68; 3-20 CIBSE Guide F: Energy efficiency in buildings heating 1-4, 1-11 refrigeration 4-1, 4-4, 4-14, 4-17, 4-19, 4-32 ventilation and air conditioning 2-5, 2-50, 2-64, 2-72, 2-74, 2-129 CIBSE Guide G: Public health engineering 4-50 CIBSE Guide H: Building control systems ductwork 3-35 heating 1-19, 1-37, 1-38, 1-45, 1-52 refrigeration 4-1, 4-17, 4-51, 4-53 ventilation and air conditioning 2-74, 2-91, 2-102, 2-124 CIBSE LG10: Daylighting and window design 4-5 CIBSE RR2: Air-to-air heat recovery 2-117 CIBSE TM13: Minimising the risk of Legionnaires' disease 2-89; 4-11, 4-43, 4-50 CIBSE TM18: Ice storage 4-37 CIBSE TM21: Minimising pollution at air intakes 1-46; 2-14, 2-63, 2-107; 3-31, 3-32 CIBSE TM22: Energy assessment and reporting methodology 1-11; 2-4; 4-4 CIBSE TM23: Testing buildings for air leakage 1-9 to 10; 2-26, 2-62; 4-5 CIBSE TM24: Environmental factors affecting office worker performance 1-5 CIBSE TM26: Hygienic maintenance of office ventilation ductwork 2-121, 2-123; 3-44 CIBSE TM31: Building log books 4-9, 4-17 CIBSE TM32: Guidance on the use of the carbon emissions calculation method 4-16 Circular ducting 3-4 air velocities 3-10; 5-9 costs 3-9 dampers 3-35, 3-40 exhaust ventilation 2-115 galvanising 3-38 noise control 2-67; 5-9, 5-10 passive stack ventilation 3-35 pressure drops 3-13, 3-29 sizing 3-28, 3-50, 3-57, 3-58 space requirements 3-51 supports 3-24 tapers 3-58 test holes 3-41 transport 3-25 Cisterns 1-14, 1-19 Clean Air Act 1993 1-46, 1-47, 1-67 Cleanliness coils 2-67; 3-9, 3-44 cooling towers 4-11 duct fittings 3-43

ductwork 2-34, 2-67 to 68, 2-93, 2-111; 3-8 to 9, 3-19 to 20, 3-41 to 45 ductwork commissioning 3-39, 3-44 ductwork costs 3-26 ductwork support 3-23 evaporative condensers 4-11 extract ventilation 3-45 fan coil units 2-92 filters 3-8, 3-42, 3-44, 3-45 flexible ducting 3-34 food processing facilities 2-23, 2-24; 3-20, 3-44 ground air cooling 2-93 health and safety 3-10 health care premises 2-34 humidity control 3-45 jointing and sealing 3-9 kitchen ductwork 3-42, 3-45 mechanical ventilation 2-14, 2-54, 2-66, 2-67 to 68; 3-42 natural ventilation 2-14, 2-111 pipework 2-93; 4-46 plant rooms 3-42 refrigeration and heat rejection 4-11, 4-46 sensors 3-38, 3-43, 3-45 shell and tube direct expansion evaporators 4-42 silencers 3-45 terminals 2-34 waste disposal 3-45 windows 2-109 -see also Cleanrooms; Filters and filtration; Maintenance; Pollution Cleanrooms 2-24 to 25, 2-53 to 54, 2-120 to 121 Clear area ratio 5-39 Clearances - see Access; Space requirements Climate change 1-4, 1-55; 4-4, 4-7, 4-8, 4-12 to 14, 4-31 see also Carbon emissions; Environmental issues Climate Change Levy 2-1; 4-4, 4-14 to 15 Close control air conditioning 2-10, 2-41, 2-74, 2-80; 4-4 Closed circuit cooling towers 4-49 to 50 Closed loop ground water cooling 2-94, 2-95 Coach terminals 2-46 to 47 Coal 1-52, 1-54, 1-55, 1-57 Coanda effect 2-51, 2-53, 2-54, 2-56, 2-132 Coatings - see Protective coverings; Surface finishes Code of practice for minimisation of refrigerant emissions from refrigerating systems 4-31 Coefficient of performance (COP) 4-31 to 32 absorption refrigeration 4-32, 4-34, 4-35 direct expansion systems 4-45 heat pumps 1-16, 1-34, 1-35; 2-97 heat rejection and 4-49 ice storage refrigeration 4-37 magnetic refrigeration 4-40 refrigerant leakage 4-30 screw compressors 4-47 solid adsorption refrigeration 4-38 steam jet refrigeration 4-38 stirling cycle refrigeration 4-39 thermionic refrigeration 4-40 thermoacoustic refrigeration 4-40 thermoelectric cooling 4-38 vortex tube cooling 4-41 - see also Absorption coefficients; Energy efficiency; Seasonal coefficient of performance Coefficient of system performance (COSP) 4-22 to 23, 4-31 to 32, 4-40, 4-49

Cooling coils; Fan coil units; Heating coils; Induction units Coking stokers 1-33 Cold air admission, chimneys and flues 1-48, 1 - 73Cold floors - see Floor temperatures Combination boilers 1-16, 1-18 Combined heat and power (CHP) systems 1-17, 1-33 to 34, 1-53; 2-35; 4-7, 4-33 to 34 Combined openings 2-112 Combined primary storage units 1-18 Combined supply/extract fans 2-75 Combustion appliances and products air quality 2-16 boilers 1-31 to 33 domestic buildings 2-28, 2-29 food processing facilities 2-23 noise source 5-6 warm air systems 1-23, 1-44 see also Chimneys and flues; Gas-fired boilers; Gas-fired radiant heaters; Oil-fired boilers; Pulse combustion; Solid fuel boilers . Comfort air inlet location 2-108, 2-110 air movement 1-5; 2-5, 2-56 air quality 2-51 air velocities 2-51 chilled beams and ceilings 2-81, 2-82 cooled surfaces 2-83 displacement ventilation 2-56 education buildings 2-42 heating 1-1, 1-5, 1-12 humidity control 1-5; 2-17, 2-73, 2-74 to 75 mixed mode ventilation 2-11 natural ventilation 2-62 to 63, 2-108 stack ventilation 2-60 to 61 temperatures 1-5; 2-51 ventilation and air conditioning 2-10, 2-11, 2-16 to 17, 2-51, 2-53 vibration control 5-23, 5-25 to 26 window distances 1-5 see also Acceleration; Air movement; Air quality; Draughts; Dry resultant temperatures; Health and safety; Indoor climate; Noise and noise control; Occupant control; Temperatures; Vibration Comfort cooling — see Air conditioning; Mechanical cooling Commercial buildings 1-14, 1-18, 1-22, 1-50; 3-10; 4-45 see also Office buildings; Retail buildings; Warehouses Commissioning definition 4-16 ductwork 3-8, 3-18, 3-30, 3-38 to 41, 3-44 heating systems 1-11 noise measurement 5-44 refrigeration and heat rejection 4-8 to 9, 4-16 to 17. variable air volume systems 3-39 ventilation 2-65; 3-36 Commissioning Specialists Association 1-11; 4-16, 4-17 Communal residential buildings 2-13, 2-26; 3-36 --- see also Student accommodation Community heating 1-16 to 17, 1-33 to 34 Complementary mixed mode ventilation 2-10, 2-69, 2-70 Compressors 4-12, 4-24, 4-25, 4-43, 4-46 to 47, 4-51 to 53

Coils — see 'Blow-through' air handling plant;

Enhanced Capital Allowances 4-15 expansion devices 4-44 noise and noise control 3-21; 4-12, 4-47, 4-52; 5-6, 5-38 Computational fluid dynamics (CFD) 2-141 Computer rooms 1-6; 2-26 to 27 Concert halls --- see Assembly halls and auditoria Concrete chimneys 1-52 Concrete ducting 3-36 Condensate leakage, dealing rooms 2-49 Condensate pumps 1-21 Condensate removal air cooler batteries 2-124 'blow-through' plant 2-75 fan coil units 2-91 to 92 heat recovery 2-116 inspection 3-45 steam systems 1-21 to 22, 1-40 to 41 whole-house ventilation 2-30 – see also Drainage Condensation building fabric 2-17 to 18, 2-33 chilled beams and ceilings 2-80, 2-81 to 8,2 cooled surfaces 2-83 domestic buildings 2-28, 2-30 ductwork 3-14 to 16, 3-24, 3-34, 3-35, 3-44 facade ventilation 2-62 heating systems 1-5, 1-12, 1-21, 1-23 passive stack ventilation 3-35 stack effects 2-33 textile ducts 3-34 thermal insulation 2-18 whole-house ventilation 2-30 - see also Humidity control; Moisture control Condensers 4-12, 4-22, 4-42 to 44, 4-49; 5-6 - see also Air cooled condensers; Evaporative condensers; Heat dissipation ratio; Parallel condensers Condensing boilers 1-13, 1-15, 1-16, 1-31 to 32 Conference centres - see Assembly halls and auditoria Connections — see Ductwork connections; Flexible connectors; Jointing and sealing Conservation, indoor environment for 2-40 to 41 Constant flow regulators 1-39 Constant pressure drop method 3-27 to 28, 3-30 Constant volume systems 2-72, 2-100 to 102 broadcasting studios 2-22 dual duct heating and air conditioning 2-86, 2-87, 2-88 free cooling 4-22 health care premises 2-34 hotels 2-36 laboratories 2-39 retail buildings 2-43, 2-44 Constriction velocity 5-40 Construction (Design and Management) Regulations 1994 ductwork 3-9 heating 1-3, 1-11 refrigeration and heat rejection 4-9, 4-10, 4-11, 4-17, 4-18 Containment levels, laboratories 2-39 to 40 Contamination — see Pollution Contingency mixed mode ventilation 2-10, 2-69, 2-70 Continuous mechanical extract ventilation 2-30

Contraction - see Tapers Control of Pollution (Oil Storage) (England) Regulations 2001 1-57 Control of Substances Hazardous to Health Regulations 2-14, 2-23; 4-10, 4-11 Controlled waste - see Waste disposal Convective heat transfer 2-78, 2-114 Convective heating chilled beams and ceilings 2-81 heat emissions 1-28, 1-30 hydronic systems 1-14, 1-17, 1-26 induction units 2-99 system selection 1-12 temperature differences 1-5 - see also Warm air systems Cooker hoods 2-23, 2-29, 2-30 - see also Canopy extract systems Cooled surfaces 2-82 to 84 - see also Chilled beams and ceilings Coolers --- see Air blast coolers; Air cooler batteries; Dry air coolers Cooling air quality 2-89, 2-93 air velocities 2-52, 2-53, 2-89, 2-93 assessment of requirements 2-140 atria 2-20 to 21 broadcasting studios 2-22 computer rooms 2-27 dealing rooms 2-49 displacement ventilation 2-56, 2-66; 4-19, 4-20 energy recovery 2-43, 2-44 food processing facilities 2-24, 2-36 heat exchangers 4-21, 4-22, 4-23, 4-32, 4-42 heat gains 2-74; 4-4 heat pumps 1-16, 1-35; 2-94; 4-24, 4-25 heat recovery 4-7, 4-22, 4-39 mechanical ventilation 2-9, 2-10, 2-76, 2-79 museums, libraries and art galleries 2-41 psychrometric process 2-143 regeneration 2-85, 2-86, 2-93; 4-37, 4-39 retail buildings 2-43, 2-44 single duct systems 2-100 split air conditioning 2-105 strategies 2-10; 4-1, 4-5, 4-7, 4-18, 4-49 system types 4-20 temperature differences 2-53; 4-21 textile ducting 3-34 uninterruptible power supplies 4-7 ventilation and air conditioning control 2-73 to 75 ventilation rates 2-5 ventilation strategies 2-10, 2-22, 2-140; 4-5 to 6 zones and zoning 2-75 to 76; 3-6 -see also Air conditioning; Chilled beams and ceilings; Chilled water systems; Desiccant cooling; Environmental cooling; Evaporative cooling; Free cooling; Ground air cooling; Heat rejection; Heating/cooling conflicts; Mechanical cooling; Night cooling; Optical cooling; Passive cooling; Peltier cooling; Simultaneous heating and cooling; Spot cooling; Thermoelectric cooling; Underfloor cooling; Vortex tube cooling; Water cooling Cooling coils 2-124 chilled water systems 4-21, 4-22 ductwork 3-9, 3-20, 3-30, 3-41, 3-43, 3-44

pressure drops 3-30

psychrometric process 2-124, 2-125, 2 - 143Cooling loads displacement ventilation 2-56 lighting and 4-5 refrigeration and heat rejection 4-4, 4-5 to 6, 4-9, 4-19, 4-52 thermal capacity and 1-10 ventilation strategy selection 2-22, 2-140 Cooling towers 4-49 to 51 absorption chillers 4-12, 4-35 access 4-11 air inlets and outlets 2-107; 3-32; 4-50 chilled beams and ceilings 2-81 cleanliness 4-11 cooled surfaces 2-82 corrosion 4-21, 4-50 fans 4-50; 5-6 filters 4-21, 4-50 free cooling 2-74; 4-19, 4-21 to 22, 4-23 inspection 4-11 Legionella bacteria 2-106; 4-10, 4-11, 4-50 maintenance 4-9, 4-11, 4-18, 4-21 noise and noise control 3-21; 4-12, 4-50; 5-6, 5-38 notification 4-10 parallel condensers 4-48 vibration control 5-32 to 33 water treatment 4-9, 4-14, 4-18, 4-22, 4-50 'Coolth' 4-36, 4-37 - see also Thermal storage Copper ducting - see Metal ducting Copper pipes 1-26 to 27, 1-29, 1-56 Corrosión absorption chillers 4-34, 4-35 boilers 1-52 cooled surfaces 2-83 cooling towers 4-21, 4-50 ductwork 3-14, 3-25, 3-36 evaporative cooling 2-90; 4-43 ground water cooling 2-94 heat exchangers 4-21 heat recovery devices 2-116 heating systems 1-19, 1-21, 1-47, 1-48,-1-52 refrigeration and heat rejection 4-7, 4-14 sea/river/lake water cooling 2-106 secondary coolants 4-36 swimming pool ventilation 2-45 COSHH Regulations 2-14, 2-23; 4-10, 4-11 Costs and costing cleanliness 3-26 cooling towers 4-50 desiccant cooling 2-86; 4-37 dual duct systems 2-86 electronic expansion valves 4-44 energy efficiency 4-8 fan coil units 2-90 filters 2-123 fuels 1-3, 1-55 gas cycle refrigeration 4-40 ground water cooling 2-94, 2-96 heat recovery 1-14; 2-117 heating design 1-3, 1-11 to 12, 1-13 humidity control _2-53 jointing and sealing 3-9 laboratory ventilation 2-39 load shifting 4-37 maintenance 1-11; 3-26 mechanical ventilation 2-10, 2-37, 2-66 mixed mode ventilation 2-11, 2-69 to 70 natural ventilation 2-9 refrigerant leakage 4-30

refrigeration and heat rejection 4-5, 4-7, 4-8, 4-26, 4-39, 4-40 sports facilities 2-46 temperature differences and 2-53 thermal insulation 1-3 ventilation and air conditioning 2-1 ventilation heat recovery 1-14 water treatment 4-7, 4-50 - see also Ductwork costs; Electricity costs; Energy efficiency; Life cycle costs and costing Court rooms 1-10; 2-13, 2-49 Cowls air inlets and outlets 2-30, 2-106, 2-107, 2-112; 3-31 to 32, 3-33 flues 1-43 noise control 4-12 CPR (carbon performance rating) 1-3, 1-11; 3-7; 4-15, 4-16 Critical spaces 5-9 Cross-flow, dual duct systems 2-87 Cross-flow fans 2-129, 2-130, 2-131 to 132 Cross-talk 2-34; 5-18 to 19 - see also Privacy Cross ventilation 2-8, 2-9, 2-19, 2-42, 2-43, 2-58, 2-59 to 60 CSA TM/1: Standard specification for the commissioning of mechanical engineering services installations for buildings 4-17 Cut-on frequency 5-39 Cylinder unloading, compressors 4-52 Daily noise exposure 5-7, 5-45 to 46 Dampers 3-34 to 35, 3-37, 3-40 to 41, 3-43 air conditioning 2-74, 2-75, 2-100; 4-7, 4-19 air control units 2-132 branches 3-23, 3-34 chimneys and flues 1-48 closing effects 3-65 to 67 condensers 4-43 dual duct systems 2-88 duct access 3-19 to 20, 3-23, 3-35, 3-51, 3-52 ductwork costs 3-23 ductwork sizing 3-26, 3-56, 3-57, 3-62 energy efficiency 3-7 fan coil units 2-91 fans 2-129 heat recovery 2-118 hot deck/cold deck systems 2-88 inspection 3-45 kitchen ductwork 3-22 laboratory ductwork 2-40 mechanical ventilation 2-32, 2-68 mixing boxes 2-116 natural ventilation 2-111, 2-112 noise and noise control 2-22; 3-21, 3-30, 3-40; 5-5, 5-8 to 9 pressure drops 2-111; 3-13, 3-26, 3-30, 3-60 regenerators 2-118 swimming pool ventilation 2-45 variable air volume systems 2-102, 2-103, 2-105 - see also Fire dampers; Mechanical volume controllers; Motorised dampers; Pressure control; Smoke dampers Damping, vibration control 5-24 Darkrooms 2-13, 2-49 Daylighting — see Glazing; Lighting; Windows dBA levels 5-21, 5-49 to 50 - see also A-weighted noise measurement

1-8

Dead room spaces 5-16 Dealing rooms 2-13, 2-49; 4-7 Decibels 5-35 to 38 Deep plan buildings 2-8, 2-9, 2-59, 2-60, 2-75, 2-102; 3-6 Dehumidification -- see Humidity control Delivered energy 1-4 Density differences — see Buoyancy driven ventilation Desiccant cooling 2-84 to 86, 2-89, 2-90; 4-37 Design ductwork 3-2, 3-3 to 36, 3-40 to 41 heating 1-1 to 11, 1-15 to 16 noise and noise control 5-21 to 22 refrigeration 4-1 to 9 ventilation and air conditioning 2-1 to 12, 2-50 to 51 see also Energy benchmarks; Energy efficiency; Noise criteria Design of mixed storage heater/direct systems 1-18 Di-octyl-phthlate (DOP) tests 2-120 Differential pressure control valves 1-39 Diffusers 2-51, 2-132 air velocities 5-9 airflow measurement 3-39 cleanrooms 2-25 computer rooms 2-27 dampers 3-35 displacement ventilation 2-56, 2-57 flexible ducting 3-34 layout and spacing 2-54 maintenance 3-43 noise and noise control 2-22; 3-21; 5-4, 5-5, 5-9, 5-40 to 41 pressure drops 3-55, 3-59, 3-60, 3-62 spacing 2-54 ventilation rates 2-53 warm air systems 1-44 - see also Ceiling diffusers Digest of UK Energy Statistics 1-54, 1-55 Dilution ventilation 2-13 --- see also Fan dilution systems Direct expansion, definition 4-44 to 45 Direct expansion systems 2-27, 2-43; 4-20, 4-29, 4-42, 4-43, 4-44 to 46 Direct fired heaters 1-44 Direct humidifiers 2-124 to 125, 2-126 Direct night cooling 2-76, 2-78, 2-79 Direct sound 5-15, 5-16 to 17, 5-18 to 19, 5-47 to 48 Directives - see EC/EU Directives Directivity, noise sources 5-16 to 17, 5-22, 5-48 Discharge points - see Air outlets Displacement vibration control 5-23, 5-25, 5-46 - see also Velocity Displacement ventilation 2-9, 2-51, 2-56 to 57 airflow 2-56, 2-81 assembly halls and auditoria 2-19atria 2-19 to 20 broadcasting studios 2-22 chilled beams and ceilings 2-56, 2-80, 2-81 cooling 2-56, 2-66; 4-19, 4-20 energy efficiency 2-66 mechanical extract and natural supply 2-66 retail buildings 2-43 temperatures 2-56, 2-57; 4-19, 4-20 - see also Stack ventilation Distribution — see Air distribution; Heat distribution; Pipes and pipework; Water-based distribution District heating 1-16 to 17, 1-33 to 34

Disturbing frequency 5-23 to 24, 5-25, 5-26, 5-30, 5-32, 5-33 Diversities, laboratory ventilation 2-39 Diversity factors 1-10 Documentation ductwork 3-40, 3-44 education buildings 2-42 Legionella bacteria control measures 4-11 refrigeration and heat rejection 4-1, 4-3, 4-8, 4-9, 4-10, 4-15, 4-17 — see also Noise data; Vibration data Domestic buildings 2-27 to 30 air infiltration 1-10; 2-28 air velocities 3-10 extract fans 2-28, 2-29; 3-36 extract ventilation 2-28, 2-30; 3-36 fans 2-28, 2-29; 3-36 heating 1-15, 1-18, 1-22 hot water services 1-3, 1-14, 1-16, 1-18, 1-35 kitchens 2-29, 2-30; 3-36 mechanical ventilation 2-28, 2-29, 2-30, 2-46 micro-CHP systems 1-34 natural ventilation 2-28; 3-36 noise and noise control 2-28, 2-29; 5-21 passive stack ventilation 3-36 replacement air 2-28, 2-29; 3-36 temperatures 1-6, 1-18; 2-29 toilets 2-30, 2-46 trickle ventilators 2-28, 2-29; 3-36 ventilation heat recovery 1-14 ventilation rates 1-9; 2-13, 2-28, 2-30 - see also Residential buildings Domestic heating design guide 1-15 Doors duct access 2-68; 3-19 to 20, 3-36, 3-43 exhaust terminals and 2-56 industrial buildings 2-31, 2-32 Double skin ducting 3-23, 3-34 Drainage 1-21; 2-24, 2-93 to 94, 2-99; 4-11 – see also Condensate removal Draught 1-47, 1-48, 1-49 to 51, 1-69, 1-73 - see also Forced draught systems Draught lobbies 2-42, 2-43 Draught stabilisers 1-48, 1-50 Draughts air jets 2-53, 2-54 chilled beams and ceilings 2-80, 2-81 dealing rooms 2-49 domestic buildings 2-29, 2-30 fans 2-29 industrial buildings 2-38 kitchens 2-23, 2-24 mechanical ventilation 2-9 multi-purpose sports facilities 2-44 natural ventilation 2-9, 2-62, 2-108, 2-110 refrigerated display cases 2-44 retail buildings 2-43, 2-44 roof ventilators 2-111 solar chimneys 2-61 textile ducts 3-34 through-the-wall units 4-45 whole-house mechanical ventilation 2-30 - see also Air movement Drawings - see Documentation Drop air movement 2-52 - see also Pressure drops; Temperature drop calculation Dry air coolers 2-27; 4-11, 4-19, 4-21, 4-22, 4-35, 4-49 Dry resultant temperatures 1-1, 1-5, 1-6, 1-7, . 1-24; 2-16

Dual duct systems 1-44; 2-72, 2-75, 2-86 to 89 Ducted cross ventilation 2-60 Ducted direct expansion units 4-45 Ducted gas services 2-41 Ductwork 3-1 to 67 air leakage 2-67; 3-4, 3-5, 3-6 to 7, 3-9, 3-17 to 19, 3-63 to 64 airflow 2-33, 2-67; 3-10 to 13, 3-65 to 67 airtightness 2-67; 3-17, 3-18, 3-34 aspect ratios 2-67; 3-4, 3-6, 3-9 ceilings 3-4, 3-5, 3-10; 5-14 chilled beams and ceilings 2-82 chimneys and flues 1-50; 3-32 cleanliness 2-34, 2-67 to 68, 2-93, 2-111; 3-8 to 9, 3-19 to 20, 3-41 to 45 cleanrooms 2-25 evaporative cooling 2-89; 4-36 exhaust ventilation 2-115, 2-118; 3-45 extract fans 2-29; 3-36 extract ventilation 2-23; 3-22, 3-32 fan coil units 2-90, 2-92 filters and filtration 2-14, 2-67 to 68; 3-8, 3-20, 3-51 fire dampers 2-30; 3-19 to 20, 3-21 to 22, 3-23, 3-54 fire protection 2-64, 2-65, 2-68; 3-8, 3-20 to 23, 3-34, 3-54 food processing facilities 2-23, 2-24 gas pipework in 2-41 ground air cooling 2-92, 2-93 to 94 health care premises 2-34 heat recovery 2-118 high-rise buildings 2-30, 2-33 horticultural facilities 2-50 induction units 2-99 industrial buildings 2-31, 2-32, 2-36; 3-10, 3-28, 3-34 inspection 2-67; 3-10, 3-19 to 20, 3-36, 3-45, 3-51 kitchens 2-24; 3-20, 3-22, 3-37, 3-42, 3-45 laboratories 2-39, 2-40 louvres 2-30; 3-30 natural ventilation 2-64, 2-65, 2-111 to 112; 3-22; 5-20 passive stack ventilation 2-28 to 29; 3-35 to 36 plant rooms 2-41; 3-6, 3-42 regenerators 2-118 sound power 5-8, 5-14, 5-18, 5-19, 5-22, 5-40, 5-44 stack effects on airflow 2-33 terminals 2-56; 3-10, 3-51, 3-52 thermal insulation 2-28, 2-67; 3-5, 3-14 to 16, 3-23, 3-35, 3-37 variable air volume systems 3-7, 3-28, 3-40; 5-5 vibration control 3-10; 5-9, 5-27, 5-28 to 29, 5-33, 5-34 warm air systems 1-22, 1-43, 1-44 whole-house ventilation 2-30 — see also Air velocities; Bends; Builders' shafts and work ducts; Circular ducting; Dual duct systems; Flexible ducting; Mechanical ventilation; Noise and noise control; Plenums; Pressure drops; Regenerated noise; SE-ducts; Silencers; Single duct systems; U-ducts Ductwork access 3-19 to 20 air leakage testing 3-18 builders' work ducts 3-36 cleanliness 2-34, 2-67, 2-93, 2-111; 3-8, 3-9, 3-19 to 20, 3-23, 3-43 dampers 3-19 to 20, 3-23, 3-35, 3-51, 3-52 doors 2-68; 3-19 to 20, 3-36, 3-43

fans 3-20, 3-43, 3-51 filters 2-67 to 68; 3-8, 3-20, 3-51 fire dampers 3-19 to 20, 3-23, 3-51, 3-52 ground air cooling 2-93 health and safety 3-10, 3-19, 3-20, 3-23, 3-42, 3-43 kitchen ductwork 3-20, 3-22 openings 2-68; 3-19 to 20, 3-22, 3-36, 3-43 sizing 3-19, 3-43 space requirements 3-5, 3-6, 3-19, 3-51 spacing 3-22, 3-43 terminals 3-51, 3-52 Ductwork attenuation - see Noise and noise control Ductwork attenuators - see Silencers Ductwork connections 3-31 to 34 access panels 3-19 flexible ducting 3-8, 3-19, 3-30, 3-32 to 34 instruments 3-20 motorised dampers 3-41 non-standard sections 3-5 openings 3-38 pressure drops 3-30 rectangular ducting 3-4 vibration control 5-28 --- see also Jointing and sealing Ductwork contraction and expansion - see Tapers Ductwork costs 3-3, 3-9 air leakage 3-9, 3-18, 3-19 aspect ratios 3-4 balanced supply and extract ventilation 2-65cleanliness 3-26 dampers 3-23 duct fittings 3-5 ductwork sizing 3-5, 3-27, 3-30, 3-55 flexible ducting 3-34 maintenance 3-26 overseas ductwork 3-25 pressures 3-18 Ductwork fire ratings 3-21, 3-22, 3-23, 3-24, 3-54 Ductwork fittings 3-13, 3-37 air velocities 2-133; 3-4, 3-10 to 12, 3-31, 3-55, 3-56; 5-9 cleaning 3-43 costs 3-5 noise and noise control 3-4, 3-10 to 12, 3-13, 3-21; 5-2, 5-44 number and standardisation 3-5, 3-9, 3-30 pressure drops 3-10, 3-12, 3-13, 3-30, 3-60 sound power 5-8, 5-44 see also Bends; Dampers; Silencers; Turning vanes Ductwork friction factors 1-72, 1-73 Ductwork installation 3-44 air leakage testing 3-18, 3-19 brickwork ducts 3-36 circular ducting 3-4 cleanliness 3-42, 3-43, 3-44 ductwork support 3-5, 3-24 exposed ductwork 3-5, 3-8 fibrous linings 5-14 flexible ducting 3-32 to 34 health and safety 3-10 'installation effects' 3-3, 3-7 insulation 3-5 overseas work 3-25 to 26 space requirements 3-5, 3-6, 3-23 supports 3-5, 3-24 test holes 3-41

vapour barriers 3-14

Ductwork insulation — see Noise control; Thermal insulation Ductwork integrity, definition 3-23 Ductwork layout 3-5, 3-7, 3-22 to 23, 3-26, 3-27, 3-55, 3-62 Ductwork length 2-29; 3-5, 3-7, 3-17, 3-26, 3-33, 3-34 Ductwork linings 2-34, 2-89; 3-10; 5-4, 5-9 to 10, 5-13 to 14 - see also Lined ducts Ductwork maintenance 3-9, 3-41 to 45 access 3-19 to 20 costs 3-26 fibrous linings 5-14 health and safety 3-10 kitchens 2-24; 3-42 space requirements 3-5 vapour barriers 3-17 Ductwork materials 3-10, 3-36 to 38 Ductwork ratings, fire protection 3-21, 3-22, 3-23, 3-24, 3-54 Ductwork sizing 3-6, 3-9, 3-26 to 31, 3-48 to 50, 3-55 to 67 air handling units (AHUS) 3-1, 3-55, 3-57, 3-60, 3-63 air inlets 3-62 air velocities 2-66; 3-26 to 30, 3-31, 3-55 to 57; 5-8 balancing and 3-26, 3-28, 3-40 branches 3-5, 3-6, 3-12, 3-26, 3-28, 3-30, 3-57 to 58 dual duct systems 2-86 ductwork access 3-19, 3-43 ductwork costs 3-5, 3-27, 3-30, 3-55 energy efficiency 3-7 fan coil units 2-90 fire dampers 3-59 heating systems 1-13; 3-6 high-rise buildings 2-33 industrial buildings 2-32 natural ventilation 2-111 noise and noise control 3-26, 3-28, 3-31; 5-10, 5-11 pressure drops 2-32; 3-26, 3-28, 3-30 pressurisation systems 3-22 - see also Space requirements; Spacing Ductwork stability, definition 3-23 Ductwork support 3-5, 3-8, 3-23 to 24, 3-34, 3-43, 3-54 ---- see also Isolation hangers Ductwork velocities - see Air velocities Ductwork weight 3-8, 3-36 to 37 Ductwork zoning 3-6 Dust 2-36, 2-54, 2-118, 2-119 to 121, 2-127; 3-44, 3-45 - see also Cleanliness; Filters and filtration; Pollution; Respirable particles Dwellings - see Domestic buildings Ear protection 5-7 Earthquake resistance 5-22 EC Regulation 2037/2000 4-12, 4-13 EC/EU Directives 1-3; 2-107; 3-42; 4-9, 4-10, 4-14, 4-17 Economic appraisal — see Costs and costing Economisers 1-40; 4-47 Education buildings 1-6, 1-10; 2-42 to 43; 3-36 Education (School Premises) Regulations 1996 2-42 EEBPP GIR 41: Variable flow control 2-68, 2-129

---- see also Ductwork access

EEBPP GPG 71: Selecting air conditioning systems — a guide for building clients and their advisors 2-72 EEBPP GPG 234: Guide to community heating and CHP 1-17, 1-34 EEBPP GPG 303: The designer's guide to energyefficient buildings for industry 1-4 Effective area 2-111 Efficiency absorption chillers 4-33 boilers 1-3, 1-13, 1-15, 1-16, 1-40 condensers 4-43 fans 2-129, 2-131, 2-132; 3-7; 5-4 heat recovery devices 2-116, 2-118 refrigeration and heat rejection 4-7, 4-9, 4-16, 4-40, 4-53 solar panels 1-35 warm air heaters 1-22, 1-23 – see also Atmospheric dust spot efficiency; Energy efficiency; Noise conversion efficiency; Performance; Vibration isolation efficiency (VIE) Efflux velocities 1-47, 1-48, 1-69, 1-71 to 73 Ejector refrigeration 4-38 to 39 Elastomer-in-shear mounts 5-27, 5-30 Elastomeric vibration isolators 5-24, 5-26, 5-27, 5-30 Elbows --- see Bends Electrical plant rooms 2-41; 5-6 Electricity 1-12, 1-17, 1-54 to 55; 2-22, 2-46 - see also Static electricity Electricity consumption 1-4, 1-13; 2-73 -see also Energy efficiency Electricity costs 1-14; 2-66, 2-73 Electricity generation 1-17, 1-54 to 55 - see also Generators Electronic expansion valves 4-37, 4-42, 4-44 Elemental calculation method 4-15 to 16 Eliminators 2-128; 3-30; 4-43, 4-50 Emissions — see Acid smut emissions; Air quality; Carbon emissions; Heat emissions; TEWI (Total Equivalent Warming Impact) Enclosed springs 5-28, 5-30 Enclosures 2-37, 2-107; 3-54; 4-12, 4-28 End reflection loss 5-11, 5-12, 5-44 Energy benchmarking in the retail sector 2-4 Energy benchmarks 1-11; 2-4, 2-18, 2-76 - see also Energy efficiency Energy certification 4-9, 4-17 Energy consumption — see Electricity consumption; Energy efficiency Energy Consumption Guide 18 2-31 Energy Consumption Guide 19 1-11; 2-18, 2-69 Energy Consumption Guides 2-4, 2-76; 4-4 - see also Energy Efficiency Best Practice Programme (EEBPP) Energy efficiency absorption refrigeration 4-4, 4-12, 4-33, 4-35 acoustic enclosures 4-12 air conditioning 2-1, 2-4, 2-73; 4-4, 4-7, 4-15 to 16 atria 2-20 bends 3-7 chillers 4-44 compressor control 4-52, 4-53 condensers 4-42 to 43, 4-49 costs 4-8 dampers 3-7 desiccant cooling 2-85 to 86; 4-37 direct expansion systems 4-45 displacement ventilation 2-66 dual duct systems 2-86

ductwork 3-3, 3-7 to 8, 3-9, 3-17, 3-26, 3-31 environmental issues 1-17, 1-55 expansion valves 4-44 fan coil units 2-90, 2-91 fans 2-129; 3-7, 3-8, 3-26; 4-7 flexible ducting 3-7 free cooling 4-19, 4-22 fuels 1-4; 2-4 gas cycle refrigeration 4-40 heat recovery devices 2-117 heating 1-3 to 4, 1-11, 1-12 to 14, 1-23, 1-24 to 25 hotels 2-35, 2-36 humidity control 2-73, 2-128 ice storage systems 4-37 induction units 2-99 industrial buildings 2-31, 2-32, 2-38 laboratory ventilation 2-39 load shifting 4-37 mechanical ventilation 2-66, 2-68; 4-15 to 16 mixed mode ventilation 2-11, 2-70 to 71 multi-zone terminal reheat systems 2-102 natural ventilation 2-64 night cooling 2-76 office buildings 1-11; 2-4, 2-18; 4-15 to 16 pre-heating 1-25 pressure drops 2-68; 3-7 pumps 4-7, 4-9, 4-21 refrigerant leakage 4-4, 4-30 refrigeration and heat rejection 4-4, 4-5, 4-7, 4-8, 4-9, 4-14 to 15, 4-31 to 32 sea/river/lake water cooling 2-106 secondary coolants 4-36 silencers 4-12 single duct systems 2-100 steam humidification 2-73, 2-128 swimming pool ventilation 2-46 vapour compression refrigeration 4-4 variable air volume systems 2-34, 2-102, 2-103; 3-7 variable flow pumping 4-48 variable speed fans 1-13; 2-46, 2-68; 3-7; 4-7 ventilation and air conditioning 2-1, 2-4, 2-7, 2-11 vortex tube cooling 4-41 see also Coefficient of performance (COP); Electricity consumption; Energy benchmarks; Fuels; Metering; Specific fan power Energy Efficiency Best Practice Programme (EEBPP) 1-34; 2-1, 2-31; 4-4 - see also Energy Consumption Guides Energy meters - see Metering Energy performance — see Energy efficiency Energy Performance of Buildings Directive 4-9, 4-14, 4-17 Energy recovery 2-43, 2-44, 2-85; 3-8 — see also Heat recovery Energy storage — see Thermal storage Energy targets — see Energy efficiency Energy use — see Energy efficiency; Environmental issues Enhanced Capital Allowances 4-4, 4-8, 4-14 to 15 Enthalpy control 2-68; 4-19 Environment Act 1995 1-46 Environmental assessments 2-42; 5-20 to 21 Environmental code of practice for buildings and their services 2-4

Environmental cooling 4-19 to 21, 4-49

Heating, ventilating, air conditioning and refrigeration

- see also Free cooling; Water cooling Environmental floor systems 2-79 Environmental issues ductwork 3-8 energy use 1-17, 1-55 heating 1-3 refrigeration 4-4, 4-8, 4-26, 4-30, 4-35 water treatment 4-4, 4-14 - see also Carbon emissions; Climate change; Refrigerant leakage; Waste disposal Environmental Protection Act 1990 1-46; 2-107, 2-115; 4-12, 4-14 Environmental Protection (Controls on Ozone-Depleting Substances) Regulations 2002 4-13 Environmental targets — see Energy efficiency Environmental temperature 1-7 Equal friction loss method 3-27 to 28, 3-30 Equipment - see Plant Equivalent area 2-111 Equivalent level 5-45 to 46 Escalators 5-6 Escape routes 2-65; 3-22, 3-23 European Passive Solar Handbook 2-21 European Union noise exposure levels 5-7 - see also EC/EU Directives European Union Regulation 2037/2000 4-12, 4-13 Eurovent 4/4 2-120 Eurovent 9-2/1992 4-50 Eurovent REC 08 3-45 Evaporative condensers 4-21, 4-43, 4-51 Legionella bacteria 4-10, 4-11, 4-43 maintenance 4-11, 4-18 refrigerant migration chillers 4-23 water treatment 4-7, 4-9, 4-14, 4-18, 4-22, 4-43 Evaporative cooling 2-85, 2-89 to 90; 4-7, 4-9, 4-10, 4-36, 4-43 see also Cooling towers; Evaporative condensers Evaporator pressure regulators 4-52 Evaporators 2-124, 2-128; 4-42, 4-43, 4-44, 4-47 to 48, 4-49 - see also Direct expansion systems Exhaust gases 1-50; 2-46 to 47 - see also Combustion appliances and products Exhaust heat - see Exhaust ventilation; Heat recovery Exhaust luminaires --- see Air handling luminaires Exhaust terminals 2-55 to 56 - see also Air outlets Exhaust ventilation 2-113 to 115 air velocities 2-37 to 38, 2-113 to 114, 2-115 cleanrooms 2-25 cooling towers 4-50 ductwork 2-115, 2-118; 3-45 fans 2-38, 2-115 hoods 2-37 to 38, 2-113, 2-114 to 115 industrial buildings 2-36 to 38 openings 2-37, 2-114 stacks 2-107, 2-115 vehicle repair garages 2-47 ventilation stacks 2-107, 2-115 whole-house ventilation 2-30 see also Air outlets; Fume cupboards; Terminals; Ventilation stacks Expansion ductwork — see Tapers water 1-19

Expansion valves 4-37, 4-42, 4-44 Expansion vessels 1-14, 1-16, 1-18, 1-19, 1-62 Exposed ductwork 3-5, 3-8, 3-25, 3-38 Exposed thermal mass 2-5, 2-63, 2-76, 2-77, 2-78 to 79 Exposure — see Action levels; Occupational exposure limits (OELS) Extract fans animal husbandry facilities 2-48 atria 2-20, 2-61car parks 3-22 chimneys and flues 2-61 communal residential buildings 2-26 control 2-29 domestic buildings 2-28, 2-29; 3-36 ductwork 2-29; 3-36 horticultural facilities 2-50 industrial buildings 2-32 laboratories 2-39, 2-40 passive stack ventilation 3-36 retail buildings 2-43 smoke control 3-22 sports facilities 2-45 variable air volume systems 2-103 - see also Combined supply/extract fans Extract grilles --- see Grilles Extract ventilation air inlet location 2-107; 3-32 bathrooms 2-36 canopy extract systems 2-113 to 114 car parks 2-46; 3-22 cleaning 3-45 computer rooms 2-27 darkrooms 2-49 domestic buildings 2-28, 2-30; 3-36 ductwork 2-23; 3-22, 3-32 food processing facilities 2-23, 2-24; 3-32 health care premises 2-34 industrial buildings 2-32, 2-36 to 38 kitchens 2-23; 3-32 laboratories 2-39, 2-40 loading bays 2-47 location 2-13 pressure drops 3-26, 3-30 retail buildings 2-44 sports facilities 2-45 toilets 2-45, 2-46 vehicle repair garages 2-47 - see also Balanced supply and extract ventilation; Canopy extract systems; Combined supply/extract fans; Mechanical extract and natural supply ventilation; Natural supply and mechanical extract ventilation Fabric ducting 3-34, 3-36, 3-37 Facade ventilation 2-58, 2-62, 2-64 Face velocities air handling units 2-67 capillary washers 2-127 cleanrooms 2-25 cooker hoods 2-23 filters 2-119 fume cupboards 2-38, 2-39 heat recovery devices 2-117, 2-118 louvres 3-56 mixing boxes 2-116 mixing dampers 3-40 spray humidifiers 2-126 terminals 2-132, 2-133 Factories — see Industrial buildings Factories Act 1961 2-30 False ceilings and floors 2-31, 2-76, 2-78, 2-79;

3-5, 3-30, 3-51, 3-52

Fan-assisted variable air volume (VAV) systems 2-103 to 105 Fan casing definition 2-129 --- see also Casing break-out noise Fan coil units 2-90 to 92 airflow measurement 3-39 ceilings 2-91, 2-92; 5-6 chilled water systems 4-19 dealing rooms 2-49 heating 1-17, 1-26 to 27, 1-45; 2-90, 2-91; 5-6 hotels 2-35, 2-36 noise and noise control 2-92; 5-6, 5-21 perimeter heating 2-91; 5-6 retail premises 2-43 through-the-wall units 4-45 Fan connections . 3-31 Fan control sensors 3-38 Fan dilution systems 1-50 – see also Dilution ventilation Fan duty 2-129 Fan gains 3-3, 3-7 Fan inlets 3-7 to 8, 3-31; 5-7 - see also Air inlets Fan laws · 2-129, 2-131 Fan outlets 3-7, 3-8, 3-31 --- see also Terminals Fan power 2-68; 3-7 to 8, 3-26, 3-31; 4-50 --- see also Specific fan power Fan pressure 2-129; 3-34 Fan static efficiency 2-129 Fan static pressure 2-129; 5-5 Fan total efficiency 2-129 Fan total pressure 2-129; 3-30 Fan velocity pressure 2-129 Fans 2-129 to 132 air conditioning 2-75; 4-7 air leakage 3-17, 3-30 airflow regulation 3-34 car park ventilation 3-22 cleanrooms 2-25 condensers 4-43, 4-44 cooling towers 4-50; 5-6 documentation 3-40 domestic buildings 2-28, 2-29; 3-36 draughts 2-29 dual duct systems 2-87 ductwork 2-115; 3-7 to 8, 3-17, 3-22, 3-26, 3-34, 3-45, 3-63 ductwork access 3-20, 3-43, 3-51 ductwork connections 3-31 efficiency 2-129, 2-131, 2-132; 3-7; 5-4 energy efficiency 2-129; 3-7, 3-8, 3-26; 4-7 evaporative cooling 4-36 exhaust ventilation 2-38, 2-115 free cooling 4-19 heat rejection 4-7 heating systems 1-13 horticultural facilities 2-50 industrial buildings 2-32, 2-38 kitchens 2-24, 2-29; 3-36 laboratories 2-40 mechanical ventilation 2-29, 2-68, 2-76 metering 4-17 night cooling 2-76 noise control 3-21, 3-31, 3-63; 4-12, 4-43; 5-4, 5-5, 5-21 to 22 noise conversion efficiency 5-3 noise data 5-42 noise prediction 5-22, 5-38 noise sources 5-2, 5-3, 5-4, 5-5, 5-6, 5-21 performance 2-129; 3-30 plenums 3-8

pressure drops 2-129; 3-8, 3-30 refrigeration and heat rejection 4-7, 4-12 4-19, 4-50 silencers 4-12; 5-5, 5-7, 5-14 sizing 3-7; 4-7; 5-34 smoke extraction 3-22 swimming pools 2-45 test holes 3-20, 3-41 variable air volume systems 2-103; 3-40 variable speed drives 3-7 - see also Axial flow fans; Centrifugal fans; Combined supply/extract fans; Extract fans; Specific fan power; Variable speed fans Farm buildings 2-48 Feedwater equipment 1-41 to 42, 1-43 Fibrous duct linings 3-10; 5-13 to 14 Filters and filtration 2-118 to 123 airflow pattern effect on 3-31 airport terminals 2-47 cleanliness 3-8, 3-42, 3-44, 3-45 cleanrooms 2-25, 2-120 to 121 computer rooms 2-27 cooling towers 4-21, 4-50 ductwork 2-14, 2-67 to 68; 3-8, 3-20, 3-51 exhaust ventilation 2-115 fan coil units 2-92 health care premises 2-35 industrial buildings 2-31, 2-36, 2-37 maintenance 2-14, 2-31, 2-123 mechanical ventilation 2-14, 2-67 to 68 museums, libraries and art galleries 2-40 natural ventilation 2-9, 2-14 pressure drops 2-67, 2-119, 2-123; 3-30 sound level meters 5-45, 5-46 – see also HEPA filters Final pressure drop 2-119 Fire dampers 3-19 to 20, 3-21 to 22, 3-23, 3-51, 3-52, 3-54, 3-59 food processing facilities 2-24 health care premises 2-34 kitchens 2-30; 3-22 maintenance 3-43 natural ventilation 2-64, 2-65 passive stack ventilation 2-28; 3-36 pressure drops 3-30, 3-60, 3-61 whole-house mechanical ventilation ·2-30 Fire escape routes 2-65; 3-22, 3-23 Fire protection atria 2-20, 2-64 builders' work ducts 3-36 cooling towers 4-50 ductwork 2-64, 2-68; 3-8, 3-20 to 23, 3-34, 3-36, 3-54 enclosures 3-54 fuel storage 1-56, 1-57 health care premises 2-34 jointing and sealing 3-21, 3-23, 3-36 kitchens 2-23, 2-30; 3-22, 3-23 loading bays 2-47 mechanical ventilation 2-34, 2-68 natural ventilation 2-64 to 65 roof ventilators 3-23 textile ducts 3-34 ventilation strategies 2-64 to 65 - see also Penetration seals; Smoke Fire rated and smoke outlet ductwork 3-8, 3-20 First action level 5-7 Fitness suites 2-44, 2-45 Fittings - see Ductwork fittings; Pipes and pipework Fixed lights 2-111 Fixed orifice double regulating valves 1-39

Fixing accelerometers 5-47 ductwork frames, grilles and louvres 3-38 vibration control springs 5-28 Fixings 3-23 to 24, 3-34, 3-35 Flat oval ducting 3-4, 3-24, 3-25, 3-28, 3-50, 3-51 Flexible connectors, vibration control 5-6, 5-28, 5-33 Flexible ducting 3-32 to 34 access 3-19 connections 3-8, 3-19, 3-30, 3-32 to 34 energy efficiency 3-7 fan coil units 2-92 length 3-7, 3-34 maintenance 3-43 overseas work 3-25 to 26 pressure drops 3-30, 3-34, 3-58 sizing 3-58, 3-61 - see also Textile ducting Float valve regulators 4-44 Floating floors 5-7, 5-22, 5-23, 5-29, 5-33 Flooded refrigerant evaporators 4-42, 4-44 Floor-based air supply 2-66 Floor-by-floor systems 2-33 Floor heating - see Underfloor heating Floor temperatures 1-5, 1-15, 1-17, 1-30; 2-83 ---- see also Underfloor heating Floors broadcasting studios 2-22 heat loss calculations 1-8, 1-10 mixed mode ventilation 2-70 night cooling 2-76, 2-78 plenums 2-70 ventilation 2-18 vibration and 5-26 - see also Cooled surfaces; False ceilings and floors; Floating floors; Raised floors: Slabs Flow --- see Air velocities; Airflow; Constant flow regulators; Variable flow systems: Water flow rates Flow reversal 2-33, 2-40; 3-10; 4-41 Flues — see Chimneys and flues Fluidised bed systems 1-33 Food processing facilities 2-23 to 24 cleanliness 2-23, 2-24; 3-20, 3-44 cooling 2-24, 2-36 ductwork maintenance 3-42 extract ventilation 2-23, 2-24; 3-32 secondary coolants 4-36 textile ducts 3-34 ventilation rates 2-13 - see also Kitchens Food retail buildings 2-44 Forced draught systems 1-32, 1-49; 5-33 Forcing frequency --- see Disturbing frequency Form --- see Building form and orientation Form factors 2-78, 2-83; 5-27 Fragility levels 5-22, 5-26 Frames 3-31, 3-38; 3-54 Free cooling 2-10, 2-73 to 74; 4-19 to 23 air conditioning 2-27, 2-73 to 74, 2-75; 4-19 assembly halls and auditoria 2-19 computer rooms 2-27 cooling strategy selection 4-1, 4-5, 4-7, 4-18, 4-49 displacement ventilation 2-57 fan coil units 2-90, 2-91 heat exchangers 4-42 induction units 2-98 mechanical ventilation 2-10, 2-68

natural ventilation 2-5 to 6

plate heat exchangers 4-42 recirculation 2-68 retail buildings 2-43 sea/river/lake water cooling 2-106 Frequencies 5-3 to 4, 5-23 to 24, 5-25, 5-35 - see also Cut-on frequency; Disturbing frequency; High frequencies; Low frequencies; Mid frequencies; Natural frequency; Peak frequencies Frequency analysis 5-46 Fresh air free cooling 4-19 Fresh air rate — see Ventilation rates Friction factors 1-72, 1-73 Friction loss method 3-27 to 28, 3-30 Frost precautions air conditioning 2-73, 2-74 batteries 2-124; 3-38 chilled water systems 4-21 dual duct systems 2-87 evaporators 4-42, 4-47 ground air cooling 2-94 heat pumps 1-34 heat recovery devices 2-116 mixing boxes 2-115 to 116 push-pull hoods 2-115 solar panels 1-35 Frost thermostats 1-18; 3-38 FS 209E 2-24, 2-25 Fuel oils - see Oil Fuel storage 1-56, 1-57; 2-41 Fuels 1-53 to 58, 1-68 CHP systems 1-34 corrosion and 1-52 costs and costing 1-3, 1-55 energy efficiency 1-4; 2-4 health and safety 1-56, 1-57; 2-46 selection 1-1, 1-4, 1-12 — see also Energy efficiency Fume cupboards 2-13, 2-38 to 39 Fume extraction systems 2-23 - see also Transportation buildings Fumes 2-118, 2-119, 2-121 - see also Pollution Galvanised materials 3-23, 3-36, 3-37, 3-38 - see also Metal ducting Garages 2-47 Gas cycle refrigeration 4-39 to 40 Gas-fired boilers 1-32, 1-50; 2-41 Gas-fired radiant heaters 1-45 to 46 Gas fuels 1-53, 1-54, 1-55 to 56; 2-46 Gas Safety (Installation and Use) Regulations 1998 1-56; 2-41 Gas services 1-55 to 56; 2-41 Gas supply pressures 1-53, 1-55 to 56 Gases, air filtration 2-120 Gasketed plate heat exchangers 4-42, 4-43 Gauge glasses 1-40, 1-41 GAX (generator absorber heat exchanger) absorption chillers 4-34

absorption chillers 4-34 Generators 1-17; 2-22, 2-27; 4-7, 4-32 to 33; 5-6 — see also Electricity generation; Vapour generators Glass fibre ducting 3-36 Glass reinforced plastic ducting 3-36, 3-37 Glazing 1-8; 2-6, 2-62; 4-5 — see also Lighting; Solar control; Windows Global warming — see Climate change Glycol air conditioning systems 2-27 Gravity, centre of 5-29 to 30 Gravity feed burners 1-33 Greenhouse gases — see Carbon emissions; Climate change

Greenhouses 2-50 Grilles air curtains 2-32 air velocities 3-10; 5-9 airflow measurement 3-39 ceilings 2-57 cleanrooms 2-25 displacement ventilation 2-57 fan coil units 2-92 fixing 3-38 ground air cooling 2-93 kitchen ventilation 2-24 maintenance 3-43 multi-purpose sports facilities 2-44 noise and noise control 2-92; 3-4, 3-21; 5-5, 5-9, 5-21, 5-34 passive stack ventilation 2-28; 3-36 pressure drops 3-26, 3-62 pressurisation systems 3-22, 3-23 ventilation rates 2-53 whole-house mechanical ventilation 2-30 see also Transfer grilles 🧀 Ground air cooling 2-92 to 94 Ground source heat pumps 1-16, 1-34 to 35, 1-55 Ground temperatures 2-92 to 93, 2-94 Ground water cooling 2-81, 2-82, 2-94 to 96; 4-20 GRP (glass reinforced plastic) ducting 3-36, 3-37 Guidance on the Noise at Work Regulations 5-7 Guide to acoustic practice 2-22 Guide to air distribution technology for the internal environment 2-51 Guide to ownership, operation and maintenance of building services 1-11 Guide vanes 2-129; 3-8; 4-52 Guidelines for environmental design in schools 2-42 Guidelines for the use of hydrocarbon refrigerants in static refrigeration and air conditioning systems 4-30

Hand holes 3-20 Handover documents --- see Documentation Hangers — see Isolation hangers 'Hard' bends 3-3, 3-11 Hazardous areas 2-39 to 40; 3-23 Hazards - see Fire protection; Risks and risk assessments; Smoke Head pressures 2-33; 4-43, 4-44, 4-47, 4-52 Health and safety absorption refrigeration 4-35 air leakage testing 3-18 ammonia refrigeration systems 4-11, 4-14, 4-28 to 29, 4-35 boilers 1-22, 1-40 cleaning and cleanliness 3-10 ductwork 3-9, 3-10, 3-42, 3-43 to 44, 3-45 ductwork access 3-10, 3-19, 3-20, 3-23, 3-42, 3-43 education buildings 2-42 fuels 1-56, 1-57; 2-46 gas services 1-56 heating systems 1-14 to 15, 1-22, 1-40, 1-57 humidification 2-128 maintenance work 3-10; 4-10, 4-11, 4-17 to 18, 4-30 natural gas 2-46 noise and noise control 5-7 refrigerants 2-44; 4-10 to 11, 4-26, 4-27 to 30

Gymnasia 1-10; 2-45

refrigeration and heat rejection 4-8, 4-17 to 18, 4-27 to 30, 4-35, 4-53, 4-54 windows 2-42 - see also Air quality; Cleanliness; Fire protection; Occupational exposure limits; Risks and risk assessments Health and Safety at Work etc. Act 1974 1-3; 2-16, 2-30; 3-9; 4-10, 4-17 Health and safety files — see Documentation Health care premises 1-6, 1-9, 1-10; 2-4, 2-33 to 35; 3-44 Health Technical Memorandum HTM 2025: Ventilation in healthcare premises: design considerations 2-34 Hearing protection 5-7 Hearing, threshold of 5-36 Heat balance 1-4 to 5; 2-24 Heat capacity 1-8, 1-9, 1-26 Heat dissipation ratio 4-35, 4-36 Heat distribution 1-12, 1-15, 1-22, 1-33 to 34, 1-44; 2-96 Heat emissions 1-17, 1-26, 1-27, 1-28, 1-29, 1-30, 1-62 to 63 Heat emitters — see Heaters Heat exchangers 4-42 absorption refrigeration 4-32 airflow pattern effect on 3-31 ammonia refrigeration 4-29 as condensers 4-43 boilers 1-31, 1-32 cooling systems 4-21, 4-22, 4-23, 4-32, 4-42 cooling towers 4-50 corrosion 4-21 district heating systems 1-33 gas cycle refrigeration 4-40 heat pumps 1-34 hydronic heating systems 1-15 steam systems 1-21, 1-40, 1-42 Stirling cycle refrigeration 4-39 temperatures 4-32, 4-42 vapour compression refrigeration 4-23 warm air systems 1-43, 1-44 whole-house mechanical ventilation 2-30 - see also Condensers; Dry air coolers; GAX (generator absorber heat exchanger) absorption chillers; Heatpipes; Heat recovery; Heating coils; Low pressure receivers; Plate heat exchangers; Recuperators Heat flux calculation 1-15 Heat gains air conditioning 2-74, 2-75 air handling luminaires 4-5 broadcasting studios 2-22 call centres 2-49 computer rooms 2-27 cooling 2-74; 4-4 darkrooms 2-49 dealing rooms 2-49 ductwork 3-4, 3-5, 3-6, 3-9, 3-13 to 14 hotels 2-35 industrial buildings 2-32 lighting 2-5, 2-17, 2-43; 4-5 mechanical ventilation 2-8 to 9, 2-22 natural ventilation 2-8 to 9, 2-62 occupancy 1-3; 2-17 office equipment 2-17; 4-5 refrigerated display cases 2-44 retail buildings 2-43, 2-44 roofs 2-75 room surfaces 1-30 solar chimneys 2-61 variable air volume systems 2-102

ventilation design 2-5, 2-17 --- see also Fan gains Heat losses airtight buildings 1-14 building fabric 1-8, 1-23, 1-24 calculation 1-6 to 11, 1-23, 1-48 to 49; 2-5: 3-64 to 65 chimneys and flues 1-48 to 49 combination boilers 1-16 ductwork 3-5, 3-13 to 14, 3-64 to 65 floors 1-8, 1-10 index runs 3-64, 3-65 plant size ratio calculation 1-24 radiant heating 1-23, 1-24 solar chimneys 2-61 spot heating 1-23 temperature differences 1-8 ventilation 1-8 to 10, 1-23, 1-24, 1-25; 2-64 windows 1-8 zones and zoning 1-8 Heat metering 4-17 Heat outputs - see Heat emissions Heat pipes 1-14; 2-118 Heat pumps 1-16, 1-34 to 35; 2-96 to 97; 4-24 cooling 1-16, 1-35; 2-94; 4-24, 4-25 heat recovery 1-14; 2-96, 2-118 hotels 2-35 local air conditioning 2-73 retail buildings 2-43 swimming pools 1-14; 2-45 through-the-wall units as 4-45 whole-house mechanical ventilation 2-30 see also Ground source heat pumps; Reversible heat pumps; Water source heat pumps Heat recovery 2-116 to 118 absorption refrigeration 4-7, 4-33 air infiltration 1-14; 2-116 air intake and discharge points 2-107 all-air systems 2-68, 2-116 CHP systems 1-34 community heating 1-16 condensers 4-22 cooling systems 4-7, 4-22, 4-39 costs and costing 1-14; 2-117 domestic buildings 2-29 fan power and 2-68 gas cycle refrigeration 4-40 health care premises 2-34 heat pumps 1-14; 2-96, 2-118 heating system design 1-9, 1-14 hotels 2-36 industrial buildings 2-31 to 32, 2-38 mechanical ventilation 1-14, 1-44; 2-68 natural ventilation 2-64 partially centralised air/water services 2-73 pressure drops 1-14; 2-68, 2-116 to 117 retail buildings 2-43 room ventilators 2-29 single duct systems 2-100 sports facilities 2-45 swimming pool ventilation 2-45, 2-46 thermal capacity 2-64 variable refrigerant flow (VRF) units 4-45 warm air systems 1-44 ---- see also Energy recovery; Mechanical ventilation with heat recovery (MVHR); Recirculation; Ventilation heat recovery Heat rejection 4-21, 4-49 to 51 atria 2-20 definition 4-1

refrigerated display cases 2-44 sea/river/lake water cooling 2-106; 4-20 ventilation and air conditioning performance 2-106 to 107 water treatment 4-7 - see also Cooling; Cooling towers Heat sources 1-16 to 17, 1-31 to 35, 1-43 to 44; 2-96 absorption chillers 4-32, 4-33, 4-34 air quality parameter 2-50 – see also Boilers; Fuels; Heat pumps Heat transfer absorption chillers 4-34 cooled surfaces 2-83 ductwork 3-13, 3-15, 3-24 evaporators 4-42 night cooling 2-76, 2-77 to 78, 2-79 radiant heating 1-23 ventilation and air conditioning 2-78, 2-79, 2-83, 2-106, 2-114 water cooling 2-95, 2-106 - see also Heat recovery; Secondary coolants Heater batteries - see Air heater batteries Heaters 1-12 hydronic systems 1-14, 1-15, 1-17, 1-26 to 31 location 1-5, 1-12, 1-23, 1-24, 1-43 pressure drops 3-30 sizing 1-10, 1-30 steam systems 1-42 warm air systems 1-22, 1-23, 1-43 to 44 see also Air heater batteries; Balancing; Cabinet heaters; Convective heating; Fan coil units: Instantaneous water ·heaters; Radiant heating; Suspended unit heaters; Underfloor heating Heating 1-1 to 73 air velocities 1-5; 2-52 broadcasting studios 2-21, 2-22 communal residential buildings 2-26 computer rooms 2-26 ductwork sizing 1-13; 3-6 exposed thermal mass and 2-77 fan coil units 1-17, 1-26 to 27, 1-45; 2-90, 2-91; 5-6 health care premises 2-34 horticultural facilities 2-50 hotels 2-35 industrial buildings 1-5, 1-6, 1-7, 1-22, 1-23, 1-43, 1-44; 2-36, 2-38 museums, libraries and art galleries 2-41 natural ventilation and 2-63 night cooling and 2-79, 2-80 psychrometric process 2-142 retail buildings 2-44 split air conditioning 2-105 sports facilities 2-45 thermal capacity and 1-7, 1-10 to 11, 1-24 to 26; 2-77 vapour compression systems 4-24 variable air volume systems 1-44; 2-103 ventilation rates 1-4, 1-8 to 9; 2-5 whole-house ventilation and 2-30 - see also Air conditioning; Air curtains; Convective heating; Heating/cooling conflicts; Hydronic heating systems; Intermittent heating; Perimeter heating; Pre-heating; Radiant heating; Simultaneous heating and cooling; Spot heating; Steam systems; Storage heating; Terminal reheat systems; Underfloor heating Heating coils 3-9, 3-20, 3-41, 3-43, 3-44

fans '4-7

Heating/cooling conflicts 2-78, 2-91, 2-99, 2-112 - see also Simultaneous heating and cooling Heating loads 1-9, 1-12, 1-20; 2-21, 2-22 Heavyweight buildings 1-7, 1-12, 1-25; 2-76, 2-80, 2-140 - see also Night cooling; Thermal capacity; Thermal response Helical springs 5-24, 5-27 to 28, 5-29, 5-30 HEPA filters 2-25, 2-40, 2-120 Hermetic compressors 4-46, 4-47 High frequencies 5-3, 5-10, 5-12, 5-13, 5-21, 5-25 High pressure ductwork systems 3-3, 3-4 air leakage 3-4, 3-6 to 7, 3-17, 3-18, 3-19, 3-40 air velocities 2-67; 3-4, 3-10 dampers 3-35, 3-40 sizing 3-28, 3-30 terminals 3-28, 3-30 High pressure hot water (HPHW) systems 1-12, 1-15, 1-19 High-rise buildings 2-13, 2-30, 2-32 to 33, 2 - 58High temperature hot water (HTHW) systems 2 - 124Historic materials conservation 2-40 to 41 HMIP Guidance Note D1: Guidelines on discharge stack heights for polluting emissions 1-46, 1-49 2-23, 2-29, 2-30, 2-37 to 38, 2-113, Hoods 2-114 to 115 Horizontal ducting 3-5, 3-6, 3-24, 3-30 to 31 --- see also Branches Horticultural facilities 2-13, 2-50 Hospitals - see Health care premises Hot deck/cold deck systems 2-86, 2-88 Hot gas bypass control 2-105; 4-52 Hot-water-only thermal stores 1-18 Hot water services 1-3, 1-14, 1-16, 1-18, 1-20, 1-35 Hotels 1-10; 2-13, 2-35 to 36 - see also Residential buildings Housekeeping pads 5-28, 5-33 Houses - see Domestic buildings HPHW (high pressure hot water) systems 1-12, 1-15, 1-19 HSC/HSE Approved Code of Practice L8 2-128; 4-10, 4-11, 4-43, 4-50 HSC/HSE Approved Code of Practice L24 3-42 HSC/HSE Approved Code of Practice L56 1-56 HSE Guidance Note EH 40: Occupational exposure limits 2-14, 2-37, 2-46, 2-47; 4-28, 4-30 HSE Guidance Note PM 5: Automatically controlled steam and hot water boilers 1-22, 1-31 HSE Guidance Note PM 60: Steam boiler blowdown systems 1-22 HSE Guidance Note PM 81: Safe management of ammonia refrigeration systems 4-11, 4-28 HTHW (high temperature hot water) systems ż-124 Humidity control 2-124 to 128 air conditioning 2-73, 2-74 to 75 airflow pattern effect on 3-31 animal husbandry facilities 2-48 assembly halls and auditoria 2-19 broadcasting studios 2-22 cleanliness 3-45

comfort 1-5; 2-17, 2-73, 2-74 to 75

Heating, ventilating, air conditioning and refrigeration

computer rooms 2-27 cooled surfaces 2-83 costs and costing 2-53 darkrooms 2-49 domestic buildings 2-28, 2-29 dual duct systems 2-87 energy efficiency 2-73, 2-128 fan coil units 2-91 health care premises 2-34 heating systems 1-1, 1-5, 1-37 horticultural facilities 2-50 induction units 2-98 to 99 Legionella bacteria 2-34, 2-128 mechanical ventilation 2-10, 2-68 multi-zone terminal reheat systems 2 - 102museums, libraries and art galleries 2-40 to 41 natural ventilation 2-9, 2-17, 2-62 partially centralised air/water services 2-72 to 73 passive stack ventilation 2-28; 3-36 pressure drops 3-30 psychrometric processes 2-142 to 143 refrigeration and heat rejection and 4-19 retail buildings 2-44 sensors 2-29, 2-68, 2-74 to 75, 2-100, 2-113; 3-36 single zone air conditioning 2-100 to 101 spot radiant heating and 1-23 swimming pools 2-45 through-the-wall units 4-45 variable air volume systems 2-102 ventilation strategies 2-10 water treatment 2-127, 2-128; 4-18 - see also Air conditioning; Desiccant cooling; Indoor climate Humidity-sensitive vents 3-36 HVCA DW/143: A practical guide to ductwork leakage testing 3-6, 3-7, 3-18, 3-19 HVCA DW/144: Specification for sheet metal ductwork air leakage 3-6, 3-17, 3-18, 3-53 air velocities 3-9 bends 3-11, 3-12, 3-57 dampers 3-21, 3-54 ductwork classification 3-4 fire protection 3-23 flexible joint connections 3-34 operating pressures 3-19 standard components 3-37 supports 3-24, 3-25 tapers 3-12, 3-13, 3-56, 3-57 HVCA DW/171: Standard for kitchen ventilation systems 2-23; 3-22, 3-42 HVCA DW/TM2: Guide to good practice internal cleanliness of new ductwork installations 3-42, 3-44 HVCA Standard Maintenance Specification 3-43 HVCA TR/17: Cleanliness of ventilation systems 3-45 Hydraulic design, heating systems 1-14, 1-15 Hydraulic diameter 3-3, 3-48 to 50 Hydraulic pressures 2-33. Hydrocarbon refrigerants 4-14, 4-27, 4-30, 4-31 Hydrochlorofluorocarbon refrigerants 4-4, 4-8, 4-12 to 13, 4-14, 4-26, 4-30, 4-31 Hydrofluorocarbon refrigerants 4-4, 4-8, 4-13 to 14, 4-26 to 27, 4-30 Hydronic heating systems 1-14 to 19, 1-26 to 39 Hygiene - see Cleanliness

Ice storage systems 4-37 IEA Heat Pump Programme Annex 4-32, 4-34, 4-48 IGE UP/2: Installation of gas appliances in industrial and commercial premises 1-32 IGE UP/10: Gas installation pipework, boosters and compressors on industrial and commercial premises 1-31 to 32 Impellers 2-129 Index circuits 1-15, 1-36 Index runs air leakage 3-64 definition 3-30, 3-57 ductwork sizing 3-30, 3-57, 3-58, 3-59, 3-60, 3-61 heat losses 3-64, 3-65 pressure drops 3-7, 3-60 Indirect cooling systems 4-20 --- see also Chillers Indirect evaporative cooling 2-89, 2-90; 4-36 Indoor air quality — see Air quality Indoor climate 1-4, 1-5; 2-40 to 41 see also Air movement; Comfort; Humidity control; Temperatures Induced draught systems 1-50 Induced jet systems 1-44 Induction-type diffusers 2-57 Induction units 2-98 to 99; 3-21, 3-39; 4-19 Induction variable air volume (VAV) systems 2-103, 2-104 Industrial buildings air handling units (AHUS) 2-38 air infiltration 1-10; 2-31, 2-32 air velocities 2-32 airflow 2-32, 2-36, 2-37 doors 2-31, 2-32 draughts 2-38 ductwork 2-31, 2-32, 2-36; 3-10, 3-28, 3-34 energy efficiency 2-31, 2-32, 2-38 fans 2-32, 2-38 filters and filtration 2-31, 2-36, 2-37 heat gains 2-32 heat recovery 2-31 to 32, 2-38 heating 1-5, 1-6, 1-7, 1-22, 1-23, 1-43, 1-44; 2-36, 2-38 noise and noise control 2-37 openings 2-31, 2-32 pollution 2-31, 2-36 to 38 pressures 2-32, 2-37, 2-38 replacement air 2-32, 2-36, 2-38 temperature control 1-5 ventilation and air conditioning 2-4, 2-13, 2-30 to 32, 2-36 to 38, 2-51 Industrial ventilation 2-114 Inertia bases 5-26, 5-28, 5-30, 5-33 Infrared evaporators 2-128 Initial pressure drop 2-119 Initial synthetic dust weight arrestance 2-119 Inlets — see Air inlets; Fan inlets Insect protection 2-106; 3-45 - see also Meshes; Pest control measures Insertion loss 5-10, 5-11, 5-12, 5-41 Inspection 4-16 to 17 air conditioning 4-9, 4-14, 4-17 air inlets 3-45 condensate removal 3-45 cooling towers 4-11 dampers 3-45 ductwork 2-67; 3-10, 3-19 to 20, 3-36, 3-45, 3-51 evaporative condensers 4-11 pest control measures 3-45

Ice slurries 4-36

refrigeration and heat rejection 4-9, 4-10, 4-11, 4-18 silencers 3-45 thermal insulation 3-45 Inspection covers 3-20 -see also Access Inspection panels 3-19 'Installation effects', ductwork 3-3, 3-7 Instantaneous water heaters 1-16 Institute of Refrigeration: Code of practice for the minimization of refrigerant emissions from refrigerating systems 4-31 Institute of Refrigeration Guidance Note 10: Working with ammonia 4-28 Institute of Refrigeration Safety Codes 4-10, 4-11, 4-18, 4-27, 4-28, 4-30, 4-53 Instruments 3-20; 5-45 to 47 - see also Anemometers; Metering; Pyranometers; Sound level meters Insulation airtightness and 3-36 ductwork 3-5, 3-43, 3-45, 3-51 pipes and pipework 4-15 respirable particles 2-16 -see also Noise control; Thermal insulation Integrated design 2-1 to 12; 4-3 Integrated thermal stores 1-18 Integrity, ductwork 3-23 Intelligent sensors 1-37 Intermittent heating 1-7, 1-12, 1-24 to 25 Internal zones 3-6 Interotex absorption chillers 4-34 Ionising Radiation Regulations 1999 2-16 ISO 3258 2-51 ISO 6944 3-20 ISO 7730 2-51, 2-56 ISO criteria — see Noise rating (NR) Isolation efficiency — see Vibration isolation efficiency (VIE) Isolation hangers ductwork 3-5, 3-24, 3-25, 3-54 vibration control 5-26, 5-27, 5-28 to 29, 5-33 Isolator rails 5-32 to 33 Isolators — see Vibration isolators Isothermal humidification 2-125 to 126 Isovels 2-51 IT equipment — see Office equipment; Small power loads Jack-up mounts 5-33, 5-34 Jet-assisted hoods 2-114 Jets 2-51 to 56, 2-132; 3-39 - see also Induced jet systems; Induction units; Pressure jet burners; Steam jet refrigeration Jointing and sealing air filters 2-120 air leakage 3-17, 3-18, 3-30 chimneys and flues 1-48 cleanliness 3-9 cooled surface pipework 2-83 ductwork 3-8, 3-17, 3-51 ductwork costs 3-9 ductwork fire protection 3-21, 3-23, 3-36 ductwork sizing 3-30 galvanised materials 3-38 ground air cooling 2-93 hinged access doors 3-20 noise control 5-17 plant rooms 4-12 pressurisation systems 3-22 refrigeration systems 4-31, 4-46 variable refrigerant flow (VRF) units 4-45

I-15

- see also Air leakage; Airtightness; Ductwork connections; Flexible connectors; Penetration seals; Vapour barriers Joule cycle 4-39 Kitchens 2-23 to 24 air inlets and outlets 2-24; 3-32 communal residential buildings 2-26 cooling tower location 4-50 dampers 3-22 domestic buildings 2-29, 2-30; 3-36 dry resultant temperatures 1-6 ductwork 2-24; 3-20, 3-22, 3-37, 3-42, 3-45 education buildings 2-42 extract ventilation 2-23; 3-32 fans 2-24, 2-29; 3-36 fire protection 2-23, 2-30; 3-22, 3-23 mechanical ventilation 2-42 mixed mode ventilation 2-70 passive stack ventilation 3-35 to 36 ventilation rates 1-9; 2-23 - see also Canopy extract systems; Food processing facilities Kyoto Protocol 4-12, 4-13 $L_{\rm EP,d}$ 5-45 to 46 - see also Daily noise exposure 5-45 to 46 Laboratories 1-10; 2-13, 2-38 to 40, 2-42; 3-34 Lake water cooling 2-106; 4-20 to 21, 4-43 Landfill gases 1-53, 1-55 Lateral exhaust ventilation 2-114 Law courts 1-10; 2-13, 2-49 Layout - see Building form and orientation; Ductwork layout Leakage — see Air leakage; Refrigerant leakage; Water leakage Legionella bacteria cooling towers 2-106; 4-10, 4-11, 4-50 evaporative condensers 4-10, 4-11, 4-43 evaporative cooling 2-89; 4-10 humidity control 2-34, 2-128 water storage areas 2-41 water temperatures 2-128 Legislation 1-3, 1-46 to 47; 3-9, 3-42; 4-8, 4-10, 4-11 Level difference 5-17, 5-18, 5-29 Libraries 1-10; 2-13, 2-40 to 41; 3-10 Life cycle costs and costing air filtration 2-123 ductwork 3-3, 3-9, 3-26, 3-30, 3-55 heating 1-3, 1-11, 1-13, 1-16, 1-36, 1-55 refrigeration and heat rejection 4-3, 4-5, 4-7,4-8 ventilation and air conditioning 2-1, 2-4, 2-32 water treatment 4-7 Lift, refrigeration 4-7, 4-31, 4-32 Lift motor rooms 2-41 Lifting beams 4-5 Lifts 5-6 Light shelves 2-79 Lighting broadcasting studios 2-21, 2-22 computer rooms 2-26 cooling loads and 4-5 deep plan buildings 3-6 exposed thermal mass 2-5, 2-78, 2-79 fan coil units 2-91 heat gains 2-5, 2-17, 2-43; 4-5 refrigeration and heat rejection equipment 4-9, 4-11 retail buildings 2-43

---- see also Air handling luminaires; Atria; Glazing; Windows Lightweight buildings 1-7, 1-25 - see also Thermal capacity; Thermal response Lined ducts 5-4, 5-6, 5-9 to 10, 5-41 -see also Ductwork linings Linen handling spaces 2-36 Linings chimneys 1-51 ducts 2-34, 2-89; 3-10; 5-4, 5-9 to 10, 5-13 to 14 Liquefied petroleum gases (LPG) 1-53, 1-55, 1-56 Liquid fuels 1-53 to 54, 1-57 Liquid line pressure drop 4-46 Lithium bromide 4-14, 4-32, 4-34, 4-35 Live room spaces 5-16 Livestock housing 2-48 Load shifting 4-37 Loading bays 2-31, 2-47, 2-106 Loads heating 1-9, 1-12, 1-20; 2-21, 2-22 small power 2-5, 2-49; 4-5 structural 4-18 ventilation 1-9 vibration isolators 5-27, 5-28, 5-29 to 32, 5-33, 5-34 - see also Cooling loads Local air conditioning 2-73, 2-105 to 106 – see also Reversible heat pumps; Room air conditioners; Split systems; Variable refrigerant flow (VRF) systems Log books - see Documentation Loud voices, sound power 5-18 to 19 Louvres 2-106, 2-111, 2-123 air velocities 3-31, 3-55, 3-56 fan dilution systems 1-50 fixing 3-38 maintenance 3-43 noise and noise control 3-32; 5-6, 5-7, 5-22 pressure drops 3-30, 3-55, 3-56, 3-60, 3-62 room air conditioners 2-99 sizing and space requirements 3-31 to 32 whole-house ventilation 2-30 Low carbon steel sectional boilers 1-31 Low energy cooling — technologies selection and early design guidance 2-72 Low frequencies 5-3, 5-21 end reflection loss 5-11 noise measurement 5-5, 5-21, 5-45 silencers 5-12, 5-13, 5-44 vibration control 5-25 Low pressure ductwork systems 3-4 air leakage 3-4, 3-6, 3-17, 3-18, 3-19, 3-63 air velocities 2-66; 3-4, 3-10, 3-28 dampers 3-40 mitred elbows 3-12 sizing 3-28, 3-30 Low pressure hot water (LPHW) systems 1-12, 1-13, 1-14 to 15 Low pressure receivers 4-43 to 44 Low temperature hot water (LTHW) systems 1-13; 2-124 Low water content boilers 1-32 LPG (liquefied petroleum gases) 1-53, 1-55, 1-56 LPHW (low pressure hot water) systems 1-12, 1-13, 1-14 to 15 LTHW (low temperature hot water) systems 1-13; 2-124

Machinery hum 5-3

Magnetic refrigeration 4-40 Maintenance ammonia refrigeration systems 4-18 chilled beams and ceilings 2-82 chillers 4-18 chimneys and flues 1-47 computer rooms 2-27 cooled surfaces 2-83 cooling towers 4-9, 4-11, 4-18, 4-21 costs 1-11; 3-26 dampers 3-43 desiccant cooling 2-86 diffusers 3-43 evaporative condensers 4-11, 4-18 evaporative cooling 2-89, 2-90; 4-9 fan coil units 2-90, 2-91, 2-92 filters and filtration 2-14, 2-31, 2-123 flexible ducting 3-43 food processing facilities 2-24 grilles 3-43 ground air cooling 2-93 ground water cooling 2-96 health and safety 3-10; 4-10, 4-11, 4-17 to 18, 4-30 heating systems 1-11 hotels 2-35 induction units 2-99 kitchen ductwork 2-24; 3-42 louvres 3-43 mechanical ventilation 2-14, 2-26, 2-66; 3-42 mixed mode ventilation 2-11 natural ventilation 2-14, 2-65 noise control 4-12 pest control measures 3-43 plant rooms 3-42 refrigeration and heat rejection 4-9, 4-17 to 18, 4-30 split systems 2-106 sports facilities 2-46 thermal wheels 2-117 through-the-wall units 4-45 user requirements 4-3, 4-5, 4-8 vapour barriers 3-17 ventilation strategies 2-11 windows 2-109 — see also Cleanliness; Ductwork maintenance; Life cycle costs and costing; Reliability Maintenance manuals - see Documentation Make-up air - see Replacement air Make-up water - see Feedwater equipment Management of Health and Safety at Work Regulations 1999 4-10, 4-11 Masking noise — see Background noise Mass flow rate --- see Water flow rate Materials ductwork 3-10, 3-36 to 38 U-values 1-8 --- see also Galvanised materials; Historic materials conservation Measurement --- see Airflow measurement; Noise measurement; Vibration measurement Mechanical cooling 2-10, 2-16, 2-30, 2-57, 2-70, 2-72 to 76 - see also Air conditioning Mechanical draught cooling towers 4-50, 4-51 Mechanical extract and natural supply ventilation 2-66 Mechanical separators 2-126, 2-127 Mechanical steam traps 1-40 Mechanical supply and natural extract ventilation 2-9, 2-66

- see also Background noise

I-16

assembly halls and auditoria 2-19

Mechanical ventilation 2-9 to 10, 2-65 to 69 air velocities 2-30, 2-66 to 67 animal husbandry facilities 2-48 assembly halls and auditoria 2-18 to 19 atria 2-19, 2-20 broadcasting studios 2-21, 2-22 bus terminals and car parks 2-46 carbon dioxide sensors 2-40, 2-43, 2-44 cleanliness 2-14, 2-54, 2-66, 2-67 to 68; 3-42 cleanrooms 2-25 communal residential buildings 2-26 computer rooms 2-26 to 27 cooled surfaces 2-83 cooling 2-9, 2-10, 2-76, 2-79 costs and costing 2-10, 2-37, 2-66 court rooms 2-49 dampers 2-32, 2-68 darkrooms and dealing rooms 2-49 domestic buildings 2-28, 2-29, 2-30, 2-46 education buildings 2-42, 2-43 energy efficiency 2-66, 2-68; 4-15 to 16 fans 2-29, 2-68, 2-76 filters and filtration 2-14, 2-67 to 68 fire protection 2-34, 2-68 food processing facilities 2-23, 2-24 health care premises 2-34 heat gains 2-8 to 9, 2-22 heat recovery 1-14, 1-44; 2-68 heating system design 1-5, 1-9 high-rise buildings 2-33 horticultural facilities 2-50 industrial buildings 2-31, 2-32, 2-36 to 38 kitchens 2-42 laboratories 2-38 to 40, 2-42 maintenance 2-14, 2-26, 2-66; 3-42 museums, libraries and art galleries 2-40, 2-41night cooling and 2-6, 2-76 noise and noise control 2-10, 2-22, 2-34, 2-41, 2-66, 2-67; 5-1 pollution 2-10, 2-14, 2-66 specific fan power 2-68 to 69; 4-16 sports facilities 2-45 standards rooms 2-50 temperature control 2-10, 2-29, 2-68 toilets 2-42 ventilation and air conditioning control 2-9 to 10, 2-32, 2-68 zones and zoning 2-68 - see also Air conditioning; Balanced supply and extract ventilation; Ductwork; Extract ventilation; Mixed mode ventilation; Natural supply and mechanical extract ventilation; Whole-house ventilation Mechanical ventilation with heat recovery (MVHR) 2-26, 2-43 Mechanical volume controllers 2-132 Medium-dead/medium-live room spaces 5-16 Medium pressure ductwork systems 3-4 air leakage 3-4, 3-6, 3-17, 3-18, 3-19 air velocities 2-67; 3-4, 3-10 dampers 3-40 sizing 3-28, 3-30 Medium pressure hot water (MPHW) systems 1-12, 1-15, 1-19 Medium temperature hot water (MTHW) systems 1-23; 2-124 Meshes 2-24, 2-106; 3-56, 3-60, 3-62 - see also Pest control measures Metal ducting 3-32, 3-33, 3-34, 3-36, 3-37, 3-38; 5-9

- see also Galvanised materials; HVCA DW/144: Specification for sheet metal ductonork Metal spraying 3-38 Metering 4-9, 4-15, 4-17 - see also Instruments Micro-CHP systems 1-34 Microbiological contamination 2-24, 2-74, 2-121; 3-44; 4-7, 4-50 - see also Biological agents; Cleanrooms; Legionella bacteria Microbiological laboratories 2-39 to 40 Microbiological safety cabinets 2-38, 2-40 Mid frequencies 5-3, 5-10, 5-12, 5-21 Middle East 3-25 Military barracks 2-26 Mists, particle sizes 2-121 Mitred elbows 3-7, 3-11 to 12 Mixed-flow fans 2-129, 2-130, 2-132 Mixed mode ventilation 2-9, 2-10 to 12, 2-43, 2-62, 2-69 to 72, 2-80 Mixing boxes 2-86, 2-88 to 89, 2-115 to 116; 3-21, 3-30 Mixing ventilation 2-9, 2-19, 2-66 Modelling 2-140 to 141 Modular boilers - see Multiple boilers Moisture control 3-44 to 45 — see also Condensation; Humidity control Moisture eliminators 2-128 Montreal Protocol 4-12, 4-13 to 14 Most penetrating particle size (MPPS) 2-120 Motorised dampers 2-74; 3-23, 3-40 to 41; 4-43 Mounts vibration control 5-6, 5-29 to 33 - see also Vibration isolators MPHW (medium pressure hot water) systems 1-12, 1-15, 1-19 MTHW (medium temperature hot water) systems 1-23; 2-124 Multi-function windows 2-112 Multi-modular control, compressors 4-52 Multi-purpose sports facilities 2-44; 5-19 - see also Recreational buildings Multi-split air conditioning 2-105; 4-12, 4-45, 4-46 Multi-zone terminal reheat systems 2-101 to 102 Multi-zoned air handling units 2-33 to 34, 2-88 Multi-zoned systems 2-36, 2-74, 2-75, 2-100, 2-141; 3-6 Multiple boilers 1-13, 1-18, 1-31, 1-34 - see also Sequencing controls Multiple chillers 4-7, 4-9, 4-28, 4-47 to 49, 4-53 Multiple compressors 4-53 Museums 1-10; 2-13, 2-40 to 41 Narrow band frequency analysis 5-46 National Engineering Specification 2-121 National Home Energy Rating (NHER) 1-3 Natural draught burners 1-32 Natural draught cooling towers 4-50 Natural draught systems 1-47, 1-48, 1-49 Natural extract and mixed supply ventilation 2-9 Natural frequency 5-23 to 24, 5-26, 5-27, 5-32, 5-33 Natural gas 1-53, 1-55 to 56; 2-46 Natural supply and mechanical extract ventilation 2-9

Natural ventilation 2-8 to 9, 2-57 to 65, 2-107

to 113

atria 2-9, 2-16, 2-19, 2-20, 2-61 basements 3-22 cleanliness 2-14, 2-111 communal residential buildings 2-26 court rooms 2-49 darkrooms 2-49 domestic buildings 2-28; 3-36 ductwork 2-64, 2-65, 2-111 to 112; 3-22; 5-20 education buildings 2-42, 2-43 filters and filtration 2-9, 2-14 free cooling 2-5 to 6 health care premises 2-34 high-rise buildings 2-33 humidity control 2-9, 2-17, 2-62 industrial buildings 2-31, 2-32, 2-36 to 37 maintenance 2-14, 2-65 night cooling 2-6, 2-62, 2-64, 2-76 noise and noise control 2-9, 2-37, 2-43, 2-63, 2-66; 5-1, 5-13, 5-20 pollution 2-9, 2-14, 2-63, 2-66 sports facilities 2-45 transportation facilities 2-46 see also Air bricks; Louvres; Mechanical extract and natural supply ventilation; Mechanical supply and natural extract ventilation; Mixed mode ventilation; Roof ventilators; Trickle ventilators; Windows NC - see Noise criterion (NC) NCB (balanced noise criterion) 5-21, 5-49, 5-50 Near-zones 2-56 Neoprene pads 5-27, 5-30 Neutral pressure level 2-60 NHER (National Home Energy Rating) 1-3 Night cooling 2-76 to 80 atria 2-20, 2-21 education buildings 2-43 mechanical ventilation 2-6, 2-76 mixed mode ventilation 2-71 natural ventilation 2-6, 2-62, 2-64, 2-76 stack ventilation 2-60 ventilation strategy selection 2-10 windows 2-109 Night ventilation 2-64, 2-78, 2-111 Noise and noise control 3-8, 3-21; 5-1 to 50 absorption refrigeration 4-12 air conditioning 2-22; 3-21; 4-12 air control units 2-132 air leakage 3-17 bends 2-67; 3-4, 3-12, 3-31; 5-10 to 11, 5-12 break-out noise 3-40; 5-4, 5-9, 5-14, 5-44 broadcasting studios 2-21, 2-22 chilled beams and ceilings 2-82 chillers 4-12; 5-3 to 4, 5-6, 5-38 circular ducting 2-67; 5-9, 5-10 compressors 3-21; 4-12, 4-47, 4-52; 5-6, 5-38 computer rooms 2-27 condensers 4-12, 4-43; 5-6 cooling towers 3-21; 4-12, 4-50; 5-6, 5-38 cowls 4-12 cross-talk 2-34; 5-18 to 19 dampers 2-22; 3-21, 3-30, 3-40; 5-5, 5-8 to 9 diffusers 2-22; 3-21; 5-4, 5-5, 5-9, 5-40 to 41 domestic buildings 2-28, 2-29; 5-21 dual duct systems 2-89 ductwork fittings 3-4, 3-10 to 12, 3-13, 3-21; 5-2, 5-44

ductwork maintenance 3-43 ductwork sizing 3-26, 3-28, 3-31; 5-10, 5-11 education buildings 2-43 exposed thermal mass 2-79 fan coil units 2-92; 5-6, 5-21 fans 3-21, 3-31, 3-63; 4-12, 4-43; 5-4, 5-5, 5-21 to 22 flexible ducting 3-33 grilles 2-92; 3-4, 3-21; 5-5, 5-9, 5-21, 5-34 health care premises 2-34, 2-35 heating 1-15, 1-20, 1-23 high velocity systems 3-4 hotels 2-35 industrial buildings 2-37 louvres 3-32; 5-6, 5-7, 5-22 maintenance 4-12 mechanical ventilation 2-10, 2-22, 2-34, 2-41, 2-66, 2-67; 5-1 natural ventilation 2-9, 2-37, 2-43, 2-63, 2-66; 5-1, 5-13, 5-20 passive stack ventilation 2-28; 3-36 plant rooms 4-11, 4-12; 5-7, 5-22 pressure drops 3-30 refrigeration and heat rejection 4-3, 4-11 to 12 terminals 3-4, 3-30, 3-35; 5-8, 5-15 to 19, 5-40 to 41 textile ducts 3-34 vapour compression chillers 4-12 vibration control and 4-12; 5-4, 5-5, 5-6 whole-house mechanical ventilation 2-30 windows 2-63; 5-4 - see also Air velocities; Background noise; Break-in noise; Break-out noise; Daily noise exposure; Regenerated noise; Silencers; Sound; Structure-borne noise; Water hammer Noise at Work Regulations 1989 4-11; 5-7 Noise control in building services 5-17, 5-20 Noise conversion efficiency 5-3 Noise criteria 5-1, 5-3, 5-20 to 22, 5-25, 5-43 to 44, 5-46, 5-48 to 50 Noise criterion (NC) 5-21, 5-48 to 49, 5-50 Noise data 5-1, 5-5, 5-40, 5-41 to 42 — see also Noise measurement Noise levels 5-2, 5-7, 5-35 to 37, 5-45 to 46 --- see also Background noise; Level difference; Room sound levels Noise measurement 5-1 to 2, 5-5, 5-21, 5-35 to 37, 5-44, 5-45 to 46 see also A-weighted noise measurement; Noise data Noise nuisance 5-5, 5-7, 5-34 Noise prediction 5-5, 5-15 to 19, 5-22, 5-34, 5-38 to 41 break-out noise 5-22, 5-44 lined ducts 5-10, 5-41 plant rooms 5-7 regenerated noise 5-8 reverberant sound 5-7, 5-19 room noise levels 5-42 to 44 Noise rating (NR) 5-21, 5-48, 5-49, 5-50 Noise sources 5-1 to 6, 5-34, 5-44 air leakage 3-17 directivity 5-16 to 17, 5-22, 5-48 fans 5-2, 5-3, 5-4, 5-5, 5-6, 5-21 silencers 5-3, 5-9 — see also Noise prediction Noise transmission 3-21; 5-3, 5-4 to 6, 5-7, 5-9 to 14, 5-17 to 18, 5-20 — see also Break-out noise Non-critical spaces 5-9 Non-standard ductwork sections 3-4 to 5

Normal spaces 5-9 Normalised pressure drop coefficient 5-40 to 41 Notification of Cooling Towers and Evaporative Condensers Regulations 1992 4-10, 4-11 NR (noise rating) 5-21, 5-48, 5-49, 5-50 Occupancy, heat gain estimation 1-3; 2-17 Occupancy categories 4-27 to 28 Occupancy detection 2-36, 2-63, 2-68, 2-113 Occupancy levels 2-35, 2-36, 2-43, 2-47, 2-49; 4-9 Occupant control 2-4, 2-9, 2-26, 2-64, 2-71, 2-140 - see also Users Occupant satisfaction — see Comfort Occupant training 2-28, 2-42, 2-71; 4-17 — see also Üsers Occupational exposure limits (OELs) 2-14, 2-15, 2-37, 2-46, 2-47; 4-28, 4-30 see also Daily noise exposure Occupied zones 2-51, 2-52, 2-53, 2-56 Octave band frequency analysis 5-46 Octave band noise data 5-1, 5-3, 5-4, 5-18, 5-21, 5-22, 5-40, 5-41 to 42 Odours 2-15 to 16, 2-23, 2-42, 2-46, 2-47, 2-107; 3-41 Office buildings air infiltration allowances 1-10 air velocities 3-10 background noise 5-1, 5-3, 5-18 ductwork sizing 3-6 energy efficiency 1-11; 2-4, 2-18; 4-15 to 16 heating 1-5, 1-11 noise and noise control 5-1, 5-3, 5-16, 5-21 refrigeration plant sizing 4-9 single sided ventilation 2-59 specific fan power 2-129 temperatures 2-56 textile ducting 3-34 ventilation requirements 2-12 to 18 - see also Commercial buildings; Privacy Office equipment 2-17; 4-5, 4-7 - see also Small power loads Offsets - see Bends Oil-fired boilers 1-32 to 33, 1-50; 2-41 Oil fuels 1-53 to 54, 1-55, 1-57 One-pipe hydronic systems 1-15 One-third octave band frequency analysis 5-46 Open circuit cooling towers 4-49 Open compressors 4-46 to 47 Open loop water cooling 2-94, 2-106 Open springs 5-26, 5-27, 5-28, 5-30 Openings access 2-68; 3-19 to 20, 3-22, 3-36, 3-43; 4-5, 4-18 air leakage 2-111 air velocities 3-10, 3-31; 5-9 airflow 2-109, 2-110; 3-39 atria 2-20 basements 3-22 car parks 2-46 clearances 3-31 cross ventilation 2-59 to 60 ductwork connections 3-38 exhaust ventilation 2-37, 2-114 industrial buildings 2-31, 2-32 louvre sizing 3-31 to 32 multi-purpose sports facilities 2-44 natural ventilation 2-62, 2-64, 2-65, 2-111 noise control 5-9, 5-20

single sided ventilation 2-59 stack ventilation 2-60 thermal insulation 3-19 toilets 2-46 wind pressures and 2-107 - see also Air inlets; Air outlets; Combined openings; Doors; Security; Terminals; Windows Operating pressures --- see Pressures Operating temperatures - see Temperatures Operation refrigeration and heat rejection 4-9, 4-11, 4-17 - see also Health and safety; Maintenance Operation and maintenance manuals - see Documentation Operational controls, refrigeration 4-53 Optical cooling 4-41 'Orange book', the 2-24 Orientation --- see Building form and orientation Outlets — see Fan outlets; Terminals Oval ducting - see Flat oval ducting Overseas work 3-24 to 26 Oversizing - see Plant sizing Ozone 3-32 - see also Climate change; Pollution; Refrigerant leakage; Refrigerants Pads, vibration control 5-27, 5-30, 5-33 Paints - see Protective coverings Pan humidifiers 2-127 Parallel condensers 4-48 Parallel evaporators 4-47 Partial recirculation systems 2-38, 2-45, 2-66 - see also Recirculation Partially centralised air/water systems 2-72 to 73 Particle sizes 2-118, 2-119, 2-121 - see also Respirable particles Passive cooling 2-60, 2-94 to 96 Passive silencers 5-11 to 12 Passive stack ventilation 2-26, 2-28 to 29, 2-42, 2-43; 3-35 to 36 - see also Stack ventilation Passive ventilation 2-2, 2-5, 2-43 - see also Building fabric Peak action level 5-7 Peak frequencies 5-40 Peltier cooling 4-38 Penetration seals 3-21, 3-23, 3-54; 5-7, 5-33, 5-34 Penetration tests 2-120 to 121 Percentiles, noise measurement 5-46 Performance air conditioning 2-51, 2-76 air handling luminaires 2-56 chilled beams and ceilings 2-80 to 81, 2 - 82desiccant cooling 2-85 to 86 ductwork 3-9 fans 2-129; 3-30 ground water cooling 2-95 heat pumps 2-97 mechanical ventilation 2-68 to 69 mixed mode ventilation 2-71 to 72 natural ventilation 2-65, 2-111 refrigeration and heat rejection 2-106 to 107; 4-3, 4-4, 4-17, 4-30, 4-31, 4-32 split systems 2-105 thermal storage 2-77 to 78, 2-79, 2-140 trickle ventilators 2-111 ventilation and air conditioning 2-1, 2-3 to 4, 2-51, 2-56 windows 2-107 to 109

1-18

- see also Carbon performance rating (CPR); Coefficient of performance (COP); Coefficient of system performance (COSP); Efficiency; Energy efficiency; Testing Perimeter heating 2-70, 2-91, 2-99, 2-103; 5-6 Perimeter zones 2-75, 2-103; 3-6 Pest control measures air inlets and outlets 2-106; 3-31 inspection 3-45 kitchens 2-24 maintenance 3-43 pressure drops 3-30, 3-56 whole-house ventilation 2-30 - see also Meshes Petroleum fuels --- see Oil fuels PFI (Private Finance Initiative) 2-1; 4-8 Photo-catalytic oxidation 2-121, 2-123 Piezoelectric accelerometers 5-46, 5-47 Pipe connectors 5-28, 5-33 Pipes and pipework ammonia chillers 4-27 chilled beams and ceilings 2-81, 2-82 cleanliness 2-93; 4-46 computer rooms 2-27 cooled surfaces 2-82, 2-83 to 84 dealing rooms 2-49 dry air coolers 4-49 ductwork 2-41 gas services 1-56; 2-41 ground air cooling 2-92 to 93 heat emissions 1-29, 1-30 hydronic heating 1-14, 1-16, 1-18, 1-26, 1-36 insulation 4-15 jointing and sealing 2-83 liquefied petroleum gases (LPG) 1-56 liquid fuel supply 1-57 multiple boilers 1-31 noise control 5-3, 5-4, 5-6, 5-7, 5-33 pressure drops 1-56, 1-65 to 66; 4-46 refrigeration and heat rejection 4-7, 4-9, 4-22, 4-46 sizing 1-13, 1-15, 1-20, 1-36, 1-63 to 66; 2-93 split systems 2-105; 4-45, 4-46 steam systems 1-20, 1-21 to 22 underfloor heating 1-17, 1-31 variable refrigerant flow (VRF) units 4-45 vibration control 5-6, 5-27, 5-28 to 29, 5-33, 5-34 - see also Copper pipes; Heat pipes; Steel pipes; Vent pipes Pitot tubes 3-23, 3-39, 3-41 Pivot windows 2-109 Plane surfaces, heat emissions 1-28, 1-30 Plant air leakage 3-17, 3-19 broadcasting studios 2-22 documentation 3-40 ductwork 3-6, 3-17, 3-19 to 20, 3-33 heating 1-26 to 52 pressure drops 3-30 refrigeration and heat rejection 4-4, 4-5, 4-11 to 12 - see also 'Blow-through' air handling plant; Chillers; Compressors; Condensers; Cooling towers; Evaporators; Expansion vessels; Heat exchangers Plant rooms cleanliness 3-42 ductwork 2-41; 3-6, 3-42 electrical 2-41; 5-6 jointing and sealing 4-12 maintenance 3-42

noise and noise control 4-11, 4-12; 5-4, 5-7, 5-14, 5-17, 5-22 refrigeration plant 2-41; 4-5, 4-11, 4-12, 4-18, 4-28, 4-30 reverberant sound 5-7 ventilation and air conditioning 2-41, 2-70 vibration control 5-7, 5-22, 5-30, 5-33 Plant size ratio 1-24 to 26 Plant sizing desiccant cooling 4-37 heating 1-10, 1-24 to 26, 1-30, 1-35, 1-62 load shifting and 4-37 natural ventilation 2-65 refrigeration and heat rejection 4-7, 4-9, 4-25 Plastic ducting 3-36, 3-37 Plate heat exchangers 1-14, 1-33; 4-21, 4-22; 4-29, 4-42, 4-43 Plenums assembly halls and auditoria 2-18 to 19 atria 2-20, 2-21 ceilings 2-53, 2-56, 2-103 circulation areas 2-57 fans 3-8 floors 2-70 health care premises 2-34 noise control 5-10, 5-12 to 13 see also Facade ventilation; Mixing boxes; Solar chimneys Plinths 5-28 PNC (preferred noise criterion) 5-21, 5-49 Pneumatic actuators 1-38 Pollution air conditioning 2-14 air inlets and outlets 2-14, 2-106 to 107; 3-31, 3-32 air quality 2-50, 2-118 to 119; 3-43 to 44 bifurcated fans 2-132 calculation methods 2-14 cleanrooms 2-25 cooling towers 4-50 dry air coolers 4-49 exhaust ventilation 2-115 ground air cooling 2-93 health care premises 2-35 humidifiers 2-127 industrial buildings 2-31, 2-36 to 38 laboratories 2-38 to 40 mechanical ventilation 2-10, 2-14, 2-66 museums, libraries and art galleries 2-40 natural ventilation 2-9, 2-14, 2-63, 2-66 refrigerant leakage 4-4, 4-12 to 14 transportation buildings 2-46 to 47 ventilation efficiency 2-51 ventilation strategy selection 2-6, 2-9, 2-10 - see also Air quality; Cleanliness; Dust; Exhaust gases; Refrigerant leakage; Waste disposal Polyester ducting — see Flexible ducting; Textile ducting Polyisocyanurate ducting 3-36 Polypropylene ducting 3-36 Polyvinylchloride (PVC) ducting 3-36, 3-37 Power --- see Electricity Pre-cooling 2-21, 2-92 Pre-galvanised materials --- see Galvanised materials Pre-heating atria for 2-20 dual duct systems 2-87 energy efficiency 1-25 fan coil units 2-91

induction units 2-99 intermittently-occupied buildings 1-24 plant size ratio 1-25, 1-26 single duct systems 2-101 well-insulated buildings 1-3 Pre-mix burners 1-32 Preamplifiers 5-47 Predicted mean vote (PMV) index 1-1 Predicted percentage dissatisfied (PPD) 2-51 Prediction - see Noise prediction Preferred noise criterion (PNC) 5-21, 5-49 prEN 1507 3-7, 3-17 prEN 12237 3-7, 3-17 prEN 12828 1-15 Prescribed outdoor air supply rate 2-13 to 14 Pressure boosters 1-56 Pressure control condensers 4-43 heating 1-14, 1-18 to 19, 1-21 high-rise buildings 2-33 steam systems 1-21 thermostatic expansion valves 4-44 variable air volume systems 3-40 - see also Dampers Pressure drops air control units 2-132 air handling units (AHUS) 2-129; 3-1, 3-63 air inlets 3-30, 3-62 air supply 3-62 bends 2-67; 3-11, 3-12, 3-13, 3-59, 3-60, 3-61 branches 3-12, 3-57 chilled water systems 4-21 chimneys and flues 1-71, 1-73 circular ducting 3-13, 3-29 cooled surfaces 2-83 cooling coils 3-30 dampers 2-111; 3-13, 3-26, 3-30, 3-60 diffusers 3-55, 3-59, 3-60, 3-62 ducted cross ventilation 2-60 ductwork 3-9, 3-10 to 11, 3-18, 3-26, 3-27, 3-28, 3-30, 3-55 to 62 ductwork connections 3-30 ductwork fittings 3-10, 3-12, 3-13, 3-30, 3-60 ductwork length 3-5, 3-34 ductwork sizing 2-32; 3-26, 3-28, 3-30 eliminators 3-30 energy efficiency 2-68; 3-7 evaporators 4-47 extract ventilation 3-26, 3-30 fans 2-129; 3-8, 3-30 filters and filtration 2-67, 2-119, 2-123; 3-30 fire dampers 3-30, 3-60, 3-61 flexible ducting 3-30, 3-34, 3-58 gas pipework 1-56 grilles 3-26, 3-62 ground air cooling 2-93 heat recovery and 1-14; 2-68, 2-116 to 117 heaters 3-30 high pressure ductwork 3-3 humidity control 3-30 hydronic heating systems 1-15, 1-36, 1-64 to 66 index runs 3-7, 3-60 louvres 3-30, 3-55, 3-56, 3-60, 3-62 mixing boxes 3-30 night cooling 2-76, 2-78 noise and noise control 3-30 pest control measures 3-30, 3-56 pipes and pipework 1-56, 1-65 to 66; 4-46 plant 3-30

refrigerant migration chillers 4-22 refrigerant pipework 4-46 silencers 3-30; 5-12, 5-44 steam systems 1-19 tapers 3-12, 3-13 tees 3-12, 3-57 terminals 3-30, 3-31 thermostatic expansion valves 4-44 variable refrigerant flow (VRF) units 4-45 ventilation heat recovery costs 1-14 water temperatures and 1-36 - see also Air leakage; Constant pressure drop method; Final pressure drop; Index runs; Initial pressure drop; Liquid line pressure drop; Normalised pressure drop coefficient; Suction line pressure drop; Total pressure loss Pressure-enthalpy charts 2-97; 4-24 Pressure Equipment Regulations 1999 4-10 Pressure jet burners 1-33 Pressure levels — see Neutral pressure level Pressure loss factor 1-56, 1-65, 1-71; 5-39, 5-40 Pressure losses - see Pressure drops Pressure reducing sets 1-20 to 21 Pressure regulating valves, air control units 2 - 132Pressure sensors 1-37 Pressure Systems and Transportable Gas Containers Regulations 1989 1-22 Pressure Systems Safety Regulations 2000 4-10, 4-11, 4-18 Pressure vessels 1-14 Pressures air leakage 3-17, 3-26, 3-53, 3-63, 3-64 airport terminals 2-47 ceiling plenums 2-56 cleanrooms 2-25 ductwork 3-4, 3-18, 3-19 gas supply 1-53, 1-55 to 56 health care premises 2-34 industrial buildings 2-32, 2-37, 2-38 laboratories 2-40 mechanical extract and natural supply ventilation 2-66 retail buildings 2-44 steam systems 1-20 swimming pools 2-45 - see also Fan pressure; Fan static pressure; Fan total pressure; Fan velocity pressure; Head pressures; Hydraulic pressures; Neutral pressure level; Pressure drops; Sound pressure; Static pressure; Total pressure; Velocity pressure; Wind pressures Pressurisation systems 3-22 to 23 Prices - see Costs and costing Primary energy 1-4, 1-54 Privacy 2-63; 5-18 to 19 - see also Background noise; Cross-talk Private Finance Initiative (PFI) 2-1; 4-8 Programmable room thermostats 1-37 Project management handbook for building services 2-4 Propellor fans 2-129, 2-130, 2-131; 3-8 Protected shafts 3-22, 3-54 Protective coverings 3-23, 3-38; 5-14 - see also Surface finishes; Thermal insulation Psychrometric processes 2-86, 2-87, 2-124, 2-125, 2-142 to 143 Pull-down time 4-7 Pulse combustion 1-32 Pulse tube refrigeration 4-40 Pump speed control 1-37

Pumps chilled beams and ceilings 2-81 chilled water systems 4-21 cooling towers 4-50 energy efficiency 4-7, 4-9, 4-21 free cooling 4-19 heating system design 1-13 hydronic heating systems 1-15, 1-18 to 19, 1-27, 1-36 to 37 metering 4-17 noise and noise control 3-21; 5-3, 5-6 refrigeration and heat rejection 4-7, 4-9 sea/river/lake water cooling 2-106 solar heating 1-35 steam systems 1-21 vibration control 5-6, 5-28, 5-33 - see also Condensate pumps; Heat pumps; Variable flow systems; Variable speed pumping Pure displacement terminals 2-57 Purging ventilation 2-47 - see also Smoke extraction and control Push-pull hoods 2-114 to 115 PVC (polyvinylchloride) ducting 3-36, 3-37 Pyranometers 2-64, 2-112 Radial-flow fans — see Centrifugal fans Radiant cooling systems --- see Chilled beams and ceilings Radiant heating 1-7, 1-12, 1-23 to 24, 1-45 to 46 chilled beams and ceilings 2-81 heat emissions 1-26, 1-28, 1-30, 1-62 to 63 hydronic systems 1-14, 1-17, 1-26 Radiant temperature asymmetry 1-5, 1-12, 1-23; 2-83 Radiator valves 1-18, 1-37 Radiators - see Radiant heating Radio studios 2-13, 2-21 to 22 Radiused bends 2-67; 3-8, 3-11, 3-12, 3-34, 3-57 Radon 2-16, 2-28, 2-66, 2-92, 2-93 Rails - see Isolator rails Railway facilities 2-46, 2-47 Rain sensors 2-64, 2-112 to 113 Rainwater 2-64, 2-123; 3-45; 4-11 Raised floors 2-66; 3-51, 3-52 Ranque-Hilsch effect 4-41 RC (room criterion) 5-21, 5-49, 5-50 Rebalancing — see Balancing Reciprocating compressors 4-46, 4-47, 4-51 to 52; 5-6 Recirculation air conditioning 2-73, 2-74 airport terminals 2-47 animal husbandry facilities 2-48 cleanrooms 2-25 cooling towers 4-50 dampers 3-41 exhaust ventilation 2-115 free cooling 2-68 health care premises 2-34 heat recovery and 2-116 horticultural facilities 2-50 induction units 2-99 mechanical ventilation 2-66, 2-68 mixing ventilation 2-66 retail buildings 2-43 single duct systems 2-100, 2-101 sports facilities 2-46 warm air systems 1-44 – see also Partial recirculation systems Recreational buildings 2-45 - see also Assembly halls and auditoria; Sports facilities

Rectangular ducting 3-4 air velocities 3-10; 5-9 aspect ratios 2-67; 3-4, 3-6, 3-9 cost control 3-9 dampers 3-35, 3-40 heat transfer equation 3-15 mitred elbows 3-11 to 12 noise 5-9, 5-10, 5-41 passive stack ventilation 3-35 sizing 3-28, 3-48 to 49, 3-58 space requirements 3-51 support 3-24 tapers 3-13, 3-58 test holes 3-41 Rectifiers 4-35 Recuperators 2-117 — see also Heat exchangers Reference air 2-129 Reflected sound 3-21; 5-14 to 15, 5-16 to 17, 5-20 duct take-offs 5-11 exposed soffits 2-79 plenums 5-10, 5-12 - see also End reflection loss; Reverberant sound Refrigerant detectors and detection 4-11, 4-12, 4-28, 4-30 ammonia systems 4-30, 4-35 Enhanced Capital Allowances 4-15 post-occupancy checks 4-17 sleeping accommodation 4-45 variable refrigerant flow (VRF) units 4-45 Refrigerant handling certificates 4-18, 4-30 Refrigerant leakage 4-30 to 31 ammonia systems 4-28, 4-35 chilled water systems 4-19 chillers 4-35, 4-46 compressors 4-47 energy efficiency 4-4, 4-30 health and safety 2-44; 4-10, 4-30 hotels 2-35 pipes and pipework 4-46 pollution 4-4, 4-12 to 14 retail buildings 2-44 split systems 2-106 variable refrigerant flow (VRF) units 4-45 Refrigerant migration chillers 4-22 to 23, 4-24, 4-43 Refrigerant pipework pressure drops 4-46 Refrigerant safety groups 4-28 Refrigerants 4-25 to 27, 4-31, 4-34 to 35, 4-56 charging 4-7, 4-28, 4-29, 4-31, 4-44, 4-45, 4-47 global warming potentials 4-7, 4-14 health and safety 2-44; 4-10 to 11, 4-26, 4-27 to 30 procurement 4-8 - see also Ammonia refrigeration; Chlorofluorocarbon refrigerants; Hydrocarbon refrigerants; Hydrochlorofluorocarbon refrigerants; Hydrofluorocarbon refrigerants; Refrigerant leakage; Waste disposal Refrigerated display cases 2-44 Refrigeration 2-41, 2-124; 4-1 to 56 - see also Air conditioning; Cooling; Heat rejection; Variable refrigerant flow (VRF) systems Refrigeration control 4-3, 4-7, 4-9, 4-12, 4-51 to 53 Refrigeration lift 4-7, 4-31, 4-32 Regenerated noise 2-89; 3-3; 5-2, 5-3, 5-7 to 9, 5-38 to 40, 5-44 Regeneration, cooling systems 2-85, 2-86, 2-93; 4-37, 4-39

Regenerators 2-118 Regulating valves 1-38 to 39; 2-132; 4-7 Relative humidity --- see Humidity control Reliability 4-3, 4-7 to 8, 4-30 Renewable energy 1-54 to 55 Replacement air domestic buildings 2-28, 2-29; 3-36 education buildings 2-42 health care premises 2-34 industrial buildings 2-32, 2-36, 2-38 kitchens 2-23 to 24 laboratories 2-39 warm air systems 1-22 Residential buildings 2-13, 2-26; 3-10; 4-45; 5-17 – see also Communal residential buildings; Domestic buildings; Hotels; Student accommodation Resonant frequency 5-23, 5-24, 5-26, 5-27, 5-28, 5-47 Respirable particles 2-16 - see also Dust; Particle sizes Response factor --- see Thermal response Restrained springs 5-26, 5-27, 5-28 Retail buildings 2-4, 2-13, 2-43 to 44; 3-10 — see also Commercial buildings; Warehouses Reverberant sound 5-6, 5-7, 5-15, 5-16, 5-17, 5-18 to 19, 5-47 to 48 --- see also Reflected sound Reverberation time 5-17 to 18, 5-19, 5-48 Reverse flows 2-33, 2-40; 3-10; 4-41 Reversible heat pumps 1-16, 1-34; 2-73; 4-24, 4-25 Ribbed mat isolators 5-26, 5-27 Risers 3-5, 3-10, 3-30 to 31, 3-51 Risks and risk assessments 1-11; 2-14, 2-42; 4-8, 4-10, 4-11 — see also Hazardous areas; Health and safetv River water cooling 2-106; 4-20 to 21, 4-43 Road tunnels 2-46 Rodent protection --- see Pest control measures Rooflights 2-111 Roof spaces 2-18; 4-18 Roof ventilators 2-111 chimneys and atria 2-20, 2-61 fire protection 3-23 neutral pressure level and 2-60 noise and vibration 5-5 to 6 passive stack ventilation 3-35 pollution control 2-107 - see also Ventilation stacks Roofs 2-75, 2-76 to 77; 3-6 Room air conditioners 2-73, 2-99; 3-21; 4-12, .4-45 --- see also Split systems Room air distribution — see Air distribution Room constant 5-19, 5-47, 5-48 Room criterion (RC) 5-21, 5-49, 5-50 Room-sealed appliances 1-51 - see also Condensing boilers Room sound levels 5-3, 5-14 to 19, 5-42 to 44 Room spaces 5-16 Room thermostats 1-18, 1-37 Room ventilators 2-29 Rooms noise transmission 5-17 to 18 - see also Bathrooms; Battery rooms; Boiler rooms; Changing rooms; Cleanrooms; Computer rooms; Court rooms; Darkrooms; Dealing rooms; Kitchens; Lift motor rooms; Plant rooms; Standards rooms

Rotary burners 1-33

Shafts 2-111 to 112; 3-5, 3-22, 3-54

Shape factors 2-78, 2-83; 5-27

- see also Builders' shafts and work ducts

Shell and tube boilers 1-31, 1-39, 1-49, 1-50

Rotary/rotex absorption chillers 4-34 Rotating drum humidifiers 2-127 to 128 Roughness 3-34 Round ducting — see Circular ducting Rubber ducting 3-36 Rules and Guidance for Pharmaceutical Manufacturers and Distributors 2-24 Run-around coils 1-14; 2-117 Safety — see Fire protection: Hazardous areas: Health and safety; Risks and risk assessments Safety cabinets 2-38, 2-40 Safety devices 4-53, 4-54 Safety vent pipes 1-19 Salt baths 2-141 Sanitary accommodation 2-46 - see also Bathrooms; Toilets Scale formation 2-90, 2-128; 4-7, 4-43 Schedules — see Documentation Schools 1-10; 2-42; 3-36 --- see also Education buildings Screw compressors 4-46, 4-47, 4-53; 5-6 Scroll compressors 4-46, 4-47, 4-53 sE-ducts 1-51 Sea water cooling 2-106; 4-20 to 21, 4-43 Sealed hydronic heating systems 1-19 Sealing - see Jointing and sealing; Penetration seals; Vapour barriers Seasonal coefficient of performance 2-97 Seasonal efficiencies 1-13, 1-16; 4-49 Second action level 5-7 Secondary coolants 4-27, 4-35 to 36, 4-42 Sectional boilers 1-31 Security 2-64, 2-109, 2-111; 4-3 - see also Access SEDBUK (Seasonal Efficiency of Domestic Boilers in the UK) database 1-13 Self-noise sound power level 5-9 Semi-hermetic compressors 4-46 Sensors air conditioning 2-74, 2-75, 2-76 air quality 2-47, 2-113; 3-35 cleanliness 3-38, 3-43, 3-45 condensation 2-81, 2-82 cooled surfaces 2-84 dual duct systems 2-86, 2-87, 2-88 to 89 ductwork 3-6, 3-38, 3-43, 3-45 fan coil units 2-91 fan control 3-38 heating systems 1-23, 1-24, 1-37, 1-45 hot deck/cold deck systems 2-88 humidity control 2-29, 2-68, 2-74 to 75, 2-100, 2-113; 3-36 induction units 2-99 multi-zoned systems 2-75, 2-101 night cooling 2-80 single duct systems 2-100, 2-101 variable air volume systems 2-102, 2-103, 2-105 variable refrigerant flow (VRF) units 4-45 ventilation control 2-63, 2-64, 2-68, 2-112 to 113 see also Carbon dioxide sensors; Frost precautions; Occupancy detection; Rain sensors; Refrigerant detectors and detection; Solar sensors; Temperature sensing; Thermostats; Wind sensors Sequencing controls 1-14, 1-18; 4-7, 4-48 Series evaporators 4-47 to 48 Sewage gases 1-53 SFP — see Specific fan power Shading 2-6, 2-20, 2-62, 2-109

Shaft power, fans 2-129

Shell and tube condensers 4-43 Shell and tube evaporators 4-42, 4-49 -see also Chillers Shops - see Retail buildings 'Short-circuiting' 2-57, 2-107; 3-32 Shunt systems 1-51 Sick building syndrome 2-12, 2-119 Silencers 5-4, 5-9, 5-11 to 13, 5-44 air inlets and outlets 4-12 cleanliness 3-45 cross-talk 5-19 energy efficiency 4-12 fan coil units 5-6 fans 4-12; 5-5, 5-7, 5-14 generators 5-6 inspection 3-45 naturally ventilated buildings 5-20 noise data 5-42 noise sources 5-3, 5-9 plant rooms 5-7, 5-14 pressure drops 3-30; 5-12, 5-44 regenerated noise 5-8 roof-top units 5-6 Simultaneous heating and cooling 2-43, 2-73, 2-74, 2-75, 2-105; 3-6; 4-45 - see also Heating/cooling conflicts Single duct systems 2-100 to 105 Single sided ventilation 2-8, 2-9, 2-58, 2-59 Single split direct expansion units 4-45 Single zone air conditioning 2-100 to 101 Sizing fans. 3-7; 4-7; 5-34 heaters 1-10, 1-30 louvres 3-31 to 32 pipework 1-13, 1-15, 1-20, 1-36, 1-63 to 66; 2-93 - see also Ductwork sizing; Particle sizes; Plant size ratio; Plant sizing; Space requirements Skids 5-28, 5-30 Slabs resonances 5-26, 5-32 - see also Cooled surfaces; Floors Slinkies 2-95 Small power loads 2-5, 2-49; 4-5 - see also Office equipment Smoke dampers 2-34; 3-8, 3-19 to 20, 3-21 to 22, 3-43 Smoke detectors 3-38 Smoke extraction and control 2-16, 2-20, 2-44, 2-47, 2-61; 3-8, 3-21 to 22 - see also Fire protection; Tobacco smoke Smoke particle sizes 2-118, 2-119, 2-121 Smoke tests 3-45 Smokes, definition 2-118 Sodium flame tests 2-120 'Soft' bends 3-3, 3-11 Solar chimneys 2-61, 2-62 - see also Facade ventilation Solar control 2-62, 2-109 Solar gain 2-17, 2-43, 2-50, 2-61; 3-6 Solar panels 1-14, 1-16, 1-35; 4-39 Solar sensors 2-64, 2-112 Solid adsorption refrigeration 4-32, 4-38 Solid fuel boilers 1-33, 1-50 Solid fuels 1-54, 1-55, 1-57 to 58 Sones 5-42 Sound --- see Direct sound; Noise and noise control; Reflected sound; Reverberant

sound

Index

Sound and vibration design and analysis 5-8, 5-40 Sound intensity 5-35, 5-36 to 37 Sound level meters 5-21, 5-45, 5-46, 5-47 Sound levels 5-3, 5-14 to 19, 5-22, 5-35 to 37, 5-42 to 44 Sound power 5-3, 5-35, 5-36 to 37, 5-42 boilers 5-6 duct take-offs 5-11 ductwork 5-8, 5-14, 5-18, 5-19, 5-22, 5-40, 5-44 plenums 5-12 regenerated noise 5-8 room sound levels 5-15, 5-17 voices 5-18 to 19 Sound pressure 5-15, 5-18, 5-35 to 37, 5-42 Sound reduction index 5-14, 5-17 to 18 Sound transmission — see Noise transmission Space requirements chilled beams and ceilings 2-82 cowls 3-31 desiccant cooling 2-86 ductwork 3-5, 3-6, 3-19, 3-23, 3-31, 3-51 evaporative cooling 2-90 ground water cooling 2-95 to 96 ice storage systems 4-37 isolation hangers 3-5 louvres 3-31 to 32 noise control equipment 5-5 refrigeration and heat rejection 4-3, 4-5, 4-9, 4-11, 4-12 thermal insulation 3-5, 3-23 - see also Access; Roof space Space requirements for plant access, operation and maintenance 3-5, 3-51 Spacing diffusers 2-54 ductwork access 3-22, 3-43 ductwork fittings 3-13 ductwork supports 3-24 test holes 3-20, 3-41 turning vanes 3-12 Special waste - see Waste disposal Specific fan power 2-129 definition 3-3, 3-7, 3-63 ductwork 3-6, 3-7, 3-9, 3-26, 3-30, 3-63 mechanical ventilation 2-68 to 69; 4-16 - see also Fan power Specific heat capacity 1-26; 4-21 Specific refrigerant charge 4-7, 4-31 Specifications --- see Documentation Speed variation, compressors 4-52 Split systems 2-53, 2-73, 2-105 to 106; 4-12, 4-45, 4-46 - see also Room air conditioners Splitters 3-7, 3-8, 3-11, 3-12, 3-13, 3-33, 3-57 Sports facilities 1-10; 2-44 to 48; 3-34; 5-16, 5-19 --- see also Squash courts; Swimming pools Spot cooling 2-51 Spot heating 1-23, 1-24, 1-45, 1-46, 1-55 Spray humidification 2-75, 2-126 to 127, 2-128, 2-142, 2-143 Sprayed coils 2-124, 2-127, 2-128, 2-143 Spraying, metal 3-38 Spread 2-52, 2-132 Spring hangers --- see Isolation hangers Spring rate 5-23, 5-32 Springs 5-23, 5-24, 5-27 to 28, 5-29, 5-30, 5-34 Sprinkler stokers 1-33 Squash courts 1-9; 2-44, 2-45 Stability, ductwork 3-23 Stack effects 2-20, 2-33, 2-42, 2-58 to 59, 2-65, 2-111 Stack heights 2-111

Stack ventilation 2-8, 2-9, 2-19, 2-60 to 62 - see also Passive stack ventilation; Ventilation stacks Stacks, thermoacoustic refrigeration 4-40 Stainless steel chimneys 1-51 Stainless steel ducting - see Metal ducting Standard assessment procedure for the energy rating of dwellings, heating 1-3, 1-11 Standardisation 3-5, 3-30 Standards rooms 2-13, 2-50 Standby generators 1-17; 2-22, 2-27; 4-7; 5-6 Standby refrigeration equipment 4-7 to 8, 4-9 Start-up time, chillers 4-7 to 8 Static deflection 5-23 to 24, 5-25 to 26, 5-27, 5-28, 5-29, 5-32 Static electricity 2-17 Static pressure air leakage and 3-53, 3-63, 3-64 definition 3-3, 3-29 dual duct systems 2-87, 2-88 ductwork classification 3-4 hydronic heating design 1-14, 1-15 pressure loss calculation 3-30 radiused bends 3-11. static regain calculations 3-28, 3-29 to 30 variable air volume systems 3-40 - see also Dampers; Fan static pressure Static regain method 2-33; 3-28 to 30 Status sensors 1-37 Steam boilers 1-20, 1-22, 1-39 to 40 Steam humidification 2-124, 2-125, 2-126, 2-127 broadcasting studios 2-22 carbon emissions 2-73 energy efficiency 2-73, 2-128 health care premises 2-34 psychrometric process 2-142 single duct systems 2-100 to 101 Steam jet refrigeration 4-38 to 39 Steam-powered absorption chillers 4-34 Steam systems 1-19 to 22, 1-39 to 43, 1-57; 2-124 Steam traps 1-21, 1-40 to 41, 1-42 Steam turbines 4-48 Steel boilers 1-31, 1-49 Steel chimneys 1-51 Steel ducting — see Metal ducting Steel pipes 1-29, 1-56 Stirling cycle refrigeration 4-39 Stock rearing facilities 2-48 Stokers 1-33, 1-50 Storage — see Combined primary storage units; Fuel storage; Historic materials conservation; Ice storage systems; Thermal storage; Water storage Storage heating 1-18 Strainer cycles 4-21 Straw, as fuel 1-54 Strouhal numbers 5-39 to 40 Structural bearings 5-29 Structural heat losses 1-7 to 8 Structural loads 4-18 Structure - see Building fabric; Building form and orientation Structure-borne noise 4-11, 4-12; 5-3, 5-4, 5-6 - see also Vibration and vibration control Stub ducts 1-22; 2-56 Student accommodation 2-26, 2-43 Sub-metering 4-9, 4-17 Suction line pressure drop 4-46 Supply and return openings — see Air inlets; Air outlets; Grilles; Openings; Terminals Support — see Ductwork support; Isolation hangers; Trapeze supports

Surface finishes 2-78, 2-79, 2-83; 3-22 --- see also Protective coverings Surge 4-52 Suspended unit heaters 1-43, 1-49, 1-50 Swimming pools 2-45 air infiltration allowances 1-10 energy efficiency 2-46 heat pumps 1-14; 2-45 heat recovery 2-45, 2-46 heating 1-14, 1-16, 1-35 noise control 5-19 temperatures 2-44, 2-45 textile ducting 3-34 ventilation 1-9; 2-44, 2-45, 2-46 Swirl 2-51, 2-132; 3-8, 3-31, 3-32 Swirl-type diffusers 2-57 Synthetic dust weight arrestance 2-119, 2-120 Take-offs --- see Branches Tangential fans 2-129, 2-130, 2-131 to 132 ---- see also Fan coil units Tanks — see Cisterns; Fuel storage; Water storage Tapers 3-12 to 13, 3-31 ductwork sizing worked example 3-56, 3-57, 3-58, 3-59, 3-60, 3-61, 3-62 Tees 3-12 ductwork sizing worked example 3-56 to 57, 3-58, 3-59, 3-60, 3-61, 3-62, 3-64 --- see also Branches Television studios 2-13, 2-21 to 22 Temperature-based balancing 1-16 Temperature control 1-1; 2-16 air conditioning 4-19 air control units 2-132 animal husbandry facilities 2-48 chilled beams and ceilings 2-81 computer rooms 2-26, 2-27 domestic buildings 1-18; 2-29 dual duct systems 2-87 fan coil units 2-91 health care premises 2-34 heating 1-18 to 19, 1-24, 1-37, 1-45 horticultural facilities 2-50 hot water storage cylinders 1-18 induction units 2-99 industrial buildings 1-5 mechanical ventilation 2-10, 2-29, 2-68 museums, libraries and art galleries 2-41 natural ventilation 2-9, 2-62, 2-64, 2-112 retail buildings 2-43, 2-44 sea/river/lake water cooling 2-106 single duct systems 2-100, 2-101 steam systems 1-21 variable air volume systems 2-102 - see also Air conditioning; Frost precautions; Temperature sensing Temperature differences air distribution jets 2-52 to 54 air handling luminaires 2-53 air quality parameter 2-50 airflow rates and 2-53 atria 2-19, 2-20 condensers 4-43 convective heating 1-5 cooling 2-53; 4-21 costs 2-53 displacement ventilation 2-56, 2-57 fan coil units 2-91 health care premises 2-34 heat exchangers 4-42 heat losses 1-8 heating system design 1-5, 1-7 liquid line pressure drops 4-46 mixing ventilation 2-19

night cooling 2-76 office buildings 2-56 secondary coolants 4-36 split systems 2-53 thermoacoustic refrigeration 4-40 warm air systems 1-22, 1-45 - see also Displacement ventilation; Radiant temperature asymmetry; Stack effect; Stack ventilation; Temperature lift Temperature drop calculation, thermal insulation 3-65 Temperature gradients --- see Temperature. differences Temperature lift 4-7, 4-31, 4-32 Temperature sensing cooled surfaces 2-84 displacement ventilation 2-57 dual duct systems 2-86, 2-87 ductwork fan control 3-38 fan coil units 2-91 hydronic heating 1-37 induction units 2-99 mechanical ventilation 2-68 multi-zone terminal reheat systems 2-101 natural ventilation 2-64, 2-112 night cooling 2-80 radiant heating 1-24 retail buildings 2-44 single duct systems 2-100, 2-101 solar panels 1-35 variable air volume systems 2-103 - see also Temperature control; Thermostats Temperatures absorption chillers 4-33, 4-34 air cooled condensers 4-42 to 43, 4-49 air quality parameter 2-50 animal husbandry facilities 2-48 assembly halls and auditoria 2-19 atria 2-19 to 20, 2-61 bathrooms 1-6 battery rooms 2-41 broadcasting studios 2-22 chilled beams and ceilings 2-80 to 82; 4-5, 4-19, 4-20 chilled water systems 4-53 comfort 1-5:2-51 computer rooms 2-27 cooled surfaces 2-83 cooling towers 4-50 desiccant cooling 4-37 displacement ventilation 2-56, 2-57; 4-19, 4-20 domestic buildings 1-6, 1-18; 2-29 ductwork 3-13 to 16, 3-21, 3-22, 3-64 to 65 evaporative condensers 4-43 evaporators 4-42 expansion valves 4-44 fan coil units 2-90, 2-91 gas cycle refrigeration 4-40 ground air cooling 2-93 ground water cooling 2-94 heat emissions and 1-27 heat exchangers 4-32, 4-42 heating 1-6 to 7, 1-14 to 15, 1-23, 1-24 horticultural facilities 2-50 induction units 2-98, 2-99 liquid fuel storage 1-57 modelling 2-140 multi-zoned systems 2-75 multi-purpose sports facilities 2-44 museums, libraries and art galleries 2-41

refrigeration and heat rejection design 4-5, 4-19, 4-26 retail buildings 2-43 swimming pools 2-44, 2-45 thermoacoustic refrigeration 4-40 through-the-wall units 4-45 toilets 1-6 variable air volume systems 2-102 vortex tube cooling 4-41 water storage 2-41 - see also Climate; Comfort; Dry resultant temperatures; Environmental temperature; Floor temperatures; Ground temperatures; Heat gains; Heat losses; Radiant temperature asymmetry; Temperature control; Temperature differences; Water temperatures Terminal reheat systems 2-101 to 102, 2-103 Terminals 2-50, 2-51 to 56, 2-132 to 133; 3-10, 3-51, 3-52 air velocities 2-133; 3-10 airflow measurement 3-38 to 39 cleanliness 2-34 dampers 3-34 to 35, 3-40 displacement ventilation 2-57 documentation 3-40 health care premises 2-34 high pressure ductwork 3-28, 3-30 noise and noise control 3-4, 3-30, 3-35; 5-8, 5-15 to 19, 5-40 to 41 partially centralised air/water systems 2-72 pressure drops 3-30, 3-31 refrigeration 4-5 split systems 2-105 variable air volume systems 2-102 to 105 --- see also Air inlets; Air outlets; Airport terminals; Bus terminals; Diffusers; Extract ventilation; Grilles; Jets; Louvres Test holes 3-20, 3-34, 3-40, 3-41, 3-42 Testing air leakage 3-6 to 7, 3-18 to 19, 3-38, 3-39; 4-5 batteries 2-124 cooling towers 4-51 ductwork 3-6 to 7, 3-8, 3-18 to 19, 3-38 to 41, 3-45, 3-51 filters 2-119 to 121 fire dampers 3-20, 3-21 natural ventilation 2-65 TEWI (total equivalent warming impact) 4-14, 4-15, 4-30, 4-37 Textile ducting 3-34, 3-36, 3-37 Theatres — see Assembly halls and auditoria; Health care premises Thermal admittance 1-11, 1-25; 2-78 Thermal bridges 1-7 to 8 Thermal capacity chimneys 1-51 education buildings 2-43 heat recovery 2-64 heating 1-7, 1-10 to 11, 1-24 to 26; 2-77 ventilation and air conditioning 2-5, 2-6, 2-62, 2-76 to 80, 2-140 - see also Exposed thermal mass; Passive cooling Thermal comfort — see Comfort Thermal convection coefficients 2-23 Thermal gradients - see Temperature differences Thermal inertia - see Thermal capacity Thermal insulation 1-12 to 13; 4-15, 4-16

chimneys 1-51 to 52; 2-61 computer rooms 2-26 condensation 2-18 cooled surfaces 2-83 costs and costing 1-3 domestic buildings 2-28 ductwork 2-28, 2-67; 3-5, 3-14 to 16, 3-23, 3-35, 3-37 ductwork access 3-19 ductwork supports 3-24 fibrous duct linings 5-14 flexible ducting 3-34 inspection 3-45 openings 3-19 passive stack ventilation 2-28; 3-35 space requirements 3-5, 3-23 storage vessels 1-18 student accommodation 2-43 temperature drop calculation 3-65 thicknesses 3-15 to 16, 3-65 underfloor heating 1-17 ventilation strategy selection 2-6 weight 3-37 - see also U-values Thermal mass — see Thermal capacity Thermal resistance 1-8, 1-12 — see also U-values Thermal response 1-7, 1-13, 1-25 Thermal storage 1-18; 2-77 to 78, 2-79, 2-85, 2-140; 4-37 see also Building fabric; 'Coolth'; Night cooling; Thermal capacity Thermal wheels 1-14; 2-85, 2-86, 2-117 to 118; 4-37 Thermionic refrigeration 4-40 Thermoacoustic refrigeration 4-40 to 41 Thermodynamic steam traps 1-40, 1-42 Thermoelectric cooling 4-38 Thermostatic expansion valves 4-37, 4-42, 4-44 Thermostatic radiator valves 1-18, 1-37 Thermostatic steam traps 1-40, 1-41 Thermostats 1-18, 1-19, 1-23, 1-37, 1-45; 2-50; 3-38 - see also Sensors Thermosyphon chillers 4-22 to 23, 4-24, 4-43 Thicknesses duct linings 5-10, 5-11 ductwork 3-36 to 37 ductwork insulation 3-15 to 16, 3-65 Threshold of hearing 5-36 Through-wall air conditioners — see Room air conditioners Throw 1-44; 2-51 to 52, 2-54, 2-103, 2-105; 3-35; 4-45 Tobacco smoke 2-15, 2-17, 2-24, 2-26, 2-28, 2-36, 2-119 Toilets air infiltration allowances 1-10 commercial buildings 1-18 domestic buildings 2-30, 2-46 extract ventilation 2-45, 2-46 health care premises 2-35 mechanical ventilation 2-42 mixed mode ventilation 2-70 sports facilities 2-45 temperatures 1-6 ventilation 1-9; 2-13, 2-46 Total equivalent warming impact (TEWI) 4-14, 4-15, 4-30, 4-37 Total pressure 3-3, 3-29 – see also Fan total pressure Total pressure loss 3-26, 3-28, 3-29, 3-30 - see also Static regain method

Index

Total radiant heating 1-23, 1-24 Training 2-28, 2-42, 2-71; 4-9, 4-17 - see also Weight training facilities Transfer grilles 2-30, 2-112 Transmissibility 5-24, 5-25 Transmission — see Noise transmission Transportation buildings 2-13, 2-46 to 47 Trapeze supports 5-33 Triangular ducting 3-4 to 5 Trickle ventilators 2-110 to 111 communal residential buildings 2-26 domestic buildings 2-28, 2-29; 3-36 draught minimisation 2-62, 2-108 education buildings 2-42 heat gains and 2-9 high-rise buildings 2-30 passive stack ventilation 2-43; 3-36 student accommodation 2-43 Tunnels 2-46 - see also Wind tunnels Turndown 2-55, 2-102, 2-103 Turning vanes 2-67; 3-8, 3-11 to 12, 3-22; 5-11 Twin-wall ducting — see Double skin ducting Two-phase secondary coolants 4-36 Two-pipe hydronic systems 1-15 Two-stage evaporative cooling 2-89 U-ducts 1-51 U-values 1-7 to 8; 3-14 — see also Thermal insulation Ultra-low particle arrestor (ULPA) filters 2-120 Ultrasonic humidifiers 2-124, 2-127, 2-128 Ultraviolet germicidal irradiation (UVGI) 2-121 Ultraviolet lamps 3-44 Underfeed stokers 1-33 Underfloor cooling 2-94 Underfloor heating 1-5, 1-13, 1-15, 1-17, 1-30 to 31; 2-45 --- see also Floor temperatures Underfloor ventilation 2-18, 2-28, 2-60 Underground railway stations 2-47 Uninterruptible power supplies 4-7 Unlined straight ducts 5-9 US FS 209E 2-24, 2-25 Users 4-3 to 4, 4-5, 4-8, 4-9, 4-11, 4-17 -see also Comfort; Occupant control; Occupant training UVGI (ultraviolet germicidal irradiation) 2-121 Valves 1-38 to 39 chilled beams and ceilings 2-81 hydronic heating 1-15, 1-18 to 19 noise and noise control 5-5 refrigeration systems 4-29, 4-31, 4-37 steam heating 1-20 to 21, 1-22, 1-40 - see also Expansion valves; Float valve regulators; Pressure reducing sets; Radiator valves; Regulating valves Vapour, as refrigerant 4-27 Vapour barriers 2-18, 2-26; 3-14 to 15, 3-16 to 17, 3-24, 3-51 Vapour compression chillers 4-12, 4-31 to 32, 4-36, 4-46 to 47 Vapour compression refrigeration 4-4, 4-7, 4-10, 4-18, 4-23 to 32 - see also Heat pumps Vapour generators 2-125 Vapour sealing - see Vapour barriers Vapours 2-120, 2-121 Variable air volume (VAV) systems 2-72, 2-102 to 105 air conditioning 1-44 airflow 2-105; 5-5 broadcasting studios 2-22

commissioning 3-39 dealing rooms 2-49 dual duct systems 2-86, 2-87 to 88 ductwork 3-7, 3-28, 3-40; 5-5 energy efficiency 2-34, 2-102, 2-103; 3-7 fans 2-103; 3-40 health care premises 2-34 heating 1-44; 2-103 hotels 2-36 laboratories 2-39 noise 5-3, 5-5 pressure control 3-40 Variable flow systems 3-7; 4-22, 4-48 to 49, 4-53 Variable orifice double regulating valves 1-39 Variable refrigerant flow (VRF) systems 2-35, 2-73: 4-45 Variable speed compressors 4-52, 4-53 Variable speed drives 3-7; 4-7, 4-15 Variable speed fans cleanrooms 2-25 cooling towers 4-50 energy efficiency 1-13; 2-46, 2-68; 3-7; 4-7 safety cabinets 2-40 Variable speed pumping 1-13, 1-18 to 19, 1-36 to 37; 4-7, 4-48 Vehicle exhaust gases 2-46 to 47 Velocities noise and vibration control 5-23, 5-25, 5-35, 5-46 steam heating systems 1-20 - see also Air velocities; Efflux velocities; Face velocities; Water flow rate Velocity method 3-28 Velocity pressure 3-3, 3-28, 3-30 Velocity reset VAV boxes 2-105 Vent pipes 1-19 - see also Ventilation stacks Ventilated air spaces 2-18 Ventilated ceilings 2-23, 2-27 Ventilated chimneys 1-52 Ventilated luminaires — see Air handling luminaires Ventilation and air conditioning 2-1 to 142 basements 3-22 heat losses 1-8 to 10, 1-23, 1-24, 1-25; 2-64 heating systems 1-5, 1-7, 1-9, 1-23, 1-45 steam systems 1-21, 1-41 - see also Air conditioning; Displacement ventilation; Exhaust ventilation; Extract ventilation; Mechanical ventilation; Natural ventilation Ventilation and air conditioning control 2-4 air control units 2-132 assembly halls and auditoria 2-19 assessment of requirements 2-140 to 141 broadcasting sudios 2-22 chilled beams and ceilings 2-81 comfort cooling and air conditioning 2-73 to 75 communal residential buildings 2-26 computer rooms 2-27 cooled surfaces 2-83 cooling 2-73 to 75 displacement ventilation 2-57 domestic buildings 2-29 evaporative cooling 2-89 extract fans 2-29 fan coil units 2-91 heat pumps 2-97 hotels 2-35 industrial buildings 2-32

mechanical ventilation 2-9 to 10, 2-32, 2-68 mixed mode ventilation 2-71 natural ventilation 2-63 to 64, 2-110 to 111, 2-112 to 113 night cooling 2-79 partially centralised air/water services 2-73 room air conditioners 2-99 sensors 2-63, 2-64, 2-68, 2-112 to 113 single zone air conditioning 2-100 to 101 split unit local air conditioning 2-105 swimming pools 2-45 variable air volume systems 2-105 windows 2-107 to 108 — see also Sensors Ventilation capacity windows 2-107, 2-108 — see also Air supply Ventilation efficiency — see Performance Ventilation heat losses 1-8 to 10, 1-23, 1-24, 1-25; 2-64 Ventilation heat recovery 1-14; 2-34, 2-43, 2-46 Ventilation loads 1-9 Ventilation rates 2-13 to 16, 2-140 air leakage and 2-28 ancillary halls 2-44, 2-45 animal husbandry facilities 2-48 assembly halls and auditoria 2-19 bathrooms 1-9 bus terminals 2-47 car parks 2-46 cleanrooms 2-25 comfort 2-53 communal residential buildings 2-26 cooling and 2-5 darkrooms 2-49 diffusers 2-53 domestic buildings 1-9; 2-13, 2-28, 2-30 ductwork sizing estimation 3-6 education buildings 2-42. food processing facilities 2-13 grilles 2-53 health care premises 2-35 heating design 1-4, 1-8 to 9; 2-5 horticultural facilities 2-50 hotels 2-36 industrial buildings 2-30 to 31, 2-32, 2-36 kitchens 1-9; 2-23 laboratories 2-39 mechanical ventilation 2-9 museums, libraries and art galleries 2-40 natural ventilation 2-63 night cooling 2-78 retail buildings 2-43, 2-44 single sided ventilation 2-59 sports facilities 2-44, 2-45 terminals 2-53 toilets 1-9; 2-46 variable air volume systems 2-102 whole-house mechanical ventilation 2-30 - see also Airflow rates Ventilation stacks 1-19; 2-107, 2-115; 4-29 --- see also Roof ventilators Ventilation strategies 2-1 to 2, 2-3 to 4, 2-5, 2-6, 2-7 to 12; 4-5 to 6 air distribution 2-50 to 57 assembly halls and auditoria 2-18 to 19 atria 2-20 to 21 broadcasting studios 2-22 clean rooms 2-25 communal residential buildings 2-26 computer rooms 2-27

cooling 2-10, 2-22, 2-140; 4-5 to 6 domestic buildings 2-28 to 30 fire protection 2-64 to 65 health care premises 2-33 to 34 hotels 2-35 to 36 industrial buildings 2-32 laboratories 2-38 to 40 natural ventilation 2-57 to 62 retail premises 2-43 to 44 Ventilators --- see Automatic ventilators; Heat recovery; Humidity-sensitive vents; Roof ventilators; Room ventilators; Trickle ventilators; Vent pipes; Ventilation stacks Venting, steam systems 1-21, 1-41, 1-42 Vertical ducts 3-5, 3-6, 3-24 Vertical risers 3-5, 3-10, 3-30 to 31, 3-51 Vertical temperature differences 1-5; 2-56, 2-57 Vibration and vibration control 5-5 to 6, 5-22 to 33, 5-34, 5-46 to 47 ductwork 3-10; 5-9, 5-27, 5-28 to 29, 5-33, 5-34 noise and 4-12; 5-4, 5-5, 5-6, 5-25 plant rooms 5-7, 5-22, 5-30, 5-33 refrigeration and heat rejection 4-11, 4-12 --- see also Structure-borne noise Vibration criteria 5-25 to 26 Vibration data 5-24 to 25 Vibration isolation efficiency (VIE) 5-24, 5-25, 5-26, 5-28, 5-32 Vibration isolators 3-43; 4-12; 5-6, 5-7, 5-22, 5-24, 5-26 to 33 Vibration limits 5-25 to 26 Vibration measurement 5-23 to 24, 5-46 to 47 Visual impact — see Aesthetics Voices, sound power 5-18 to 19 Volatile organic compounds (VOCs) 2-15 to 16, 2-42 Volume control 2-129, 2-132; 3-40 - see also Air supply Vortex tube cooling 4-41 VRF (variable refrigerant flow) systems 2-35, 2-73; 4-45 Walls 2-18, 2-114; 5-4, 5-7, 5-14, 5-17 to 18, 5-33 -see also Openings Warehouses 1-5, 1-10, 1-22; 2-30 to 32; 3-34 -- see also Commercial buildings; Industrial buildings Warm air systems 1-12, 1-22 to 23, 1-43 to 45; 2-30, 2-45 Warm floors - see Floor temperatures; Underfloor heating Waste, as fuel 1-54, 1-55 Waste disposal ductwork cleaning 3-45 refrigeration 4-4, 4-12, 4-14, 4-26, 4-29, 4-30, 4-35 ---- see also Pollution Wåste heat --- see Heat recovery Water, as secondary coolant 4-36 Water atomising humidifiers 2-125 Water-based distribution 2-70 Water chillers — see Chillers Water cooled condensers 4-43, 4-49

Water cooling 2-81, 2-82, 2-94 to 96, 2-106; 4-20 to 21, 4-43 Water density values 1-26 Water expansion — see Expansion Water flow rates chilled water systems 4-53 combination boilers 1-16, 1-18 heat emissions and 1-27, 1-62 to 63 humidifiers 2-127 hydronic heating 1-15, 1-18, 1-27, 1-36, 1-62 to 63 sea/river/lake water cooling 2-106 steam systems 1-20, 1-22 system balancing 1-16 - see also Variable flow systems Water flow sensors 1-37 Water hammer 1-21, 1-22, 1-41 Water heaters 1-16 Water heating - see Hot water services; Hydronic heating systems Water injection humidification 2-142 Water leakage 3-44 Water/lithium bromide systems 4-14, 4-32, 4-34, 4-35 Water Regulations 2-41, 2-128 Water source heat pumps 1-34 to 35; 2-35, 2-43; 4-23 Water storage 1-18; 2-41, 2-127; 4-50 - see also Water treatment Water supply 2-128; 4-50 Water temperatures boiler corrosion 1-52 boiler selection 1-33 chilled beams and ceilings 2-80 to 81, 2-82; 4-5 condensers 4-53 cooled surfaces 2-82, 2-83 evaporators 4-42 heat emissions and 1-27 Legionella bacteria 2-128 pressure drops and 1-36 sea/river/lake water cooling 2-106 swimming pools 2-45 underfloor heating 1-17 variable air volume systems 2-103 - see also Chilled water systems Water treatment cooling towers 4-9, 4-14, 4-18, 4-22, 4-50 costs and costing 4-7, 4-50 evaporative condensers 4-7, 4-9, 4-14, 4-18, 4-22, 4-43 evaporative cooling 2-89; 4-7, 4-9 humidifiers 2-127, 2-128; 4-18 refrigeration and heat rejection 4-4, 4-7, 4-9, 4-14, 4-18 steam systems 1-41 waste disposal and environmental issues 4-4, 4-14 wet and dry coolers 4-49 — see also Corrosion; Legionella bacteria Water tube boilers 1-39, 1-50 Water vapour - see Condensate removal; Condensation; Moisture control; Vapour Wavelengths 5-35 Weather data 1-7; 2-140 Weather protection 2-106, 2-123; 3-38, 3-45 Weight, ductwork 3-8, 3-36 to 37

Weight training facilities 2-44, 2-45 Weighted sound reduction index 5-18 Weighting networks 5-45 Welded steel and reverse flow boilers 1-31 Welfare of Farm Animals (England) Regulations 2-48 Wet and dry coolers 4-49 Wetted media humidifiers 2-125 Whole building calculation method 4-16 Whole life costs — see Life cycle costs and costing Whole-house ventilation 2-26, 2-28, 2-30 Wind driven ventilation 2-8, 2-57 to 58 - see also Cross ventilation Wind power 1-54 to 55 Wind pressures 2-30, 2-33, 2-60, 2-61, 2-65, 2-107, 2-111 Wind scoops 2-58, 2-60, 2-111 Wind sensors 2-64, 2-112 Wind tunnels 2-39, 2-141 Window mounted refrigeration units 4-45 Window units — see Room air conditioners Windows 2-6, 2-11, 2-107 to 110, 2-112; 4-5 air infiltration 2-63, 2-107, 2-108 comfortable distances 1-5 education buildings 2-42 heat loss calculations 1-8 heater location 1-12 noise and noise control 2-63; 5-4 U-values 1-8 underfloor heating and 1-17 - see also Glazing; Lighting; Mixed mode ventilation; Natural ventilation Wobbe number 1-53 Wood, as fuel 1-54 Work efficiency 5-20 Working pressure — see Pressures Workplace Directive 3-42 Workplace (Health, Safety and Welfare) Regulations 1992 3-42 Y-value --- see Thermal admittance Zoned air handling units 2-33 to 34, 2-88 Zones and zoning air conditioning 2-36, 2-74, 2-75 to 76, 2-86, 2-100 to 101, 2-132; 3-6 airport terminals 2-47 broadcasting studios 2-22 cooled surfaces 2-83 cooling 2-75 to 76; 3-6 dual duct systems 2-86, 2-87 ductwork 3-6 fan coil units 2-91 heat losses 1-8 heating 1-14, 1-15, 1-17, 1-18, 1-23 high-rise buildings 2-33 hot deck/cold deck systems 2-86, 2-88 hotels 2-36 induction units 2-99 mechanical ventilation 2-68 mixed mode ventilation 2-10 to 11, 2-69, 2-70, 2-71 radiant heating 1-23 single duct systems 2-100 variable air volume systems 2-103 - see also Multi-zoned systems; Nearzones; Occupied zones; Perimeter zones