

T/129069



**Audel™**  
**HVAC Fundamentals**  
**Volume I**  
**Heating Systems,**  
**Furnaces, and Boilers**

**All New 4<sup>th</sup> Edition**

**James E. Brumbaugh**

**135832**



Wiley Publishing, Inc.

# Contents

---

Introduction	xix	
About the Author	xxi	
<b>Chapter 1</b>	<b>Introduction</b>	<b>1</b>
	Heating and Ventilating Systems	2
	Air Conditioning	4
	Selecting a Suitable Heating, Ventilating, or Air Conditioning System	4
	Career Opportunities	5
	Professional Organizations	7
<b>Chapter 2</b>	<b>Heating Fundamentals</b>	<b>9</b>
	British Thermal Unit	9
	Relationship Between Heat and Work	9
	Heat Transfer	11
	Specific, Sensible, and Latent Heat	15
	Heat-Conveying Mediums	16
	Air	16
	Steam	18
	Water	22
	Electricity	25
<b>Chapter 3</b>	<b>Insulating and Ventilating Structures</b>	<b>27</b>
	Insulating Structures	27
	Principles of Heat Transmission	28
	Heat Transfer Values	29
	Thermal Conductivity	29
	Thermal Conductance	46
	Thermal Resistance	47
	Overall Coefficient of Heat Transmission	48

Condensation	48	
Vapor Retarders	49	
Air Barriers and Air/Vapor Retarders	51	
Insulating Materials	52	
Rigid Insulation Board	52	
Reflective Insulation	54	
Blanket or Batt Insulation	55	
Loose-Fill Insulation	56	
Blown-In Insulation	57	
Foam Insulation	58	
Building Construction and Location	58	
Recommended Insulation Practices	59	
Frame Walls	60	
Masonry	60	
Metal	63	
Sandwich Construction	63	
Basement Walls	63	
Crawl Space Exterior Walls	63	
Walls Between Separately Heated Dwelling Units	64	
Wood or Metal Joist Frame Floors	64	
Concrete Floors	66	
Slab-on-Grade Floors	66	
Floors of Sandwich Construction	66	
Frame Ceilings and Roofs	67	
Concrete Ceilings	68	
Sandwich Ceilings	68	
Windows and Doors	69	
Insulating Attics, Attic Crawl Spaces, and Flat Roofs	69	
Ventilating Structures	72	
<b>Chapter 4</b>	<b>Sizing Residential Heating and Air Conditioning Systems</b>	<b>73</b>
	Rule-of-Thumb Methods	74
	Sizing Systems Using Coefficients of Heat Transmission	75

Outside Design Temperature	77
Inside Design Temperature	77
Design Temperature Difference	80
Determining Coefficients of Heat Transmission	80
Calculating Net Area	80
Heat Transmission Loss Formula	81
Computing Total Heat Loss	82
Loss in Doors and Windows	84
Loss in Basements	84
Loss in Slab Construction	86
Infiltration Heat Loss	87
Ventilation Heat Loss	92
The Average Value Method	93
Heat Loss Tabulation Forms	95
Estimating Fuel Requirements and Heating Costs	100
The Heat Loss Formula	100
The Corrected Heat Loss Formula	102
The Degree-Day Formula	102
The NEMA Formula	106
Manual J and Related Materials Used for Sizing Heating/Cooling Systems	106
Other Heating Costs	107
Determining Utility Rates	108
<b>Chapter 5 Heating Fuels</b>	<b>111</b>
Natural Gas	112
Manufactured Gas	113
Liquefied Petroleum Gas	113
Fuel Oils	114
Coal	117
Coke	119
Briquettes	119
Coal Oil	119
Wood as Fuel	120
Ash, Slag, and Clinker Formation	122

	Soot	123
	Comparing Heating Fuel Costs	123
<b>Chapter 6</b>	<b>Warm-Air Heating Systems</b>	<b>125</b>
	Classifying Warm-Air Heating Systems	125
	Gravity Warm-Air Heating Systems	128
	Planning a Gravity Warm-Air Heating System	129
	Forced-Warm-Air Heating Systems	130
	Planning a Forced-Warm-Air Heating System	131
	Perimeter-Loop Warm-Air Heating Systems	132
	Ceiling Panel Systems	134
	Crawl Space Plenum Systems	134
	Zoning a Forced-Warm-Air Heating System	136
	Balancing a Warm-Air Heating System	136
	Warm-Air Furnaces	137
	Control Components	138
	Ducts and Duct Sizing	139
	Cooling with a Warm-Air Heating System	140
	Air Cleaning	141
	Humidifiers and Dehumidifiers	142
	Advantages of a Warm-Air Heating System	144
	Disadvantages of a Warm-Air Heating System	146
	Troubleshooting a Warm-Air Heating System	146
<b>Chapter 7</b>	<b>Hydronic Heating Systems</b>	<b>149</b>
	Classifying Hot-Water Heating Systems	149
	One-Pipe System	150
	Series-Loop System	152

Two-Pipe, Direct-Return System	153
Two-Pipe, Reverse-Return System	154
Combination Pipe Systems	155
Zoning a Two-Pipe System	155
Radiant Panel Heating	155
Other Applications	156
Gravity Hot-Water Heating Systems	157
Forced-Hot-Water Heating Systems	163
Hot-Water Boilers	164
Hydronic Furnaces	165
Combination Water Heaters	168
Control Components	169
Pipe and Pipe Sizing	170
Expansion Tanks	171
Circulating Pumps (Circulators)	173
Drainage	175
Heat-Emitting Units	175
Air Conditioning	176
Moisture Control	179
Electrically Heated Systems	179
Advantages of Hydronic Heating Systems	182
Disadvantages of Hydronic Heating Systems	182
Troubleshooting Hydronic Heating Systems	183
<b>Chapter 8 Steam Heating Systems</b>	<b>185</b>
Classifying Steam Heating Systems	185
Gravity Steam Heating Systems	186
One-Pipe, Reverse-Flow System	189
Upfeed One-Pipe System	190
Upfeed One-Pipe Relief System	192
Downfeed One-Pipe System	196
One-Pipe Circuit System	198
One-Pipe, Divided-Circuit Nonrelief System	200

	One-Pipe Circuit System with Loop	200
	Two-Pipe Steam Heating Systems	201
	Two-Pipe, Divided-Circuit System	201
	Vapor Steam Heating Systems	202
	Open (Atmospheric) Vapor Systems	204
	Closed Vapor Systems	209
	Vacuum Steam Heating Systems	210
	Natural Vacuum Systems	214
	Mechanical Vacuum System	219
	Combined Atmospheric Pressure and Vacuum Systems	221
	Exhaust-Steam Heating	223
	Proprietary Systems	228
	High-Pressure Steam Heating Systems	242
	Steam Boilers	244
	Control Components	246
	Hartford Return Connection	247
	Pipes and Piping Details	248
	Steam Traps	248
	Pumps	249
	Heat-Emitting Units	249
	Air Supply and Venting	249
	Unit Heaters	250
	Air Conditioning	250
	Troubleshooting Steam Heating Systems	251
<b>Chapter 9</b>	<b>Electric Heating Systems</b>	<b>253</b>
	Central Hot-Water Systems	253
	Central Forced-Warm-Air Heating Systems	256
	Radiant Heating Systems	258
	Baseboard Heating Systems	259
	Electric Unit Ventilators	261
	Electric Unit Heaters	262
	Electric Space Heaters	263
	Heat Pumps	263

	Electric Heating and Cooling Controls	264
	Insulation for Electrically Heated and Cooled Structures	265
	Further Information	269
	Advantages of Electric Heating and Cooling	269
	Disadvantages of Electric Heating and Cooling	270
	Troubleshooting Electric Heating Systems	270
<b>Chapter 10</b>	<b>Furnace Fundamentals</b>	<b>273</b>
	Classifying Furnaces	273
	Upflow Highboy Furnace	275
	Upflow Lowboy Furnace	276
	Downflow Furnace	276
	Horizontal Furnace	278
	Gravity Warm-Air Furnaces	279
	Selecting a Furnace for a New House	279
	Selecting a Furnace for an Older House	282
	Furnace Components and Controls	282
	Pipeless Floor and Wall Furnaces	285
	Duct Furnaces	286
	Geothermal Furnaces	286
	Furnace Installation	288
	Furnace Maintenance	288
	Troubleshooting Furnaces	289
<b>Chapter 11</b>	<b>Gas Furnaces</b>	<b>291</b>
	Types of Gas Furnaces	291
	Standing-Pilot Gas Furnaces	294
	Mid-Efficiency Gas Furnaces	295
	High-Efficiency Gas Furnaces	297



Gas Furnace Components	299
Furnace Controls	300
Heat Exchanger	305
Gas Burners	308
Gas Pilot Assembly	311
Blower and Motor	313
Air Filter	313
Some Installation Recommendations	316
Locations and Clearances	317
Wiring	318
Duct Connections	320
Ventilation and Combustion Air	321
Venting	323
Flue Pipe	326
Chimney	330
Chimney Troubleshooting	331
Draft Hood	331
Pilot Burner Adjustment	337
Gas Input Adjustment	337
High-Altitude Adjustment	340
Changing Burner Orifices	340
Manifold Pressure Adjustment	342
Combustion Air Adjustment	343
Gas Supply Piping	346
Sizing Gas Piping	348
Installing Gas Piping	349
Typical Startup Instructions for a Standing-Pilot Gas Furnace	350
Typical Startup Instructions for an Electronic Ignition Furnace	352
Blowers and Motors	353
Air Delivery and Blower Adjustment	354
Direct-Drive Blower Adjustment	355
Belt-Drive Blower Adjustment	355
Air Filters	356
Air Conditioning	357

Installation Checklist	360
Gas Furnace Inspections, Service, and Maintenance Tips	361
Troubleshooting a Gas Furnace	363
Troubleshooting Charts	368
<b>Chapter 12 Oil Furnaces</b>	<b>375</b>
Conventional Oil Furnace	375
Mid-Efficiency and High-Efficiency Oil Furnaces	378
Mid-Efficiency (Noncondensing) Oil Furnace	379
High-Efficiency (Condensing) Oil Furnace	379
Basic Components of an Oil Furnace	382
Furnace Controls	382
Heat Exchanger	386
Oil Burner Assembly	388
Fuel Pump and Fuel Pump Motor	389
Blower and Motor	390
Combustion Air Blowers	392
Cleanout and Observation Ports	392
Vent Opening	392
Air Filter	392
Installing an Oil Furnace	393
Some Installation Recommendations	393
Location and Clearance	393
Wiring	394
Duct Connections	395
Ventilation and Combustion Air	395
Combustion Draft	397
Venting	397
Chimneys and Chimney Troubleshooting	399
Installation Checklist	400

Fuel Supply Tank and Fuel Line	401
Fuel Tank Location	402
Filler Pipe	404
Tank Vent Pipe	405
Oil Filter	405
Blowers and Motors	405
Waste Oil Furnaces	405
Air Conditioning	406
Starting the Burner	407
Oil Furnace Spillage	408
Oil Furnace Inspection, Service, and Maintenance Tips	408
Oil Furnace Adjustments	410
Troubleshooting Oil Furnaces	411
Troubleshooting Charts	414
<b>Chapter 13</b>	
<b>Coal Furnaces, Wood Furnaces, and Multi-Fuel Furnaces</b>	<b>419</b>
Coal Furnaces	419
Sizing Requirements	419
Location and Clearance	420
Installation Recommendations	421
Duct Connections	421
Electrical Wiring	423
Ventilation and Combustion Air	424
Venting	430
Flue Pipe	430
Chimneys and Chimney Troubleshooting	430
Furnace Components	432
Automatic Controls	432
Furnace Grate	433
Coal Stoker	434
Hand-Firing Methods	434
Blower and Motor Assembly	435
Blower Adjustment	435
Air Filter	435
System Accessory Devices	435

Wood Furnaces	436
Wood Add-On Furnaces	437
Multi-Fuel Furnaces	438
Installation, Operating, and Maintenance Instructions for Coal, Wood, and Multi-Fuel Furnaces	441
Assembly and Installation	
Recommendations	441
Maintenance Instructions	442
Multi-Fuel Furnace Operation	447
Troubleshooting Coal, Wood, and Multi-Fuel Furnaces	448
<b>Chapter 14</b> Electric Furnaces	453
Electrical Power Supply	453
Planning Suggestions	454
Location and Clearance	455
Installation Recommendations	456
Duct Connections	456
Basic Components	457
Automatic Controls	458
Heating Elements	462
Timing Sequences	463
Safety Controls	464
Temperature Limit Controls	464
Secondary High-Limit Control	464
Furnace Fuses	464
Circuit Breakers	464
Transformer	468
Thermal Overload Protector	470
Electrical Wiring	470
Blowers and Motors	471
Air Delivery and Blower	
Adjustment	471
Air Filter	471
Air Conditioning	471

Maintenance and Operating Instructions	475
Furnace Air Filters, Electronic Air Cleaners, and Humidifiers	475
Heating Elements and Heating Control Wiring	475
Blowers/Fans	476
Ducts	476
Thermostats	476
Furnaces without Air Conditioners	477
Troubleshooting an Electric Furnace	477
<b>Chapter 15</b> Steam and Hot-Water Space Heating Boilers	<b>481</b>
Boiler Rating Method	485
Boiler Heating Surface	486
Boiler Efficiency	486
Types of Boilers	487
Gas-Fired Boilers	492
Oil-Fired Boilers	493
Coal-Fired Boilers	493
Electric Boilers	497
High-Efficiency Boilers	502
Steam Boiler Valves, Controls, and Accessories	502
Steam Boiler Low-Water Cutoffs	505
Installing a Low-Water Cutoff	508
Fusible Plugs	515
Pressure Relief Valves	515
Pressure Controllers	517
Vacuum Relief Valve	519
Steam Boiler Aquastat	521
Blowdown Valve	521
Try Cocks	522
Steam Boiler Injectors	523

Water Gauges	524
Water Columns	526
Steam Gauges	526
Steam Gauge Pigtails	528
Hartford Return Connection	529
Hot-Water Boiler Valves, Controls, and Accessories	529
Hot-Water Boiler Low-Water Cutoffs	532
Hot-Water Boiler Pressure Relief Valves	534
High-Pressure Limit Switch	535
Hot-Water Boiler Aquastats	535
Pressure-Reducing Valves	538
Combination Valves	541
Balancing Valve	548
Backflow Preventer	548
Altitude Gauges	549
Circulator (Pump)	550
Air Separator	550
Purging Air from the System	553
Expansion Tanks	553
Air Supply and Venting	553
Induced-Draft Fans	558
Controlling Excessive Draft (Gas-Fired Boilers)	559
Tankless Water Heaters	560
Leaking Coils	561
Blowing Down a Boiler	561
Boiler Operation, Service, and Maintenance	562
Steam Boilers	563
Hot-Water (Hydronic) Boilers	564
Boiler Water	564
Cleaning Boilers	565
Troubleshooting Boilers	565
Boiler Repairs	568
Installing Boilers	568

<b>Chapter 16</b>	<b>Boiler and Furnace Conversion</b>	<b>569</b>
	Preparation for Conversion	570
	Basic Combustion Chamber Requirements	572
	Combustion Chambers for Conversion Gas Burners	572
	Combustion Chambers for Conversion Oil Burners	574
	Construction Materials	576
	Building a Combustion Chamber	578
	Ventilation Requirements	580
	Flue Pipe and Chimney	582
	Baffling	584
	Gas Piping and Piping Connections	584
	Gas Input Setting	587
	Installing a Conversion Gas Burner	589
	Starting a Conversion Gas Burner (with Pilot Light)	590
	Starting a Conversion Gas Burner (Pilotless)	593
	Servicing a Conversion Gas Burner	594
	Oil Tanks and Oil Piping	597
	Installing a Conversion Oil Burner	598
	Starting a Conversion Oil Burner	600
	Servicing a Conversion Oil Burner	601
	Troubleshooting Oil and Gas Conversion Burners	602
<b>Appendix A</b>	<b>Professional and Trade Associations</b>	<b>603</b>
<b>Appendix B</b>	<b>Manufacturers</b>	<b>615</b>
<b>Appendix C</b>	<b>HVAC/R Education, Training, Certification, and Licensing</b>	<b>627</b>
<b>Appendix D</b>	<b>Data Tables</b>	<b>631</b>
<b>Appendix E</b>	<b>Conversion Tables</b>	<b>669</b>
<b>Index</b>		<b>679</b>

# Index

---

- A**  
absolute pressure, 16  
adiabatic compression, 18  
AFUE efficiency rating  
  boilers, 487  
  gas furnaces, 291, 292-293  
  oil furnaces, 375, 378  
air, defined, 16  
air barriers, 51  
air cleaning, 141-142, 475  
air conditioning  
  electric furnaces, 471, 474-475  
  evolution of, 1-2  
  gas furnaces, 357, 359-360  
  in hydronic heating systems, 176-177, 179  
  modern vs. early systems, 2, 4  
  oil furnaces, 406  
  prevalence of, 2  
  purpose of, 4  
  steam heating systems, 250-251  
  and temperature control, 4  
  and warm-air furnaces, 140  
Air-Conditioning and Refrigeration Institute (ARI), 603-604, 628  
Air-Conditioning and Refrigeration Wholesalers International (ARWI), 603  
Air Conditioning Contractors of America (ACCA), 129, 315, 320, 604, 629  
Air Diffusion Council (ADC), 604-605  
air eliminator, 552  
Air Filter Institute, 605  
air filters  
  cleaning, 357, 475  
  coal furnaces, 435  
  electric furnaces, 471, 475  
  forced-warm-air heating systems, 141, 284  
  gas furnaces, 313, 315-316, 356-357, 358-359  
  hydronic furnaces, 167  
  oil furnaces, 392  
Air Movement and Control Association International, Inc. (AMCA), 605  
air separator, hot-water boilers, 550-553  
air spaces, 52  
air/vapor retarders, 51-52  
altitude gauges, hot-water boilers, 549-550  
American Boiler Manufacturing Association (ABMA), 605-606  
American Gas Association (AGA), 606  
  certification by, 291, 332  
  furnace installation codes, 288  
American National Standards Institute (ANSI), 375, 394  
American Society of Heating, Refrigeration, and Air-Conditioning Engineers (ASHRAE), 29, 80, 273, 606-607  
  *Handbook of Fundamentals*, 80  
American Society of Mechanical Engineers (ASME), 607  
  Boiler and Pressure Vessel Code, boiler rating, 485, 503, 533  
annual fuel utilization capacity.  
  *See* AFUE efficiency rating  
anthracite coal, 118  
appliance flue, 326



aquastats  
 hot-water boilers, 535-538  
 hot-water heating systems,  
 169-170  
 steam boilers, 521  
 ash, 122

associated gas, 112  
 atmospheric pressure, 16  
 attic furnaces. *See* horizontal  
 furnaces

attics and attic crawl spaces  
 condensation in, 70  
 insulating, 69-70  
 ventilation and, 49, 70

automatic controls  
 coal furnaces, 432-433  
 electric furnaces, 458-462  
 oil furnaces, 384

## B

backflow preventer, hot-water  
 boilers, 548-549

baffling, 584, 585

balancing valve, hot-water  
 boilers, 548

barometric damper, 398

barometric draft regulator,  
 398-399

baseboard heating systems,  
 259-261

basement walls, insulating, 63,  
 64, 84

batt insulation, 55, 57

belt-drive furnace blower,  
 355-356

Better Heating-Cooling Council,  
 8, 607

bituminous coal, 118

blanket insulation, 55-56

blowback, 516

blowdown, 516

blowdown valve, steam boilers,  
 521-522

blowers

air delivery and adjustment,  
 354, 355

belt-drive, 355-356, 391, 405

coal furnaces, 435

combustion air, 392

direct-drive, 355, 391, 405

electric furnaces, 471, 476

gas furnaces, 313, 314, 315,  
 353-356

maintenance of, 476

motors in, 353-354, 391

oil furnaces, 390-392, 405

purpose of, 283

blown-in insulation, 57-58

boiler and furnace conversion,  
 262, 569-602

baffling, 584, 585

basic combustion chamber  
 requirements, 572

building a combustion chamber,  
 578-580, 581

carbon monoxide emission, 570

combustion chambers, conversion  
 gas burners, 572-573

combustion chambers, conversion  
 oil burners, 574-576

construction materials, 576-578

flue pipe and chimney, 582-584

gas burners, in converted oil  
 system, 570

gas input setting, 587-589

gas piping and piping  
 connections, 584,  
 586-587

installing a conversion gas  
 burner, 589-590

installing a conversion oil  
 burner, 598-600

oil tanks and oil piping,  
 597-598

preparation for, 570-572

ramifications of, 569

reasons for, 569

safety and, 569-570

servicing a conversion gas  
 burner, 594-597

servicing a conversion oil burner,  
 601-602

starting a conversion gas burner  
 (with pilot), 590-593

- starting a conversion gas burner (pilotless), 593-594
  - starting a conversion oil burner, 600-601
  - ventilation requirements, 580, 582
  - boiler efficiency, 486-487
  - boilers
    - AFUE efficiency rating, 487
    - blowing down, 561-562
    - boiler horsepower (bhp), 486
    - boiler water, 564-565
    - chimney, 555-556
    - classification of, 487-492
    - cleaning, 565
    - coal-fired, 493-497
    - construction of, 481, 483-484, 488
    - controlling excessive draft, 559-560
    - conversions. *See* boiler and furnace conversion
    - draft, controlling, 359-360
    - efficiency, 486-487
    - electric, 491, 497-502
    - electric-fired, 180, 253-256
    - Energy Star certification, 487
    - equivalent direct radiation (EDR), 485
    - fuels, 489
    - gas-fired, 492-493, 494, 559-560
    - heating capacity, 486
    - heating surface, 486
    - high-efficiency, 502
    - for hot-water heating systems, 164-165, 529-553, 564
    - induced-draft fans, 558-559
    - installing, 568
    - leaking coils, 561
    - limit control, 498
    - load, 486
    - oil-fired, 493, 495
    - operation, service, and maintenance, 562-563
    - purpose of, 481
    - rating methods, 485-486, 487
    - repairs, 568
    - safety, 563
    - steam and hot-water compared, 481-483
    - for steam-heating systems, 244-246, 502-529, 563-564
    - tankless water heaters, 560-561
    - troubleshooting, 565-568
    - two-line piping, 598
    - types of, 487-492
  - boiling point, 20-21
  - booster pumps, 173
  - Boyle's law, 16, 18, 172
  - briquettes, 119
  - Btu (British thermal unit), 9
  - building location and size, 4, 58-59
  - burner orifices, gas furnaces, 340-342
- C**
- cad cell, oil furnaces, 378, 382
  - carbon monoxide
    - in boiler and furnace conversion, 570
    - detectors, 324
    - leaks, 398
  - career opportunities, 5-7, 627
    - apprentices, 6-7
    - engineers, 5-6
    - OJT (on-the-job training) workers, 6-7
    - pipe fitters, 7
    - plumbers, 7
    - sheet-metal workers, 7
    - skilled workers, 6-7
    - special occupations, 7
    - steam fitters, 7
    - technicians, 6
  - caulking, 5, 69
  - ceiling panel warm-air heating systems, 134
  - ceilings, insulating
    - concrete, 67-68
    - frame, 67-68
    - sandwich, 68

- central forced-warm-air heating
  - systems, 256-258
  - duct heaters, 257-258
  - electric furnaces, 256-257
  - heat pumps, 258
- central heating system, 128, 273, 279
- central hot-water systems, 253-256
  - cooling for, 255-256
  - electric-fired boilers in, 253-254
- certification, individual, 628-620
- Charles' law, 16, 17, 18
- chart sizing method, 75
- chimney
  - in boiler and furnace conversion, 582-584
  - boilers, 555-556
  - coal furnaces, 430-431
  - gas furnaces, 330-332, 333
  - hot-water boilers, 555-556
  - oil furnaces, 399-400
- chimney connector, 326
- chimney flue, 326
- circuit breakers, electric furnaces, 464, 468, 469
- circulating pumps, 173-174, 255, 550
- cleanout ports, oil furnaces, 392
- clearance
  - coal furnaces, 420
  - electric furnaces, 455-456
  - furnace, general, 5, 442
  - gas furnaces, 317-318
  - oil furnaces, 393-394
- clinkers, 122-123
- coal, 117-118
- coal-fired boilers, 493-497
- coal furnaces
  - air filter, 435
  - assembly and installation of, 441-442
  - automatic controls, 432-433
  - banking a coal fire, 447
  - blower and motor, 435
  - chimneys and chimney
    - troubleshooting, 430-431
  - coal stoker, 434
  - combustion air, 424, 427-430
  - components, 432-435
  - draft, factors influencing, 429
  - duct connections, 421-423
  - electrical wiring, 423-424, 425-427, 428
  - flue pipe, 430
  - furnace grate, 433-434
  - hand-firing methods, 434-435
  - installation recommendations, 421
  - location and clearance, 420
  - maintenance, 443
  - operating principle, 419
  - operation, 444, 446-447
  - sizing requirements, 419-420
  - starting and maintaining a coal fire, 446-447
  - system accessory devices, 435
  - troubleshooting, 448-451
  - types of, 419
  - ventilation, 424, 427-430
  - venting, 430
- coal oil, 119-120
- coal stoker, 434
- coke, 119
- combination furnaces. *See* multi-fuel furnaces
- combination pipe hot-water heating systems, 155
- combination valves, hot-water boilers, 541-548
- combination water heater, 168-169
- combined atmospheric pressure and vacuum steam heating systems, 221-223, 230
- combustion air
  - boilers, 553, 555
  - coal furnaces, 424, 427-430
  - gas furnaces, 321-322, 343-346
  - oil furnaces, 395, 397
- combustion chambers
  - basic requirements for boiler and furnace conversion, 572

building, 578–580, 581  
 construction materials, 575–578  
 for conversion gas burners,  
   572–573  
 for conversion oil burners,  
   574–576  
 ventilation, 580, 582  
 combustion draft, 397  
 compression, adiabatic, 18  
 concrete ceilings, 68  
 concrete floors, 66  
 condensation, 21–22, 48–49,  
   70, 185  
 condensing oil furnace, 379  
 conduction, 12–13  
 convection, 13, 253  
 convection heating surface,  
   boilers, 486  
 convectors, 176, 249  
 conventional oil furnaces,  
   375–378  
 conversion gas burners  
   combustion chambers for,  
     572–573  
   installing, 589–590  
   rated maximum input, 588  
   servicing, 594–597  
   starting (pilotless), 593–594  
   starting (with a pilot), 590–593  
   troubleshooting, 602  
 conversion oil burners  
   combustion chambers for,  
     574–576  
   installing, 598–600  
   servicing, 601–602  
   starting, 600–601  
   troubleshooting, 602  
 Cool-Careers-Hot-Jobs web site,  
   628  
 corrected heat loss formula, 102  
 counterflow furnace, 276, 387  
 crawl space  
   insulating exterior walls, 63–64  
   plenum warm-air heating system,  
     134–136  
   ventilation, 49, 50  
 C-value, 29, 30–41, 46–47

**D**  
 degree day, defined, 105  
 degree-day formula, 102–105  
 dehumidifiers  
   coal furnaces, 435  
   warm-air heating systems, 144  
 delayed-action solenoid valve, oil  
   furnaces, 385–386, 408  
 design lead, boilers, 486  
 design temperature difference, 80  
 dew point, 48–49, 381  
 direct-drive furnace blower, 355  
 direct heating surface,  
   boilers, 486  
 dissolved gas, 112  
 distribution tees, 161, 162  
 divided-circuit installation, 186  
 doors, heat loss and, 69  
 double glazing, 69  
 downdraft furnace, 276  
 downflow furnace, 276–277  
 draft  
   boilers, controlling, 559–560  
   coal furnaces, factors  
     influencing, 429  
 draft hood, 332, 334–337  
 draft regulator, 398  
 draining condensate, 248  
 drip leg, 347  
 drip pipes, 193  
 drop pipes, 193  
 dry return, 186, 192  
 dry steam, 19–20  
 dual-capacity, variable-speed oil  
   furnaces, 392  
 dual control valves, hot-water  
   boilers, 541  
 dual unit valves, hot-water  
   boilers, 541  
 duct connections  
   coal furnaces, 421–423  
   electric furnaces, 456–457, 476  
   gas furnaces, 320–321  
   oil furnaces, 395, 396  
   warm-air furnaces, 139  
 duct furnaces, 286, 287  
 duct heaters, 257–258

ductless furnace, 273  
ducts, maintenance of, 476

**E**

education and training programs,  
6, 627-629

electric boilers, 491, 497-502

Electric Energy Association, 266

electric-fired boilers, 253-254

electric furnaces, 256-257,

270, 453-480

air cleaners, 475

air conditioning, 471, 474-475

air delivery, 471

air filter, 471, 478

automatic controls, 458-462

blowers and motors, 471, 476

circuit breakers, 464, 468

components of, 457-458

duct connections, 456-457, 476

efficiency of, 453

electrical power supply, 453

furnace fuses, 464, 466

heat anticipator, 459, 462

heating control wiring, 475-476

heating elements, 462-463, 466

humidifiers, 475

installation recommendations,  
456

insulation and, 454

location and clearance, 455-456

maintenance and operation of,  
475-477

planning suggestions, 454-455

safety controls, 464-470

secondary high-limit  
control, 464

temperature limit controls, 464

thermal overload protector, 470

thermostat, 459-461, 476-477

timing sequences, 463

transformer, 468

troubleshooting, 477-480

UL approved, 453

wiring, 465, 467-469, 470-471,  
472-474

without air conditioning, 477

Electric Heating Association, 456

electric heating systems,

3, 253-271

advantages of, 269-270

baseboard systems, 259-261

central forced-warm-air systems,  
256-258

central hot-water systems,

253-256

disadvantages of, 270

duct heaters, 257-258

electric furnaces, 256-257, 270

electric space heaters, 263

electric unit heaters, 262-263

electric unit ventilators, 261

heat loss values, 266

heat pumps, 258, 263-264

heat transfer, 253

heating and cooling controls,  
264-265

insulation for structures using,  
265-268

load-limiting controls, 265

maximum winter heat loss for  
homes using, 266

operating principle, 253

radiant systems, 258-259, 260

sequence switching devices, 265

thermostats, 265

time-delays, 265

troubleshooting, 270-271

electric hydronic boiler,

179, 181

electricity, defined, 25

electric space heaters, 263

electric unit heaters, 262-263

electric unit ventilators, 261

electronic ignition gas furnaces,  
294, 314

startup instructions for, 352-353

*The Encyclopedia of Associations*,  
8, 613

EnerGuide emblem, 292-293

Energy Star certification

boilers, 487

gas furnaces, 291, 293-294

oil furnaces, 378-379

energy use, 108  
 Environmental Protection Agency  
 (EPA), 291, 293, 487  
 exfiltration, 72  
 exhaust-steam heating, 3,  
 223-228, 229  
 expansion tanks, 171-173  
   hot-water boilers, 553, 554  
   hot-water heating systems, 159,  
   171-173  
 extended-plenum duct system,  
 125, 126-127  
 external control voltage, 471  
 external latent heat, 20

## F

fan and limit control  
   gas furnaces, 304-305  
   oil furnaces, 378, 382,  
   384-385, 386  
 fiberglass, 55  
 filler pipe, oil furnaces,  
 404-405  
 firebricks. *See* insulating  
 firebricks  
 Fireplace Institute, 607  
 floor furnace, 285  
 floors, insulating  
   concrete, 66  
   frame, wood or metal joist,  
   64, 65-66  
   sandwich, 66  
   slap-on-grade, 66, 67  
 flow rate, 171  
 flue draft, 397  
 flue outlet, 326  
 flue pipe  
   boiler and furnace conversion,  
   582-584  
   coal furnaces, 430  
   gas furnaces, 326-330  
   oil furnaces, 398  
 foam insulation, 58  
 foot-pound, 9-10  
 forced-air heat transfer, 253  
 forced-hot-water heating systems,  
 149, 163-164  
 forced-warm-air furnaces, 138,  
 280-281  
   principal classes of, 274  
 forced-warm-air heating systems,  
 130-132, 274-279, 280-281  
   ceiling panel system, 134  
   downflow, 274, 276-277  
   duct arrangement, 125-126, 256  
   electrical, 256-258  
   extended-plenum system, 125,  
   126-127, 134-136  
   horizontal, 274, 278  
   perimeter duct system, 125, 126,  
   132-133  
   planning, 131-132  
   upflow, 274, 275-276  
   zoning, 136  
 fresh air requirements, 91-92  
 friction loss, 171  
 fuel oils, 114, 116-117  
 fuel requirements, estimating,  
 100-108  
 fuels. *See* heating fuels  
 fuel supply tank, oil furnaces,  
 401-404  
 furnace(s)  
   air filter, 284  
   blower, 283  
   carbon dioxide and, 324  
   classification of, 273-274  
   clearances, 442  
   coal, 419-435, 441-442, 444,  
   446-447, 448-451  
   components and controls,  
   282-285  
   conversions. *See* boiler and  
   furnace conversion  
   cost of, 282  
   counterflow, 276, 287  
   defined, 273  
   design factors, 281  
   downdraft, 276  
   downflow, 276-277  
   duct, 286, 287  
   ductless, 273  
   efficiency, 282  
   electric, 256-257, 453-480

furnace(s) (*continued*)

- floor, 285
- forced-warm-air, 138, 274, 280-281
- gas, 291-373
- geothermal, 286, 288
- gravity warm-air, 138, 274, 279, 280
- hand-firing, 434-435
- heat exchanger, 283, 284
- horizontal, 277
- hydronic, 165-168
- installation, 288
- installation cost, 281
- maintenance, 288-289, 442-443
- multi-fuel, 419, 438-440, 441-442, 443-444, 447-451
- oil, 375-417
- operating principle, 273
- optional equipment, 285
- pipeless, 273, 285-286, 287
- selecting, for a new house, 279-282
- selecting, for an older house, 282
- switching from coal to gas or oil, 282
- troubleshooting, 289
- type of fuel, 281
- upflow highboy, 275-276
- upflow lowboy, 276
- vertical, 286, 287
- wall, 285
- warm-air, 137-138, 284
- waste oil, 405-406, 407
- wood, 419, 436, 441-442, 443, 444-446, 448-451
- wood add-on, 437-438
- furnace fan, 129, 279, 379
- furnace fuses, 464, 466
- furnace grate, coal furnaces, 433-434
- furnace gross output, 282
- furnace net output, 282
- fusible plugs, steam boilers, 515

**G**

- Gas Appliance Manufacturers Association (GAMA), 607-608
- Hydronics Institute Division, 8, 485, 610
- gas burners, 308-311
- gas-fired boilers, 492-493, 494, 559-560
- gas furnaces, 291-373
  - AFUE efficiency rating, 291, 292-293
  - air conditioning, 357, 259-360
  - air delivery, 354-355
  - air filter, 313, 315-316, 356-357, 358-359
  - belt-drive blower, 355-356
  - blowers and motors, 313, 314, 315, 353-356
  - burner orifices, changing, 340-342
  - capacities, 291
  - chimney, 330
  - chimney troubleshooting, 331-332, 333
  - Coleman, adjusting primary air on, 344
  - combustion air, 321-322, 343-346
  - components, 299-330
  - conventional flue construction details, 326-328
  - direct-drive blower, 355
  - draft hood, 332, 334-337
  - duct connections, 320-321
  - efficiency ratings, 291
  - electronic ignition, 294, 312, 314, 352-353
  - EnerGuide emblem, 292
  - Energy Star certification, 291, 293-294
  - fan and limit control, 304-305
  - Fedders, adjusting primary air on, 345-346
  - flue pipe, 326-330
  - furnace controls, 300-305
  - gas burners, 308-311

- gas flame, 310
- gas input adjustment, 337-340
- gas pilot assembly, 311-313, 314
- gas pressure regulator, 304
- gas rate in cubic feet per hour, 338-339
- gas supply piping, 346-350
- heat exchanger, 305-308
- high-altitude adjustment, 340
- high-efficiency, 297-299, 312, 316, 324, 326
- hot surface ignition (HSI), 299, 362-363
- inspections, 361
- installation of, 316-317, 360-361
- intermittent-pilot, 298-299
- local codes, 317
- locations and clearances, 317-318
- main gas valve, 295, 301-302
- manifold pressure adjustment, 342-343
- mercury flame sensor, 303-304
- mid-efficiency, 295-296, 332
- neutral pressure-point adjuster, 334, 336
- oversizing, 316
- pilot burner adjustment, 337
- PVC vent construction details, 328-330
- service and maintenance tips, 361-363
- shape, 291
- sizing, 316
- spark ignition, 298
- standing-pilot, 294-295, 350-351
- startup instructions, 350-353
- thermocouple, 302, 311
- thermopile, 303, 311
- thermostat, 300-301
- troubleshooting, 363-373
- troubleshooting charts, 368-373
- types of, 291
- ventilation, 321-323
- venting, 323-326
- wiring, 318-320
- gas input adjustment, gas furnaces, 337-340
- gas odors, 362, 451
- gas pilot, 311-313, 314
  - adjustment of, 337
- gas pressure regulator, 304
- gas rate, in cubic feet per hour, 338-339
- gas supply piping, 346-350
  - capacity, 348
  - installing, 349-350
  - sizing, 348-349
- gauge pressure, 16
- geothermal furnace, 286, 288
- glass factor, 93
- glass wool, 55
- glazing, windows, 5, 69
- graphite, 118
- gravity hot-water heating system, 149, 157-163, 172-173
- gravity steam heating systems, 186-202
  - disadvantages of, 188-189
  - downfeed one-pipe system, 186, 196-198
  - one-pipe, 186
  - one-pipe circuit, 186, 198-200
  - one-pipe circuit with loop, 200-201
  - one-pipe, divided-circuit nonrelief, 200
  - one-pipe, reverse-flow, 189-190
  - operating principle, 186-187
  - two-pipe, 186, 201
  - two-pipe, divided-circuit, 201-202
  - upfeed one-pipe relief, 192-196
  - upfeed one-pipe, 186, 190-192
- gravity warm-air furnaces, 138, 274, 279, 280
- gravity warm-air heating system, 125, 128-130
- gross load, boilers, 486



gross wall area, calculating, 81  
ground temperatures below the  
frost line, table of, 85-86

**H**

handling condensate, 248  
Hartford Return Connection  
steam boilers, 529  
steam-heating system, 234, 247  
head, 171  
heat  
defined, 9  
early attempts at controlling, 1  
latent, 15, 20  
mechanical equivalent of,  
10, 11  
sensible, 15, 20  
specific, 15  
heat anticipator, 459-461, 462  
heat content, 111  
heat-conveying medium,  
16-25, 273  
air, 2, 16-18  
defined, 2  
electricity, 2, 25  
steam, 2, 18-21  
types of, 2-3  
water, 2, 22-25  
heat-emitting units, 175-176, 249  
heat energy, 9  
heat exchanger  
defined, 283  
gas furnaces, 284, 305-308  
hot-water heating systems, 169  
oil furnaces, 386-388  
heat exchanger coil, 561  
heat flow, direction of, 28-29  
Heating, Airconditioning &  
Refrigeration Distributors  
International (HARDI), 608  
Heating and Piping Contractors  
National Association, 608  
heating capacity, boilers, 486  
heating control wiring, 475-476  
heating costs  
estimating, 100-106  
nonheating energy, 107-108

reducing, 5  
utility rates, determining,  
108-110  
heating elements, electric furnaces,  
462-463, 466, 475-476  
heating fuels, 2-3, 111-124  
ash, 122  
briquettes, 119  
classification of, 112  
clinkers, 122-123  
coal, 117-119  
coal oil, 119-120  
coke, 119  
costs, comparison of, 123  
estimated average conversion  
efficiency, 124  
firing methods, 111  
fuel oils, 114, 116-117  
heating rate, 588  
heat values, 111-112  
liquefied petroleum (LP) gas,  
113-114, 115  
manufactured gas, 113  
natural gas, 112  
requirements, estimating,  
100-106  
slag, 122  
soot, 123  
wood, 120-122  
heating fundamentals, 9-25  
air, 16-18  
Btu (British thermal unit),  
defined, 9  
conduction, 12-13  
convection, 13  
electricity, 25  
heat transfer, 11-14  
heat-conveying medium,  
16-25  
latent heat, 15  
radiation, 11-12  
sensible heat, 15  
specific heat, 15  
steam, 18-21  
water, 22-25  
work and energy, relationship  
between, 9-11

- heating methods
  - classification of, 2, 3
  - exhaust steam, 3
  - fuels, 2-3
  - internal combustion engines, 3
- heating surface, boilers, 486
- heating system
  - capacity of, 28
  - classification of, 3
  - defined, 3
  - sizing of, 73-110
- heat loss
  - average value method of
    - calculating, 93-95
  - in basements, 84-86
    - calculating, 76-77
  - from doors and windows, 5, 84
  - in houses, old vs. new, 5
  - by infiltration, 83, 87
  - limits for electrically heated homes, 266, 267
  - sensible, 87
  - sizing and, 73
  - in slab construction, 86-87
  - tabulation forms, 95-99
  - total, calculating, 82-84
  - uninsulated structures, 27
  - by ventilation, 92-93
  - weather stripping and, 5, 69
- heat loss formula, 100-102
- heat-producing equipment, 3
- heat pumps, 258, 263-264
- heat transfer, 11-14
  - circulation in, 13-14
  - conduction, 12-13
  - convection, 13, 253
  - forced-air method, 253
  - methods of, 253
  - radiation, 11-12, 253
- heat transfer values
  - defined, 29
  - of various building and insulation materials, 30-41
- heat transmission
  - coefficients for solid masonry walls, 42-45
  - forced-air method of, 253
  - heat transfer value, 29, 30-41
  - loss formula, 81-82
  - overall coefficient of (U-value), 29, 42-45, 48, 75-76, 80
  - principles of, 28-29
  - thermal conductance (C-value), 29, 30-41, 46-47
  - thermal conductivity (k-value), 29-41
  - thermal resistance (R-value), 29, 30-41, 46, 47-48
- high-altitude adjustment, gas furnaces, 340
- high-efficiency boilers, 502
- high-efficiency (condensing) oil furnaces, 378, 379, 381, 397
- high-efficiency gas furnaces, 297-299, 312, 316, 324, 326
- high-limit control
  - hot-water heating systems, 169-170
  - warm-air furnaces, 138
- high-pressure limit switch, hot-water boilers, 535
- high-temperature hot-water heating system, 150
- Home Ventilating Institute (HVI), 608-609
- horizontal furnace, 277
- hot-surface ignition (HSI) gas furnaces, 299, 362-363
- hot-water boilers, 164-165, 166
  - air separator, 550-553
  - air supply and venting, 553, 555-558
  - altitude gauges, 549-550
  - aquastats, 532, 535-538
  - backflow preventer, 548-549
  - balancing valve, 548
  - chimney, 555-556
  - circulator, 532, 550
  - combination valves, 541-548
  - expansion tanks, 532, 553
  - high-pressure limit switch, 535
  - induced-draft fans, 558-559
  - low-water cutoffs, 532-533

- hot-water boilers (*continued*)  
 operation and maintenance, 564  
 pressure-reducing valves,  
   532, 538-541  
 pressure relief valves, 534-535  
 purging air from the system, 553  
 safety and, 530  
 and steam boilers compared,  
   481-483  
 valves, controls and accessories,  
   529-532
- hot-water heating systems, 3,  
 149-184  
 advantages of, 182  
 air conditioning in, 176-179  
 central heating unit (electric-fired  
 boiler), 180, 253-256  
 circulating pumps, 173-174  
 classification of, 149-150  
 combination pipe, 155  
 combination water heaters,  
   168-169  
 control components, 169-170  
 disadvantages of, 182  
 drainage, 175  
 electrically heated systems,  
   179-182  
 expansion tanks, 159, 171-173  
 forced-hot-water system, 149,  
   163-164  
 gravity system, 149, 157-163  
 heat-emitting units, 175-176  
 heat exchanger, 169  
 high-temperature system, 150  
 hot-water boilers, 164-165,  
   166  
 hydro-air system, 166  
 hydronic furnaces, 165-168  
 low-temperature system, 150  
 moisture control, 179, 180  
 one-pipe system, 150-152  
 operating principle, 149  
 overhead arrangement, 161, 162  
 pipe and pipe sizing, 170-171  
 piping arrangements, 150  
 radiant panel heating, 155, 156  
 series-loop, 152-153  
 special applications, 156-157  
 troubleshooting, 183-184  
 two-pipe, direct-return, 153-154  
 two-pipe gravity, 159  
 two-pipe, reverse-return,  
   154-155  
 zoning, 155, 156
- house wrap, 51, 52
- humidifiers  
 coal furnaces, 435  
 electric furnaces, 475  
 hot-water heating systems,  
   179, 180  
 warm-air heating systems,  
   142-143
- humidity, 1
- HVAC/R  
 career opportunities in, 5-7, 627  
 certification, 628-629  
 education and training  
 programs, 627-628  
 state licensing, 629
- HVAC system  
 cost of, 5  
 location of, 5  
 selecting, 4-5
- hydro-air heating system, 166
- hydronic furnaces, 165-168
- Hydronic Heating Association  
 (HHA), 609
- hydronic heating systems. *See* hot-  
 water heating systems
- The Hydronics Foundation, Inc.,  
 (THFI), 609
- The Hydronics Institute, Division  
 of GAMA, 8, 485, 610
- I**
- IBR rating code, 8, 165  
 "inches of mercury," 16  
 indirect heat exchanger, 561  
 indirect heating surface,  
   boilers, 486  
 indirect water heater, 561  
 indoor blower, 379  
 induced-draft fans, boilers,  
   558-559

- induced-draft furnaces. *See* mid-efficiency furnaces
  - Industries Competencies Exam (ICE), 628
  - infiltration, 72
  - infiltration heat loss, 87-92
    - air change method, 91-92
    - crack method, 87-91
  - inside design temperature, 77
  - Institute of Boiler and Radiator Manufacturers, 8, 165, 610
  - insulating firebricks
    - grades, 578
    - materials for, 577
    - shape of, 578
  - insulating materials
    - application of, 28
    - batt insulation, 55, 57
    - blanket, 55-56
    - blown-in insulation, 57-58
    - effective, qualities of, 27-28
    - foam insulation, 58
    - layers, effectiveness of, 28
    - loose-fill insulation, 56-57, 58
    - minimum levels of, 47
    - purpose of, 27, 29, 52
    - reflective insulation, 54-55
    - rigid insulation board, 52-54
    - special properties of, 52
  - insulating structures
    - air barriers, 51
    - air spaces, 52
    - air/vapor retarders, 51-52
    - attics and attic crawl spaces, 69-70
    - basement walls, 63, 64
    - building construction and location, 58-59
    - capacity of heating or cooling system, 28
    - concrete ceilings, 68
    - concrete floors, 66
    - condensation, 48-52
    - crawl space exterior walls, 63-64
    - electrically heated and cooled buildings, 265-268
    - flat roofs, 71
    - frame ceilings and roofs, 67-68
    - frame floors, wood or metal joist, 64, 65-66
    - frame walls, 60, 61
    - heat loss/gain, 27, 267
    - heat transfer values, 29, 30-41
    - heat transmission, principles of, 28-29
    - insulating materials, 52-58
    - masonry, 60-62
    - metal walls, 63
    - overall coefficient of heat transmission (U-value), 29, 42-45, 48, 75-76, 80
    - recommended practices, 59-68
    - sandwich ceilings, 68
    - sandwich floors, 66
    - sandwich walls, 63
    - slab-on-grade floors, 66, 67
    - thermal conductance (C-value), 29, 30-41, 46-47
    - thermal conductivity (k-value), 29-41
    - thermal resistance (R-value), 29, 30-41, 46, 47-48
    - vapor retarders, 49-51
    - walls between separately heated dwelling units, 64, 65
    - windows and doors, 69
  - insulator, 12
  - intermittent-pilot gas furnaces, 298-299
  - internal latent heat, 20
- J**
- Joule's equivalent, 10
- K**
- kerosene, 119-120
  - k-value, 29-41
- L**
- latent heat, 15, 20
  - leaders, 128
  - licensing, state, 629

lifting condensate, 248  
 lignite, 118–119  
 line voltage field wiring, 470  
 liquefied petroleum (LP) gas,  
 113–114, 115, 304  
 load-limiting control, 265  
 loop-circuit installation, 186  
 loose-fill insulation, 56–57, 58  
 lowboy furnace, 276  
 low-temperature hot-water  
 heating system, 150  
 low-water cutoffs  
 hot-water boilers, 532–533  
 installing, 508–514  
 steam boilers, 505–508  
 troubleshooting, 514–515

## M

main gas valve, 301–302  
 manifold pressure, adjusting in  
 gas furnaces, 342–343  
*Manual J*. See *Residential Load  
 Calculations, Manual J*  
 manufactured gas, 113  
 manufacturers, list of, 615–625  
 master thermostatic valves, 215  
 maximum density, 24  
 mean radiant temperature  
 (MRT), 12  
 Mechanical Contractors  
 Association of America,  
 Inc. (MCAA), 485, 610  
 mechanical equivalent of heat,  
 10, 11  
 mercury flame sensor, 303–304  
 mid-efficiency gas furnaces,  
 295–296, 332  
 mid-efficiency (noncondensing) oil  
 furnaces, 378, 379, 380  
 millivolt generator. See thermopile  
 mineral wool, 55  
 multi-fuel furnaces  
 assembly and installation of,  
 441–442  
 gas odors, 451  
 maintenance, 443–444

operating principle, 419  
 operation, 447–448  
 overview, 438–440  
 troubleshooting, 448–451

## N

National Association of Plumbing  
 Heating Cooling Contractors  
 (PHCC), 610–611  
 National Board of Fire  
 Underwriters, 322  
 National Electric Code, 318, 395,  
 353, 423, 453, 471, 568,  
 584, 600  
 National Electric Manufacturers  
 Association, 106  
 National Environmental  
 Systems Contractors  
 Association, 611  
 National Fire Protection  
 Association, 288, 320, 322,  
 347, 375, 395, 401, 422–423,  
 453, 456, 584  
 National Gas Code, 347, 568, 584  
 National Warm Air Heating and  
 Air Conditioning Association,  
 129, 133, 454, 611  
 natural gas, 112  
 natural hot-water heating  
 systems, 157  
 natural ventilation, 72  
 NEMA formula, 106  
 net area, calculating, 80–81  
 net load, boilers, 486  
 net wall area, 81  
 neutral pressure-point adjuster,  
 334, 336  
 nonassociated gas, 112  
 nonconductor, 12  
 nonheating energy, 107–108  
 North American Heating  
 Refrigerating Air  
 Conditioning Wholesalers  
 (NHRAW), 611  
 North American Technician  
 Excellence, Inc. (NATE), 628

## O

observation ports, oil  
   furnaces, 392  
 oil burner assembly, oil furnaces,  
   388–389  
 oil filter, oil furnaces, 405  
 oil-fired boilers, 493, 495  
 oil furnaces, 375–417  
   adjustments, 410–411  
   AFUE efficiency rating, 375, 378  
   air conditioning, 406  
   air filter, 392  
   barometric damper, 398–399  
   blowers and motors,  
     390–392, 405  
   cad cell, 378, 382  
   carbon monoxide leaks, 398  
   chimney, 399–400  
   cleanout and observation  
     ports, 392  
   combustion air, 395, 397  
   combustion air blowers, 392  
   combustion draft, 397  
   combustion process, 381  
   components of, 382–392  
   conventional, 375–378  
   delayed-action solenoid valve,  
     385–386  
   dual-capacity, variable-speed, 392  
   duct connections, 395  
   Energy Star certification,  
     378–379  
   fan and limit control, 378, 382,  
     384–385, 386  
   filler pipe, 404–405  
   flue pipe, 398  
   fuel pump and fuel pump motor,  
     389–390  
   fuel supply tank and fuel line,  
     401–405  
   fuel tank location, 402–404  
   furnace controls, 382, 384–386  
   heat exchanger, 386–388  
   high-efficiency (condensing),  
     378, 379, 381, 397  
   inspection, 408

  installing, 375, 393–399,  
     400–401  
   location and clearance, 393–394  
   mid-efficiency (noncondensing),  
     378, 379, 380  
   oil burner assembly, 388–389  
   oil filter, 405  
   oil-tank installation, 401  
   operating principle, 375–376  
   service and maintenance tips,  
     408–410  
   size of, 393  
   spillage, 408  
   stack relay, 378  
   starting the burner, 407–408  
   tank vent pipe, 405  
   thermostat, 382  
   troubleshooting, 411–417  
   troubleshooting charts, 414–417  
   UL approved, 375  
   ventilation, 395, 397  
   venting, 397–399  
   vent opening, 392  
   waste oil, 405–406, 407  
   wiring, 394–395, 396  
 outside design temperature, 77,  
   78–79  
 overall coefficient of heat  
   transmission (U-values),  
     29, 42–45, 48, 75–76, 80  
 overfire draft, 397  
 oversizing, 73, 316

## P

paraffin oil, 119  
 peat, 118  
 perimeter duct system, 125, 126  
 perimeter-loop warm-air heating  
   system, 132–133  
 pipeless furnace, 273,  
   285–286, 287  
 piping circuit, 186  
 Plen-Wood System, 134–136  
 pressure  
   absolute, 16  
   atmospheric, 16

- pressure (*continued*)  
 boiling point and, 21  
 gas regulator, 304  
 gauge, 16  
 manifold, 342-343  
 pressure controllers, steam boilers, 517-519  
 pressure-reducing valves, hot-water boilers, 538-541  
 pressure relief valves  
 hot-water boilers, 534-535  
 hot-water heating systems, 170  
 steam boilers, 515-517  
 pressure-type oil burner, 389  
 professional and trade associations  
 list of, 603-614  
 overview, 7-8, 603  
 propane. *See* liquefied petroleum (LP) gas  
 proprietary steam heating systems, 228-242  
 Dunham differential vacuum heating system, 236-238  
 Trane vapor system, 228-236  
 Webster moderator systems, 238-242, 243  
 PVC exhaust pipes, 324, 328

**R**

- radiant floor systems, 176  
 radiant heating surface, boilers, 486  
 radiant heating systems, 258-259, 260  
 Radiant Panel Association (RPA), 611  
 radiant panel heating system, 155, 156  
 radiation, 11-12, 253  
 radiation factor, 94  
 radiator, defined, 249  
 radiators, 175-176, 178, 246  
 reflective insulation, 54-55  
 Refrigeration and Air Conditioning Contractors Association, 611  
 Refrigeration Service Engineers Society (RSES), 612, 628

- relief valves. *See* pressure relief valves  
*Residential Load Calculations, Manual J*, 106, 315-316, 419, 455  
 resistance, 47  
 rigid insulation board, 52-54  
 rock wool, 55  
 roofs, insulating  
 flat, 71  
 frame, 67-68  
 rule-of-thumb sizing methods, 74-75  
 R-value, 29, 30-41, 47-48, 59, 266
- S**
- safety valves. *See* pressure relief valves  
 saturated steam, 19  
 SBI rating code, 8, 165, 485  
 sealed return, 192  
 secondary high-limit control, electric furnaces, 464  
 semibituminous coal, 118  
 sensible heat, 15, 20  
 sensible heat loss, 87  
 sequence switching devices, 265  
 series-loop hot-water heating system, 152-153  
 Sheet Metal and Air Conditioning Contractors National Association (SMACNA), 612  
 short-cycling, 73  
 sizing  
 using average value method to calculate heat loss, 93-95  
 chart method, 75  
 coal furnaces, 419-420  
 using coefficients of heat transmission, 75-77, 80  
 design temperature difference, 80  
 fresh air requirements, 91-92  
 fuel requirements and heating costs, estimating, 100-108  
 ground temperatures below the frost line, 85-86

- heat loss tabulation forms, 95-99
- heat transmission loss formula, 81-82
- inside design temperature, 77
- materials and publications used for, 106-107
- net area, calculating, 80-81
- nonheating energy and, 107-108
- outside design temperature, 77, 78-79
- oversizing, 73
- results of over- and undersizing, 73-74
- rule-of-thumb methods, 74-75
- by square footage method, 75
- total heat loss, calculating 82-93
- undersizing, 73
- upgrade method, 74-75
- utility rates, determining, 108-110
- slag, 122
- slag wool, 55
- slap-on-grade floors, 66, 67
- smoke pipe, 326
- soot, 123
- space heaters, 263
- spark ignition furnace, 298
- specific heat, 15
- stacks, 128
- standard cord, 120
- standing-pilot gas furnaces, 294-295, 332
- startup instructions for, 350-351
- state licensing, 629
- static electricity, 1-2, 25
- steam
  - classes of, 19
  - defined, 18
- steam boilers, 244-246
  - aquastat, 521
  - blowdown valve, 521-522
  - fusible plugs, 515
  - Hartford return connection, 529
  - and hot-water boilers compared, 481-483
  - injectors, 523-524
  - low-water cutoffs, 505-515
  - operation and maintenance, 563-564
  - pressure controllers, 517-519
  - pressure relief valves, 515-517
  - safety and, 503-504
  - stack relay, oil furnaces, 378
  - steam gauge pigtails, 528
  - steam gauges, 526-528
  - try cocks, 522-523
  - vacuum-relief valve, 519-521
  - valves, controls, and accessories, 502-505
  - water columns, 526
  - water gauges, 524-526
- steam gauge pigtails, steam boilers, 528
- steam gauges, steam boilers, 526-528
- Steam Heating Equipment Manufacturers Association, 8, 612
- steam heating systems, 3, 185-252
  - air conditioning, 250-251
  - air supply and venting, 249
  - basic operating principle of, 185
  - classification of, 185-186
  - condensation, role of, 21-22
  - control components, 246-247
  - divided-circuit installation, 186
  - exhaust-steam heating, 223-228
  - gravity return, 186
  - gravity systems, 186-189
  - Hartford Return Connection, 234, 247
  - heat-emitting units, 249
  - high-pressure, 185, 242-244
  - loop-circuit installation, 186
  - low-pressure, 185
  - mechanical return, 186
  - medium-pressure system, 243
  - open (atmospheric) vapor system, 204-209
  - operating principle, 185
  - pipes and piping details, 248
  - piping circuit, 186



steam heating systems (*continued*)  
 proprietary systems, 228,  
 230-242

pumps, 249

steam boilers, 244-246

steam traps, 248-249

troubleshooting, 251-252

two-pipe, 186, 201

two-pipe, divided-circuit,  
 201-202

underfeed system, 186

unit heaters, 250

vacuum system, 185, 210-221

vapor system, 185, 202-210

Webster moderator systems,  
 238-242

steam traps, 248-249

Steel Boiler Institute, 8, 165,  
 485, 612

superheated steam, 19, 20

## T

tankless water heaters, 560-561

tapered main, 199-200

temperature limit controls, electric  
 furnaces, 464

thermal circulation, 24-25

thermal conductance (C-value),  
 29, 30-41, 46-47

thermal conductivity (k-value),  
 29-41

thermal hot-water heating  
 systems, 157

thermal overload protector,  
 electric furnaces, 470

thermal property, 75

thermal resistance (R-value), 29,  
 30-41, 46, 47-48

thermocouple, 302, 311

thermopile, 303, 311

thermostat

comfortable setting for, 264-265

electric furnaces, 459-461,  
 476-477

electric heating and cooling  
 systems, 285

gas furnaces, 300-301

maintenance and operation  
 of, 476-477

oil furnaces, 382

warm-air furnaces, 138, 284

transformer, electric furnaces, 468

troubleshooting

boilers, 565-568

chimney, 331-332, 333,  
 399-400, 430-431

coal furnaces, 448-451

electric furnaces, 477-480

electric heating systems,  
 270-271

furnaces, general, 289

gas furnaces, 363-373

hot-water heating system,  
 183-184

low-water cutoffs, 514-515

multi-fuel furnaces, 448-451

oil and gas conversion  
 burners, 602

oil furnaces, 411-417

steam heating systems,  
 251-252

warm-air heating systems,  
 146-148

wood furnaces, 448-451

try cocks, steam boilers,  
 522-523

Type A vent, 324, 555, 556

Type B vent, 324, 557

Type C vent, 324, 557, 558

## U

underfeed steam heating  
 system, 186

undersizing, 73

Underwriters Laboratories, Inc.,  
 (UL), 117, 324, 375, 453,  
 485, 612-613

uninsulated structures, 27

unit heaters, 250, 262-263

unit ventilators, 261

upflow highboy furnaces,  
 275-276

upflow lowboy furnace, 276

upgrade sizing method, 74-75

utility rates, determining,  
108-110  
U-value, 29, 42-45, 48, 59,  
80, 266

**V**

vacuum-relief valve, steam boilers,  
519-521  
vacuum steam heating systems,  
185, 210-221  
  automatic damper regulators,  
  216-218  
  combined atmospheric pressure  
  and vacuum system,  
  221-223, 225, 230  
  Dunham differential system,  
  236-239  
  mechanical vacuum system,  
  219-221  
  mercury seal, 214-215  
  natural vacuum system, 214-219  
  thermostatic valves, 215-216  
  Webster moderator systems,  
  238-242, 243  
valance units, 176, 179  
vapor barrier, 51  
vapor diffusion retarder  
  (VDR), 51  
vaporization, 20  
vaporizing oil burner, 389  
vapor retarders, 49-51  
vapor steam heating systems, 185,  
  202-210  
  closed vapor, 209-210  
  Trane system, 228, 230-233,  
  237, 238  
  Webster moderator systems,  
  238-242, 243  
variators, 239  
vent  
  gas furnaces, 326  
  oil furnaces, 392  
vent connector, 326  
ventilating system  
  and building size, 4  
  and building use, 3-4  
  and geographical location, 4

  factors influencing type and  
  design of, 3-4  
  and heating system, 3  
ventilation  
  boilers, 553  
  coal furnaces, 424, 427-430  
  combustion chambers, 580, 582  
  evolution of, 1  
  gas furnaces, 321-323  
  and heating compared, 3  
  importance of, 72  
  natural, 72  
  oil furnaces, 395, 397  
ventilation heat loss, 92-93  
venting  
  coal furnaces, 430  
  gas furnaces, 323-326  
  hot-water boilers, 553, 555-558  
  oil furnaces, 397-399  
  steam-heating systems, 249  
vent pipe, oil furnaces, 405  
vertical furnace, 286, 287

**W**

wall furnace, 285  
walls, insulating  
  basement, 63, 64  
  crawl space exterior, 63, 64  
  frame, 60, 61  
  masonry, 61-63  
  metal, 63  
  sandwich, 63  
  between separately heated  
  dwelling units, 64, 65  
warm-air furnaces, 137-138, 284  
warm-air heating systems, 3,  
  125-148  
  advantages of, 144-145  
  air cleaning, 141-142  
  balancing, 136-137  
  ceiling panel, 134  
  classification of, 125-127  
  control components, 138  
  cooling with, 140  
  crawl space plenum, 134-136  
  dehumidifiers, 144  
  disadvantages of, 146

- warm-air heating (*continued*)
    - ducts and duct sizing, 139
    - forced-air system, 125, 130-132, 136, 256-258
    - furnaces, 137-138
    - gravity system, 125, 128-130
    - humidifiers, 142-143
    - operating principle, 125
    - perimeter-loop, 132-133
    - troubleshooting, 146-148
    - zoning, 136
  - waste oil furnaces, 405-406, 407
  - water
    - defined, 22
    - maximum density, 24
    - weight per cubic foot at different temperatures, 22-23
  - water columns, steam boilers, 526
  - water gauges, steam boilers, 524-526
  - weather stripping, 5, 69
  - Webster electronic moderator steam heating systems, 239
  - wet return, 186, 192
  - wet steam, 19
  - windows, heat loss and, 5, 69
  - wiring
    - coal furnaces, 423-424, 425-427, 428
    - electric furnaces, 465, 467, 468-469, 470-471, 472-474
    - gas furnaces, 318-320
    - maintenance of, 475-476
    - oil furnaces, 394-395, 396
    - wood, as fuel, 120-122, 445-446
    - wood add-on furnaces, 437-438
    - Wood Energy Institute, 607, 613
    - wood furnaces
      - assembly and installation of, 441-442
      - design of, 436
      - maintenance, 443
      - operating principle, 419
      - operation, 444-446
      - troubleshooting, 448-451
    - Wood Heating Alliance, 607, 613
  - work
    - defined, 9
    - measuring, 9-10
  - work energy, 9
- Z**
- zoning
    - hot-water heating systems, 155, 156
    - warm-air heating systems, 136