

T/129274

136000



Lime and Lime Mortars

A D Cowper

First published in 1927 for
the Building Research Station
by HM Stationery Office, London

DONHEAD



CONTENTS

	PAGE
INTRODUCTION	1
SECTION	
I.—HISTORICAL	3
II.—THE PROCESS OF LIME BURNING	9
III.—CLASSIFICATION	16
IV.—THE USES OF LIME IN BUILDING	23
V.—LIMEWASHES	25
VI.—LIME PLASTER	29
VII.—POZZOLANAS	46
VIII.—MORTARS AND CONCRETE	51
IX.—SPECIFICATIONS	58
X.—BIBLIOGRAPHY	74
SHORT GLOSSARY OF TERMS	77
INDEX	79

LIST OF FIGURES

1. Chart showing Uses of different Types of Lime	facing 1
2. Map: The Distribution of the Chief Limestone-bearing Formations of Great Britain	facing 20
3. Sketch of Plasticimeter	30

INDEX

- Aberdo limestone, 21
 Aberthaw, 6, 21
 Additions to lime mortar, 7
 Adhesive power,
 of mortar, 52, 53, 54
 of plaster, 40
 Air-Slaked lime, 14, 23, 77
 Alberti, and lime putty, 31
 Ancient mortar, 4, 7, 46, 47, 51, 52
 Andernach, 8, 47, 78
 Arènes, 48
 Argillaceous, *see* Clay
 Aspdin, 7
 Asyút Nile Barrage, use of burnt clay
 in, 48
- Barrow, blue lias lime, 21
 Basalt, 48
 Bath limestone, 20
 Batten, J. D., 36
 Beilby, Sir G., 36
 Bibliography,
 classification, 22
 general, *Section X*, 74
 historical, 8
 lime burning, 14, 15
 limewashes, 28
 mortars and concrete, 56, 57
 plaster, 44, 45
 pozzolana, 49, 50
 specifications, 72, 73
 uses, 24
 Blue lias lime, VI, 6, 20, 21, 52
 Dond, in plaster, *see* Key
 Bricks, ground, in mortar, 48, 68, 69, 70
 see also Potsherds
 Burning,
 ancient, 3
 in slaking, 40, 55, 68
 lime-burning, *Section II*, 9
 Burnt clay, VI, 6, 48, 78
 Buxton lime, mountain limestone, 21, 71
- Calcium chloride, 25, 41
 Calcium silicates, 14, 48, 49
 Carbonation and recombination, 9, 11,
 12, 14, 23, 25, 36, 38, 47, 51, 52
 Carboniferous and mountain lime-
 stone, VI, 20, 21
 Carson blotter test for plasticity, 33
 Casein, 23, 26, 27, 28, 77
 Cementation index, 19
 Chalk lime, VI, 10, 20, 71
 Chemical composition, 9, 10, 11, 12, 14,
 16, 18, 19, 21, 47
 in specifications, 58, 59, 61, 63, 64,
 66
 Chemical lime, VI, 16
 Civita Vecchia, 7
 Classification, *Section III*, 16, 47, 60, 74
 Clay, Argillaceous matter, 6, 7, 10, 11,
 14, 16, 18, 19, 35, 77
- Clinker, in specifications, 48, 52, 54, 70,
 72
 Clunch, 20, 77
 Coarse stuff, VI, 43, 44
 specifications, 58, 61, 66, 67, 68, 70
 Cold water paints, 26
 Colloids, 37, 49, 72, 77
 Colour,
 of lime, 12, 20, 21, 22, 31, 52
 in specification, 63
 lime-fast, 27, 28
 Consistence, 17, 18, 33
 flow-table test for, 65, 66
 in specifications, 65, 66, 71
 Continuous kilns, 9, 12
 Contraction, *see* Shrinkage
 Cracks in plaster, 29, 38, 39
 see also Plaster failures
 Cretaceous deposits, 20
 Crete, old lime plaster in, 3
- Devonian Deposits, 20, 22
 Dibdin, 52, 53, 54, 75
 Dissociation of calcium carbonate, 9,
 11, 12, 13
 Distemper, *see* Whitewash
 Dolomite, dolomitic, 10, 19, 20, 21, 52,
 77
 Dolomitisation, 21, 77
 Drowning,
 in slaking, 40
 in specification, 67
- Eckel, 7, 19, 74
 Eddystone Lighthouse, 6, 47
 Efflorescence, 41, 69
 Egyptian Plaster, 3
 Eldred Process, in lime kilns, 13
 Emley, 32, 33, 34, 35, 61
 Expansion on slaking, 17, 18
- Fat limes (Class A), 16, 17, 39, 40, 44,
 46, 51, 52, 68
 Fibrous plaster, 3, 5, 77
 Finck, 25, 26
 Fineness, in specifications, 61, 62, 63,
 64, 66, 70
 Fine stuff, VI, 44
 specifications, 58, 61, 66, 67
 Flare kiln, 9
 Floating coat, 43, 44
 Fresco painting, 3, 31, 75, 77
 Fuel ash, 10, 12, 13
- Gaize, 48
 Gauging of plaster, 23, 24, 29, 41, 44
 " Gentlemen plasterers," 5
 Geology of lime, 19, 20, 74
 Grading of sand, 35, 53, 54
 specifications, 68, 70

- Grappiers, Grappier cement, 14, 63
- Greek,
grinding lime, 4
lime stucco, 3
- Grey lime, VI, 20, 22, 52
- Gypsum plaster (plaster of paris), 1, 3,
5, 6, 7, 23, 24, 41, 44, 68, 74, 77
- Hair (and fibre),
in plaster, 40, 42, 43, 44
specifications, 68
- Hawkboys, 6
- High calcium limes, VI, 16, 19
- Historical, *Section I*, 3, 74, 76
- Holyrood Palace, 5
- Hydrated lime, VI, 1, 8, 14, 23, 24, 25,
26, 27, 30, 31, 40, 55, 75
specifications, 58, 61, 62, 63, 66, 67,
68, 69, 70, 72
- Hydrator, 14
- Hydraulic index, 19
- Hydraulic limes, VI, 10, 11, 12, 17, 18,
19, 21, 52, 53, 54, 55, 56
mortars, VI, 4, 53, 56, 70, 71
specifications, 58, 64, 65, 66, 70, 71
testing, 17, 18
- Hydraulicity, 17, 18
- Intermittent kilns, 9
- Jaghary, 7
- Jurassic deposits, Oolitic and Liassic,
20, 21
- Kankar, 6, 77
- Keene's cement, 24, 41, 43
- Key, in plaster work, 29, 40, 41, 42, 43,
44
- Kilns, 1, 3, 9, 10, 11, 12, 13, 14
- Knocking up,
lime putty, 36, 37
mortar, 54, 55
- Kohlschütter,
theory of slaking, 36
- Laitance, 43, 78
- Lathing,
metal, 43
wood, 42
- Lean limes,
(Class B), VI, 17, 18, 35, 52, 53
specification, 58, 59, 60, 61, 62, 63,
64, 66, 67, 69, 70, 71
- Lias lime,
see Blue lias
- Lime burning, *Section II*, 9, 74, 76
concrete, 24, 51, 55, 56
fast pigments, 27, 28
putty, VI, 17, 23, 27, 30, 31, 33, 36,
37, 40, 41, 44
specification, 58, 66, 67, 68, 69, 70, 72
washes, *Section V*, 25, VI
- London County Council Byelaws,
plasterwork, 31
- Magnesian limes, VI, 7, 10, 13, 16, 18,
19, 20, 21, 31, 77,
slaking, 39, 40, 52, 55, 67
specification,
see Quicklime
- Marble dust,
in plaster and stucco, 4, 5, 44, 78
- Marl, VI, 20, 77, 78
- Mediaeval mortar, 4
- Mendip Hills, mountain limestone, 21
- Mortar, *Section VIII*, 51, VI
mill, 68, 70, 71
specification, 58, 61, 69, 70, 71, 72
- Mount Vesuvius,
pozzolanic earth, 4, 47
- Mountain limestone, VI, 10, 20, 21, 71
- Natural cement, 7, 14, 19, 24, 56, 74
- Nonsuch Palace, 5
- Oolitic limestones, VI, 10, 20
- Overburnt lime (hardburnt), 12, 13, 30,
55, 63, 68
- Painting Fresco,
see Fresco
- Pargetting, parging, 5
specification, chimney flues, 69, 72
- Parian cement, 24, 43
- Patent kiln, 9
- Permian deposits, dolomitic, 20, 21
- Pitting of plaster, 29, 30, 31, 55
in specifications, 63, 68, 69
test for, 31
- Plaster, lime, *Section VI*, 29
failures, 29, 30, 31, 38, 39, 41, 63, 68,
69
- Plaster of paris,
see Gypsum
- Plasterers' and pargettors' Guild, 5
- Plasticimeter, 32, 33, 34
- Plasticity, 29, 32, 33, 34, 37, 42, 44, 54
in specifications, 60, 61, 62, 63, 66,
71, 72
- Pliny, 4, 30
- Popping of plaster,
see pitting
- Portland cement, 1, 7, 9, 11, 14, 19, 24,
38, 39, 41, 46, 47, 48, 52, 53, 56,
74, 75, 76, 78
in specifications, 58, 60, 62, 64, 65,
66, 68
- Portland limestone, 20
- Pot kiln, 9
- Potsherds (pounded tiles, etc.), 4, 5, 48,
51
- Pozzuolana, *Section VII*, 46
analysis, average, 49
general, VI, 19, 24, 51, 52, 54, 56, 75
in history, 4, 5, 6, 7
in specifications, 58, 61, 69, 70, 71
test for properties, 48, 49
- Pozzuoli, VI, 47
- Pricking-up coat,
plaster, 43, 44
- Psammites, 48
- Purbeck limestone, 20
- Putty, lime, *see* Lime putty

- Quicklime, 23
specification, 58, 59, 60, 66, 67, 68, 70
- Raphael, and artistic plaster work, 5
- Renaissance, 5
- Rendering, concrete and masonry, 43
- Residue, from limes, 17, 18
specification, 58, 59, 64
- Ring kiln, 9, 10
- Roman
cement, 7, 24, 56
plaster and stucco, 4
pozzolanic mortars, 4, 46, 47
rubble masonry, 56
- Rotary kiln, 9
- Rubble masonry, ancient, 55, 56
- Rugby, blue lias lime, 21
- St. Paul's Cathedral, 6, 52
- Sampling of lime,
specifications, 58, 59, 60, 61, 62, 63,
64, 65
- Sand,
carrying capacity, 35, 39, 52, 54
general, 23, 29, 35, 40, 41, 43, 44, 46,
53, 54, 75
grading, 35, 54
in specifications, 62, 65, 66, 68, 69,
70, 71, 72
pozzolanic, 48
proportions, 43, 44, 53, 54
sea-sand, 41, 54, 68, 69, 70
- Sand-lime bricks, 24, 74
- Santorin earth, VI, 48, 78
- Schists, 48
- Screeds, 44
- Selenitic lime, 24, 78
- Setting, lime plaster and mortar, 36,
37, 51
- Setting,
coat, plaster work, 43, 44
colloid theory, 37
- Shale, 78
calcareous, 21
spent oil-, as pozzolana, 8, 48
- Shrinkage,
lime mortar and plaster, 29, 35, 38,
41, 44, 52
magnesian limes, 31
- Silica, active, 16, 18, 48
- Silicates, calcium, 14, 48, 49
- Silurian deposits, 20, 22
- Siripite, 24, 43
- "Si-Stoff," 48
- Slag, VI, 8, 48, 54, 78
cement, 48, 74
in specifications, 68, 69, 70, 72
- Slaking,
burning in, 40, 67
Class A limes, 17, 39, 40, 67
drowning in, 40, 67
- Slaking—*contd.*
general, 4, 5, 17, 18, 23, 30, 31, 35,
39, 40
hydraulic limes, 18, 55, 65, 71
in specifications, 58, 59, 61, 63, 64,
65, 66, 67, 68, 69, 71
lean, Class B limes, 18, 55, 67
magnesian limes, 31, 67
Smeaton, 6, 7, 47
Soundness, in specifications, 55, 61, 62,
63
see also Pitting
- Specifications, *Section IX*, 58
general, 75
hydrated lime, 61
hydraulic lime, 64
lime mortar, 69
lime putty, 66
pargetting of flues, 72
quicklime, 58
- Steam, in lime-kilns, 11
- Stone lime, VI
- Strength,
of mortar, 51, 52, 53, 54, 55, 56, 75
of plaster, 29, 35, 36, 38, 40
in specifications, 60, 64, 65, 66, 69,
70, 71
- Stucco, 3, 4, 5, 6, 24, 69, 78
- Suction, of plaster surface, 32, 33, 34,
38, 41, 42
- Sulphur (pyrites, etc.), 11, 30, 63,
68, 69, 72
- Surkhi, 6, 48, 78
- Tempering lime,
general, 30, 31, 33, 36, 37, 40, 52, 54
Greeks, and, 4, 6
in specifications, 61, 63, 67, 68
old practice, 6, 30
- Tetin, 47
- Three-coat work, in plastering, 43, 44
- Tosca, 47
- Trass, VI, 8, 47, 48, 76, 78
- Two-coat work, in plastering, 43, 44
- Underburnt lime, 12, 55
- Uses of lime, *Section IV*, 23
chart, Fig. 1, VI
- Vicat, 2, 17, 18, 23, 51, 75
Classification Scheme, chart, facing
p. 16
- Vitruvius, 4, 5, 30, 37, 51, 54, 75
- Volcanic ash, 4, 8, 46, 47, 48, 51
- Water,
in plaster and mortar, 41, 56
specification, 68, 69, 70
- Whitewash, 23, 25, 26, 28

