

---

# **THE HVAC HANDBOOK**

---

**Robert C. Rosaler, P.E.** Editor-in-Chief

**McGRAW-HILL**

**New York Chicago San Francisco Lisbon London Madrid  
Mexico City Milan New Delhi San Juan Seoul  
Singapore Sydney Toronto**

---

# CONTENTS

---

Contributors xi

Preface xv

## Part A Introduction

Chapter 1. History, Perspective and Trends in HVAC  
Design and Usage 1.3

---

## Part B System Design and Applications

Chapter 2. Basics 2.3

---

Chapter 3. Design Software 3.1

---

Chapter 4. HVAC Applications 4.1

---

Chapter 5. Cogeneration Systems 5.1

---

## Part C HVAC Operations

Chapter 6. Mechanical Systems Commissioning 6.3

---

Chapter 7. System Control Equipment 7.1

---

Chapter 8. Water Treatment 8.1

---

---

**Chapter 9. Energy Conservation** 9.1

---

**Chapter 10. Noise Control** 10.1

---

**Part D Managing Maintenance for HVAC**

---

**Chapter 11. Strategic Planning** 11.3

---

**Chapter 12. Types of Maintenance** 12.1

---

**Chapter 13. Managing Maintenance: In-House Versus Outsourcing** 13.1

---

**Chapter 14. Computerized Maintenance Management** 14.1

---

**Chapter 15. The Handheld Computer** 15.1

---

**Part E HVAC Components—Selection and Maintenance**

---

**Chapter 16. Heat Generation Equipment** 16.3

---

- 16.1. Boilers / 16.3
- 16.2. Burners and Fuels / 16.64
- 16.3. Burner Systems / 16.75

---

**Chapter 17. Heat Distribution Equipment** 17.1

---

- 17.1. Steam / 17.1
- 17.2. Hot-Water Systems / 17.26
- 17.3. Infrared Heating / 17.38
- 17.4. Electric Heating / 17.47
- 17.5. Solar Space Heating / 17.58
- 17.6. Unit Heaters / 17.67
- 17.7. Hydronic Cabinet Heaters / 17.93
- 17.8. Heat Exchangers / 17.119
- 17.9. Radiators for Steam and Hot Water Heating / 17.134
- 17.10. Radiant Panel Heating / 17.150
- 17.11. Snow-Melting Systems / 17.206
- 17.12. Heat Tracing / 17.213

---

**Chapter 18. Refrigeration Equipment** **18.1**


---

- 18.1. Refrigerants / 18.1
- 18.2. Positive Displacement Compressors/Chillers and Condensers / 18.18
- 18.3. Absorption Chillers / 18.40
- 18.4. Centrifugal Chillers / 18.74
- 18.5. Screw Compressors / 18.126
- 18.6. Heat Pumps / 18.151
- 18.7. Coils / 18.183
- 18.8. Condensate Control / 18.201
- 18.9. Desiccant Dehumidification / 18.252

---

**Chapter 19. Cooling Distribution Systems** **19.1**


---

- 19.1. Chilled Water and Brine / 19.1
- 19.2. All-Air Systems / 19.16
- 19.3. Direct Expansion Systems / 19.28
- 19.4. Cooling Towers / 19.39

**Part F Air Distribution Management and Maintenance**


---

**Chapter 20. Air Filtration and Air Pollution Control Equipment** **20.3**


---



---

**Chapter 21. Indoor Air Quality** **21.1**


---



---

**Chapter 22. Aerobiological Controls** **22.1**


---



---

**Chapter 23. Fans and Blowers** **23.1**


---

- 23.1. Selection and Application / 23.1
- 23.2. Installation and Maintenance / 23.41
- 23.3. Axial Vane Fans / 23.52

---

**Chapter 24. Variable-Air-Volume (VAV) Systems** **24.1**


---

**Part G Piping and Ductwork—Selection and Maintenance**


---

**Chapter 25. Pipe Systems** **25.1**


---

- 25.1. Piping Installation and Maintenance / 25.3
- 25.2. Water and Steam Piping / 25.18
- 25.3. Oil and Gas Piping / 25.25
- 25.4. Pumps for Heating and Cooling / 25.36
- 25.5. Valves / 25.73

---

**Chapter 26. Ductwork** **26.1**

---

26.1. Duct Sizing / 26.1

26.2. Duct Maintenance / 26.8

---

**Appendix A. Engineering Guide for Altitude Corrections** **A.1**

---

---

**Appendix B. Metric Conversion Tables** **B.1**

---

---

**Appendix C. Glossary of HVAC Terms** **C.1**

---

**Index** 1.1

# INDEX

- Absorption, definition, C.1
- Access door, definition, C.1
- Aerobiological controls, 22.1–21.18
  - air cleaning & disinfection, 22.5–22.12
  - applications & modeling, 22.12–22.14
  - epidemiology and pathology, 22.4, 22.5
  - indoor air, 22.1–22.3
  - microbe sources, 22.3, 22.4
- Air change, definition, C.1
- Air circulation, definition, C.1
- Air cleaner, definition, C.1
- Air conditioner, definition, C.1
- Air conditioner, unitary, definition, C.1
- Air conditioning, definition, C.1
- Air conditioning system, year-round, definition, C.1
- Air diffuser, definition, C.1
- Air filters:
  - for gaseous contaminants, 20.33–21.41
  - for particulates, 20.25–20.33
- Air filtration:
  - aerosols, liquid, 20.13, 20.14
  - contaminant effects, 20.14–20.22
- Air handler, definition, C.1
- Air motion, in rooms, 4.8, 4.9
- Air quality, 20.22–20.25
- Air, ambient, definition, C.1
- Air, recirculated, definition, C.1
- Air, ventilation, definition, C.2
- Air-handling unit, definition, C.1
- Altitude correction guide, A.1–A.25
  - adjustment for equipment type, A.2
  - load calculation, A.24
  - psychrometric air properties, A.1, A.2
  - system pressure loss, A.24, A.25
- Anemometer, definition, C.2
- Atomize, definition, C.2
- Baffle, definition, C.2
- Barometer, definition, C.2
- Blow (throw), definition, C.2
- Blower (fan), definition, C.2
- Blow-through HVAC systems
  - condensate drain line, 18.249–18.251
- Boilers, 16.3–16.9
  - cast-iron, 16.23
  - cast-iron sectional, 16.10, 16.11
  - design considerations, 16.14–16.17
  - design considerations, 16.23–16.25
  - electric type, 16.49–16.63
  - fire-tube, 16.6–16.10
  - fire-tube, 16.21–16.23
  - heat-recovery type, 16.38–16.43
  - operating pressure, 16.12, 16.13
  - operation and maintenance, 16.48
  - packaged boiler selection, 16.13, 16.14
  - for radiant panel heating, 17.168–17.171
  - solid-fuel type, 16.43–16.47
  - system selection, 16.25–16.29
  - types of, 16.4–16.12
  - unfired type, 16.47
  - water systems, high-temperature, 16.30–16.38
  - water-tube, 16.5, 16.6, 16.17–16.20, 16.30–16.38
- British thermal unit (BTU), definition, C.2
- Building automation & control
  - training required, 7.9
- Burner Systems, 16.75
- Burners, 16.64–16.68
  - controls for, 16.86–16.90
  - gas type, 16.75, 16.76
  - oil type, 16.76–16.81
  - solid-fuel type, 16.81–16.86
- Capacity reducer, definition, C.2
- Capillary tube, definition, C.2
- Carrier programs:
  - Block Load*, 3.29
  - Engineering Economic Analysis*, 3.29

- Carrier programs (*Cont.*):
  - Hourly Analysis Program*, 3.28–3.30
  - Refrigerant Piping Design*, 3.3
  - System Design Load Program*, 3.29
- Centigrade, definition, C.2
- Change of air, definition, C.2
- Charge, refrigerant, definition, C.2
- Chill, definition, C.2
- Chillers, absorption type, 18.40–18.73
- Chillers, absorption type:
  - applications, 18.45
  - charging solution data, 18.63–18.65
  - controls, 18.53–18.56
  - cycle description, 18.40–18.43
  - cycle description, 18.59–18.61
  - energy analysis of, 18.45–18.47
  - equipment of, 10.43–18.45
  - installation & insulation, 18.52
  - locating, 18.50
  - maintenance & operation, 18.56–18.58
  - maintenance & operation, 18.58–18.73
  - service safety procedures, 18.62, 18.63
  - service tools, care of, 18.61, 18.62
  - unit operation analysis; 18.65–18.75
  - unit selection, 18.47–18.50
- Chillers, centrifugal, 18.74–18.125
  - capacity control of, 18.79, 18.80
  - components & materials, 18.92–18.100
  - components of, 18.76–18.79
  - controls for, 18.85–18.87, 18.103–18.105
  - improvements & upgrades, 18.119–18.123
  - installation, 18.87–18.89
  - maintenance & operation, 18.89–18.92
  - performance of, 18.116–18.119
  - power consumption of, 18.80–18.84
  - ratings, 18.84, 18.85
  - refrigeration cycle, 18.74–18.86
  - reliability & maintenance, 18.105–18.116
  - repair vs. replacement, 18.123–18.125
- Chimney effect, definition, C.2
- Clean rooms, 4.9
- Cogeneration systems, 5.1–5.12
  - chillers, 5.1–5.3
  - generation control, 5.3–5.7
  - operational criteria, 5.7, 5.8
  - prime movers, 5.8–5.12
- Coil, definition, C.2
- Coil, cooling, definition, C.2
- Coils, 18.183–18.200
  - application & selection, 18.191–18.193
  - condenser type, 18.197–18.200
  - construction & arrangement, 18.183, 18.184
  - dehumidifying, 18.195, 18.196
  - design & application, 18.183–18.196
  - evaporator type, 18.196, 18.197
  - heat-transfer, 18.194, 18.195
  - types of, 18.184
- Comfort zone, definition, C.2
- Commissioning, 6.3, 6.4
  - checklist, 6.28–6.31
  - introduction, objectives, 6.3–6.11
  - overview, 6.6–6.14
  - practical considerations, 6.13, 6.14
  - purpose, results, 6.4–6.5
  - sample specification, 6.16–6.30
  - specifications, 6.14–6.31
  - training and manuals, 6.11, 6.12
- Commissioning, controls systems, 6.31–6.40
- Compression, definition, C.2
- Compressors, positive displacement, 18.18–18.25
  - reciprocating type, 18.18–18.23
  - screw and scroll types, 18.23–18.25
- Compressors, screw:
  - history & design, 18.126
  - semihhermetic type, 18.148–18.150
  - single-screw type, 18.146–18.148
  - twin-screw type, 18.126–18.150
- Computer rooms, 4.9–4.12
- Concept design procedures, 2.4–4.12
- Condensate, definition, C.2
- Condensate control, 18.201–18.282
  - air handler, fan position critical, 18.214–18.217
  - air supply system, humidity-temperature of, 18.211–18.214
  - drain lines, 18.217–18.228
  - drain pans, 18.204–18.211
  - drips & carryover, 18.202–18.204
  - system remediation & maintenance, 18.228–18.242
- Condensate load, 17.22
- Condensation, definition, C.3
- Condenser, definition, C.3
- Condensers, 18.34–18.39
  - air-cooled type, 18.36–18.38
  - evaporative-cooled type, 18.39
  - water-cooled type, 18.38, 18.39
- Condensing unit, definition, C.3
- Conduction, definition, C.3
- Conduit, definition, C.3
- Connecting rod, definition, C.3
- Control, definition, C.3
- Control equipment, 7.1–7.16
- Control networks, 7.1–7.14
- Controls, for radiant panel heating, 17.171–17.175
- Convection, definition, 17.152, C.3
- Cooling distribution systems, all-air systems:
  - induction unit system, 19.21–19.23
  - dual-duct system, 19.25–19.27
  - multizone system, 19.19–19.21
  - single-zone constant-volume systems, 19.16–19.19
  - variable-air-volume system, 19.23–19.25

- Cooling distribution systems, chilled water & brine, 19.1–19.15
  - brine, 19.8–19.11
  - distribution systems, 19.4–19.6
  - installation & monitoring, 19.6–19.8
  - stratified chilled-water storage system, 19.11–19.15
  - system description & arrangement, 19.1–19.4
- Cooling distribution systems, direct expansion systems, 19.28–19.38
  - applications of, 19.35, 19.36
  - design considerations, 19.36–19.38
  - equipment, 19.30–19.35
  - system description, 19.1–19.4
- Cooling towers, 19.39–19.86
  - construction materials, 19.61, 19.73, 19.74
  - energy management, 19.62–19.67
  - fill for, 19.50–19.53, 19.77–19.79
  - heat exchange calculations, 19.45–19.50
  - influences on performance, 19.54, 19.55
  - inspection, 19.81, 19.82
  - and Legionnaires' disease, 4.1
  - maintenance & inspection, 19.74–19.76
  - mechanical equipment, 19.79–19.81
  - noise in, 10.27, 10.28
  - repair and troubleshooting, 19.82–19.86
  - role & impact on HVAC, 19.69–19.71
  - safety considerations, 19.81
  - types, 19.39–19.44, 19.71–19.73
  - typical components, 19.56–19.60
  - water distribution system, 19.76, 19.77
  - wintertime operation, 10.67–19.69
- Corrosion, 8.12–8.21
  - cost of, 8.2–8.5
- Cycle, refrigeration (absorption), definition, C.3
- Cycle, refrigeration (mechanical), definition, C.3
- Damper, definition, C.3
- Damper, fire, definition, C.3
- Decibels, 10.5–10.8
- Defrosting, definition, C.3
- Degree day, definition, 17.152
- Dehumidification, definition, C.3
- Dehydrate, definition, C.3
- Design software, 3.1–3.31
  - carrier programs, 3.28–3.30
  - heating and cooling loads, 3.1–3.3
  - Trane programs; 3.4–3.27
- Design temperature, definition, 17.152
- Desiccant dehumidification, 18.252–18.282
  - applications, 18.261–18.271
  - commercial systems, 18.275–18.280
  - controls for, 18.271–18.275
  - psychrometric aspects, 18.253–18.256
- Desiccant dehumidifiers, 18.258–18.261
- Dew point, definition, C.3
- Digital controls, programming, 7.11, 7.12
- Draft, definition, C.3
- Draw-through HVAC systems
  - condensate drain line, 18.217–18.227
- Drier (dryer), definition, C.3
- Dry, definition, C.3
- Duct, definition, C.3
- Duct design software, 3.14–3.21
- Duct maintenance, 26.8–26.20
  - duct cleaning procedures, 26.16–26.20
  - ductwork definition, 26.8
- Duct silencers, 10.28–10.35
- Duct sizing, 26.1, 26.2
  - computer method, 26.3–26.7
  - manual method, 26.2, 26.3
- Duct walls, sound transmission, 10.35–10.39
- Ducted systems, noise analysis of, 10.89–10.99
- Electric heating, 17.47–17.57
  - baseboard heaters, 17.52
  - circuit design, 17.56
  - convectors, 17.51
  - heaters, unit, 17.52
  - hot-water systems, 17.50
  - infrared heaters, 17.52
  - radiant convector wall panels, 17.53
  - sizing, 17.55, 17.56
  - system selection, 17.47–17.50
  - valence, cornice, cove heaters, 17.62, 17.63
  - ventilators, unit, 17.52
  - warm-air systems, 17.50
- Energy conservation, 9.1–9.10
  - determining potential, 9.2–9.8
  - maintenance of savings, 9.1
  - program definition, 9.8, 9.9
  - program implementation, 9.9, 9.10
- Energy management concepts
  - training required, 7.8
- Entrainment, definition, C.4
- Evaporative cooling, 4.5, 4.6
- Evaporator, definition, C.4
- Exfiltration, definition, C.4
- Exhaust opening, definition, C.4
- Exhaust systems, in HVAC applications, 4.16–4.22
- Facility management, perspective, 1.5
- Fan coil unit, definition, C.4
- Fan motors, lubrication & maintenance, 23.44–23.46
- Fan noise, 23.50, 23.51
- Fan troubles & corrections, summary of, 23.46–23.48
- Fans:
  - start-up, 23.48–23.50
  - V-belt drives

- Fans & blowers, 23.1–23.59
  - axial-flow fans, 23.5–23.9
  - centrifugal fans, 23.9, 23.1
  - fan construction, 23.25–23.31
  - fan laws, 23.2–23.21
  - fan noise, 23.21–23.25
  - fan selection, 23.31–23.39
  - requirements of, 23.1–23.3
  - selection & application, 23.1–23.4
  - types of, 23.3
- Fans & blowers, installation & maintenance, 23.41–23.59
  - alignment of, 23.43, 23.44
  - assembly of, 23.43
  - foundations for, 23.41, 23.42
  - safety precautions, 23.57–23.59
- Fans, axial vane, 23.41
  - adjustable & fixed-pitch types, 23.53–23.55
  - adjustable-pitch belt drive type, 23.55–23.57
  - controllable-pitch types, 23.52–23.59
- Fans, fiberglass, special precautions, 23.44
- Fiberglass, in noise control, 10.115–10.122
- Filter, definition, C.4
- Filter drier (dryer), definition, C.4
- Fire and smoke control, 4.6
  - dampers, 4.6, 4.7
- Fluid, definition, C.4
- Freeze protection, 17.22, 17.23
- Freezing point, definition, C.4
- Fuels, 16.68–16.74
- Furnace, definition, C.4
  
- Gage (gauge), definition, C.4
- Gas (fuel), definition, C.4
- Gas (inert), definition, C.4
- Glossary, HVAC terms, C.1–C.7
- Gravity (specific), definition, C.4
- Grille, definition, C.4
  
- Handheld computer, 15.2–15.4
  - application to drawings, 15.7
  - application to labeling, 15.7
  - application to manuals, 15.7–15.9
  - usage problems, 15.1–15.13
- Handheld computer applications, 1.7–1.8
- Heat exchangers, applications, 17.119, 17.120
- Heat, definition, C.4
- Heat exchanger, definition, C.4
- Heat exchangers, 17.119–17.134
- Heat exchangers, plate type
  - gasket and plate protection, 17.129–17.131
  - maintenance of, 17.125–17.129
  - operation of, 17.121–17.125
- Heat exchangers, shell & tube type, operation and maintenance, 17.132, 17.133
- Heat pump, definition, C.4
- Heat pumps, 18.151–18.182
  - electric, 17.53–17.55
  - ground source type, 18.151–18.171
  - types, 17.56, 17.57
- Heat pumps, air-source:
  - operation basics, 18.171–18.176
  - performance ratings, 18.174–18.176
- Heat pumps, geothermal:
  - applications & benefits, 18.170, 18.171
  - closed loop system, 18.166–18.168
  - definition, 18.152, 18.153
  - open loop system, 18.168, 18.169
  - operation, 18.153–18.154
  - performance ratings, 18.154, 18.155
  - refrigeration cycle, 18.156–18.166
  - thermodynamics laws, 18.55, 18.156
  - thermodynamics laws, 18.169
- Heat pumps, water-source, 18.180, 18.181
  - electrical controls, 18.178–18.180
  - ladder diagrams, 18.181, 18.182
  - refrigerant controls, 18.181, 18.182
- Heat tracing, 17.213–17.219
  - definition, 17.213
  - design, 17.213–17.217
  - installation and controls, 17.217–17.219
- Heat transmission, definition, C.4
- Heat, latent, definition, C.4
- Heat, sensible, definition, C.4
- Heaters, unit, 17.67–17.92
  - centrifugal blower type, 17.70
  - classification, 17.69–17.74
  - connection for, 17.75–17.77
  - controls for, 17.86
  - fuel oil type, 17.73, 17.74
  - gas types, 17.72, 17.73
  - horizontal delivery type, 17.70
  - location guidelines, 17.87–17.91
  - profile classifications, 17.74, 17.75
  - propeller fan type, 17.69, 17.70
  - repair vs. replacement, 17.91, 17.92
  - selection of, 17.78–17.81
  - steam or hot water type, 17.70–17.72
  - system comparisons, 17.68, 17.69
  - vertical delivery type, 17.70
- Heating and cooling loads
  - computer method, 3.3
  - manual method, 3.3
- Heating load, for unit heater applications, 17.75–17.78
- Heating, perimeter, in HVAC applications, 4.7
- High side, definition, C.4
- Hot-water systems, 17.26–17.31
  - classes of, 17.26, 17.27
  - design of, 17.27–17.29
  - mechanical and control equipment, 17.37
  - pipng layout, 17.29–17.35
  - venting and expansion tanks, 17.36, 17.37
- Humidifier, definition, C.4
- Humidistat, definition, C.5
- Humidity, relative, definition, C.5

- HVAC applications, 4.1–4.23  
 equipment maintenance considerations, 4.2–4.4  
 noise and vibration considerations, 4.4
- HVAC design perspectives, 1.3–1.8
- Hydrologic cycle, 8.6
- Hydronic cabinet heaters, 17.88–17.93  
 heating-only type, 17.93–17.95
- Hydronic cabinet units:  
 heating and cooling type, 17.115–17.196  
 heating, cooling, ventilating type, 17.96, 17.97  
 selection of, 17.97–17.119
- Indoor air quality (IAQ), 21.10–21.160  
 aerobiology, 21.2, 21.3  
 building occupants, role of, 21.3–21.6  
 contaminant sources, 21.3–21.5  
 factors affecting, 21.2, 21.3  
 pollutant pathways, 21.5  
 program management, 21.8–21.16  
 role of HVAC system, 21.4  
 standards, 21.6, 21.7
- Induction, definition, C.5
- Infection control, in open water systems, 8.65, 8.66
- Infiltration, definition, 8.65, 8.66, C.5
- Infrared heating, 17.38–17.46  
 electric type, 17.3  
 gas-fired type, 17.38, 17.39  
 types and applications, 17.38
- Insulation, thermal, definition, C.5
- Legionnaires' disease, discussion & myths, 4.1
- Liquid chiller systems, types of, 18.25–18.34
- Liquid line, definition, C.5
- Louver (louver), definition, C.5
- Low side, definition, C.5
- Main (trunk line), definition, C.5
- Maintenance:  
 benchmarking, 11.4–11.7  
 performance indicators, 12.4, 12.5  
 strategic planning, 11.3–11.9  
 worst and best practice, 11.7, 11.8
- Maintenance management, CMMS systems:  
 application of, 14.7, 14.8  
 handheld computer usage, 15.1–15.13  
 implementation, 14.8–14.11  
 requirements, 14.5–14.7
- Maintenance management, computerized, 14.1–14.14  
 software (CMMS) systems, 14.2–14.14
- Maintenance management, CMMS systems, planning of, 14.1, 14.2
- Maintenance, in-house vs. outsourcing, 13.1, 13.12  
 decision methodologies, 13.1, 13.12
- Maintenance, outsourcing:  
 contractor transition, 13.11, 13.12  
 selection and proposals, 13.5–13.11  
 setting expectations, 13.4, 13.5  
 utilizing subcontractors, 13.3, 13.4
- Maintenance:  
 predictive, 12.2  
 preventive, 12.1, 12.2  
 proactive, 12.3, 12.4  
 types of, 12.1–12.5
- Makeup air, outdoor, 4.7
- Makeup air unit, definition, C.5
- Manometer, definition, C.5
- Meter, definition, C.5
- Metric conversion tables, B.1, B.2
- Motor, air (pneumatic), definition, C.5
- Muffler, noise reducing, definition, C.5
- Multizone system, definition, C.5
- Network systems, current and future direction, 7.13
- Noise:  
 ambient levels, 10.59  
 in cooling towers, 10.27–10.28  
 of fans, 4.4, 10.23–10.26  
 in unit heaters, 17.81–17.86
- Noise and vibration, in HVAC applications, 4.4
- Noise control, 10.1–10.123
- Noise control software, *TRANE Acoustics Program*, 3.22
- Noise criteria, 10.39–10.52
- Noise reduction, 10.39–10.52  
 acoustic louvers, 10.99–10.103  
 acoustic plenums, 10.112–10.115  
 enclosure and partition design, 10.56–10.73  
 fiberglass safety considerations, 10.115–10.122  
 with individual air-handling units and insertion loss, 10.121–10.123  
 silencing applications, 10.103–10.106
- Noise, fan, 23.21–23.25
- Occupancies:  
 clean rooms, 4.9  
 computer rooms, 4.9–4.12  
 offices, 4.12, 4.13  
 test cells, 4.13–4.16
- Offices, 4.12, 4.13
- Oil separator, definition, C.5
- Overall coefficient of heat transfer (U), definition, 17.153
- Oxygen permeation, definition, 17.152
- Piping, refrigerant systems, 25.20–25.22
- Piping installation & maintenance, 25.1–26.15  
 installation guidelines, 25.2–25.6  
 safety considerations, 25.10, 25.11

- Piping installation & maintenance (*Cont.*):  
 system components, 25.6–25.10  
 system pressure testing, 25.11, 25.12  
 servicing procedures, 25.12–25.15  
 system & component guidelines, 25.1, 25.2
- Piping, oil & gas, 25.23–25.33  
 gas piping, 25.31–25.33  
 oil piping, 25.23–26.31
- Piping, water & steam, 25.16–25.22  
 hydronic (water) systems, 25.16–25.18  
 steam systems, 25.19–25.20
- Plenum chamber, definition, C.5
- Pneumatic, definition, 65
- Pollution control equipment, 20.1–20.53  
 contaminants, 20.20–20.22  
 for gaseous contaminants, 20.4–20.41, 20.50–20.52  
 for particulates, 20.41–20.50
- Pontiac Fever, 8.31
- Power roof ventilator, definition, C.5
- Preliminary design phase, 2.12–2.15
- Pressure drop, definition, C.6
- Pressure, absolute, definition, C.6
- Pressure, atmospheric, definition, C.6
- Pressure, static, definition, C.6
- Pressure, total, definition, C.6
- Pressure, velocity, definition, C.6
- Process loads, 4.8
- Psychrometer, definition, C.6
- Psychrometric chart, 19.48
- Pumps:  
 for heating and cooling, 25.34–25.70  
 centrifugal suction types, 25.39–25.43  
 centrifugal types, 25.34–25.51  
 in closed systems, 25.56–25.68  
 in heating systems, 25.54–25.56  
 in HVAC system designs, 25.52–25.54  
 parallel & series operation, 25.38, 25.39  
 positive-displacement types, 25.51, 25.52  
 for radiant panel heating, 17.167, 17.168  
 in refrigeration systems, 25.68–25.70  
 regenerative turbine type, 25.49  
 submersible & self-priming, 25.47, 25.48  
 vertical multistage types, 25.43–25.47
- Radiant barrier, definition, 17.152
- Radiant panel heating, 17.150–17.205  
 applications and history, 17.153  
 boilers for, 17.168–17.171  
 ceiling panels, 17.151  
 controls for, 17.171–17.175  
 definition, 17.150  
 design considerations, 17.154–17.160  
 equipment selection, 17.194, 17.195  
 floor panels, 17.152  
 installation, 17.195–17.204  
 manifolds for, 17.163, 17.164  
 media, heat transfer, 17.164–17.167  
 piping arrangements, 17.202–17.204  
 pumps for, 17.167, 17.168  
 supplementary heat, 17.192–17.194  
 system components, 17.160–17.175  
 system design, 17.154–17.160  
 tubing for, 17.197–17.202  
 wall panels, 17.151
- Radiation, definition, C.6
- Radiator, definition, C.6
- Radiators:  
 application & selection, 17.143–17.145  
 automatic control, 17.146–17.149  
 enclosures for, 17.137–17.142  
 heating elements for, 17.134–17.137  
 piping arrangements for, 17.145, 17.146  
 ratings of, 17.142, 17.143  
 for steam & hot water, 17.134–17.149
- Reactive control, definition, 17.152
- Refrigerant, definition, C.6
- Refrigerant maintenance, 18.12–18.16  
 equipment & procedures, 18.13, 18.14  
 goals, 18.13  
 program planning, 18.14–18.17
- Refrigerant Piping Design, 3.30
- Refrigerant selection, 18.1–18.12  
 criteria, 18.1–18.5  
 materials compatibility, 18.11, 18.12
- Refrigerant types, 18.5–18.9
- Refrigeration systems, 18.1–18.11
- Register, definition, C.6
- Return air, definition, C.6
- Saturation, definition, C.6
- Self-noise, of room terminal units, 10.106–10.111
- Sight glass, definition, C.6
- Silencers, application of, 10.77–10.89
- Snow-melting systems, 17.206–17.209  
 controls for, 17.212  
 electric type, 17.210–17.212  
 load determination, 17.206–17.209  
 radiant type
- Solar space heating, 17.58–17.66
- Sound:  
 nature of, 10.1–10.4  
 propagation of, 10.12–10.19  
 speed of, 10.4, 10.5  
 transmission loss, 10.19
- Sound absorption, in rooms, 10.73–10.76
- Sound power levels, 10.9–10.11
- Speech interference levels, 10.52
- Steam, definition, C.6
- Steam heating systems, 17.1–17.25  
 flash tanks for, 17.24, 17.25  
 piping supports for, 17.23  
 steam separators for, 17.25  
 steam traps for, 7.13–17.21

- strainers for, 17.24
- valves for, 17.24
- Strainer, definition, C.6
- Sun effect, definition, C.6
- System control equipment, 7.1–7.16
  - applications, 7.4
  - failure, 7.4–7.6
  - fundamental devices, 7.2, 7.3
  - maintenance procedures, 7.9, 7.10
  - programming, 7.14, 7.15
  - training requirements, 7.6–7.9
  - types of, 7.3
- System, duct, definition, C.6
  
- Temperature, definition, C.6
- Temperature drop, definition, C.6
- Temperature, dry-bulb, definition, C.7
- Test cells, HVAC for, 4.13–4.16
- Thermal conductance, definition, 17.152
- Thermal conductivity, definition, 17.152
- Thermal mass, definition, 17.152
- Thermal resistance, definition, 17.152
- Thermal resistivity, definition, 17.152
- Ton of refrigeration, definition, C.7
- Trane software programs:
  - SYSTEM ANALYZER*, 3.4–3.6
  - TOPSS*, 3.14–3.18
  - TRACE 700*, 3.6–3.14
  - TRACE 700 LOAD DESIGN*, 3.8
  - TRANE 700 LOAD EXPRESS*, 3.21–3.22
  - TRANE ENGINEERING TOOLBOX*, 3.22–3.28
  - VARITRANE DUCT DESIGNER*, 3.18–3.21
- Transmission (thermal), definition, 17.152
  
- Unit, definition, C.7
  
- Valves for heating & cooling, 25.71–25.93
  - angle valves, 25.72
  - ball valves, 25.72
  - ball valves, 25.87
  - butterfly valves, 25.76
  - cavitation resistance, 25.92, 25.93
  - fire integrity, 25.87–25.89
  - gate valves, 25.72, 25.86, 25.87
  - globe valves, 25.72
  - isolation & balancing, 25.69–25.93
  - plug valves, 25.75, 25.87
  - reduced-port valves, 25.72
  - sealing of, 25.71–25.89
  - tapered plug valves, 25.72
  - control precision, 25.91, 25.92
  - Y valves, 25.72
- Vapor barrier, definition, 17.152
- Variable-air-volume (VAV) systems, 24.1–24.39
  - fan catalog rating deviations, 24.25–24.29
  - fan control sensor location, 24.29–24.33
  - fan modulation methods, 24.22–24.25
  - fan selection for, 24.33–24.37
  - indoor air quality (IAQ) checklist, 24.38, 24.39
  - return-air fans for, 24.37, 24.38
  - system design, 24.1–24.22
  
- Water chemistry, 8.5–8.12
  - dissolved gases, 8.8
  - dissolved minerals, 8.1–8.12
  - impurities, 8.6–8.8
  - sulfur oxides, 8.9
- Water hammer, 17.22
- Water treatment, 8.1–8.75
  - abrasives separators, 8.36, 8.37
  - of boilers, open and closed systems, 8.38, 8.39
  - deaerators, 8.35, 8.36
  - dealkalizers, 8.33
  - foulants, 8.33–8.35
  - free cooling, 8.27–8.31
  - nonchemical treatments, 8.37, 8.38
  - pretreatment equipment, 8.39–8.74
  - reasons for, 8.32–8.39
  - scale and deposits, 8.1
  - scale and sludge deposits, 8.3–8.5
  - water softeners, 8.21–8.27, 8.32, 8.33