

COMMERCIAL
ENERGY AUDITING
Reference Handbook

Steve Doty, PE, CEM



THE FAIRMONT PRESS, INC.



CRC Press
Taylor & Francis Group

Table of Contents

Introduction.....	xi
To the Reader.....	xiii
User Guide.....	xv
Suggested References.....	xvii
SECTION I—SPECIFIC INFORMATION	1
Chapter 1 - Benchmarking.....	3
Differentiating by Energy Source.....	3
Energy Use Intensity.....	4
Limitations of EUI.....	4
Calculating EUI.....	4
Mixed EUI.....	5
Production EUI.....	5
Energy End Use Distribution.....	6
Energy Cost as a Percent of Total Operating Cost.....	6
Limitations of Using Benchmark Data.....	6
Chapter 2—Analyzing Energy Use Graphs	9
Intuitive Information.....	9
Comparative Information.....	10
Weather Dependence	13
Load Factor Effect on Energy Cost	14
Business Volume (Production Rates).....	16
Savings Opportunities.....	19
Chapter 3—Energy Saving Opportunities by Business Type	21
Apartment Buildings/Multi-Family/Dormitories.....	21
Churches/Worship.....	24
Data Centers.....	26
Education—Colleges and Universities.....	28
Education—Schools K-12.....	31
Food Sales—Grocery Stores.....	34
Health Care—Hospital	36
Health Care—Non Hospital	38
Laundries—Commercial.....	41
Libraries/Museums.....	42
Lodging/Hotels/Motels	44
Office Buildings.....	47
Food Service	50

Retail/Sales	53
Warehouses.....	56
Boilers.....	58
Chillers	58
High Rise	59
Pools	59
Ice Rinks.....	61
Chapter 4—Manufacturing	63
Process Analysis	63
Example Manufacturing Process Flow Chart.....	65
Desire for Energy Use to Follow Production Rates.....	65
Primary Energy Use Sources	65
Production Scheduling.....	66
Maintenance.....	66
Controls.....	66
Some Common ECMs for Manufacturing.....	67
Chapter 5—ECM Descriptions.....	73
ECM Descriptions—Envelope.....	73
ECM Descriptions—Lighting.....	75
ECM Descriptions—HVAC.....	77
ECM Descriptions—Swimming Pools	93
ECM Descriptions—Heat Recovery	95
ECM Descriptions—Thermal Storage (TES).....	99
ECM Descriptions—Electrical.....	102
ECM Descriptions—Other	103
Chapter 6—Utility Rate Components.....	105
Electric.....	105
Gas	109
Chapter 7—Automatic Control Strategies.....	111
Cost/Benefit Ratio for Control System ECMs.....	111
Control System Application Notes	113
Lighting Control Strategies—Basic.....	113
HVAC Control Strategies—Basic	114
Lighting Control Strategies—Advanced.....	127
HVAC Control Strategies—Advanced	127
Other Control Sequences.....	134
Other Ways to Leverage DDC Controls.....	135
Chapter 8—Building Operations and Maintenance	137

Facility Repair costs	137
Maintenance Value.....	137
Poor Indoor Comfort and Indoor Air Quality Costs.....	137
Productivity Value.....	138
Maintenance Energy Benefits.....	139
Chapter 9—Quantifying Savings.....	153
Establishing the HVAC Load Profile	154
Load-Following Air and Water Flows vs. Constant Flow (VFD Benefit)...	159
VAV System Fan Savings Reduction for Maintaining Downstream Pressure.....	165
Supply Air Reset vs. Reheat – Constant Volume	166
Supply Air Reset with VAV vs. Increased Fan Energy.....	167
Condenser Water Reset vs. Constant Temperature	176
Chilled Water Reset for Variable Pumping vs. Increased Pump Energy ...	181
Water-Side Economizer vs. Chiller Cooling	184
Higher Efficiency Lighting vs. Existing Lighting	193
Higher Efficiency Motors vs. Existing Motors.....	196
Higher Efficiency Chiller vs. Existing Chiller	200
Higher Efficiency Boiler vs. Existing Boiler.....	201
Hot Water Reset From Outside Air vs. Constant Temperature	204
Reduce Air System Friction Losses – Constant Volume	208
Computer Modeling	210
Measurement and Verification (M&V).....	212
Chapter 10—Sustaining Savings.....	215
Tendency for initial savings to deteriorate	215
Maintaining initial savings	215
Checklist for service access and operations.....	216
SECTION II—GENERAL INFORMATION	219
Chapter 11—Mechanical Systems.....	221
Relative Efficiency of Air Conditioning Systems.....	221
Glossary of Basic HVAC System Types.....	221
Water-cooled vs. Air Cooled.....	224
Thermal Energy Transport Notes.....	224
Chillers.....	225
Part Load Chilled Water System Performance.....	228
Cooling Towers and Evaporative Fluid Coolers.....	232
Dry Coolers	234
Electronic Expansion Valves	234
Air and Water System Resistance.....	235

Fan/Pump Motor Work Equation	236
Fan and Pump Efficiencies, and Belt Drive Efficiencies	237
Fan and Pump Throttling Methods	238
Thermal Break-Even Concept for Buildings.....	239
Air-Side Economizer.....	240
Computer Room Air Conditioning (Data Center).....	244
Cooling Energy Balance for Heat Producing Equipment.....	246
Humidifiers.....	246
Kitchen Grease Hoods (Type 2).....	249
Heat Pumps.....	250
Refrigeration Cycle.....	253
Evaporative Cooling.....	255
Spot Cooling.....	262
VAV Reheat Penalty	263
Glycol vs. Efficiency.....	263
Cost of Ventilation.....	267
Simultaneous Heating and Cooling.....	268
Chapter 12—Motors and Electrical Information.....	269
Motor Efficiencies.....	269
Voltage Imbalance.....	270
Sources of Electric Motor Losses.....	273
Power Factor Correction Capacity Quick Reference Chart.....	274
Chapter 13—Combustion Equipment and Systems	277
Cost of Steam	277
Range of Combustion Efficiency	277
Combustion Efficiency Nomograph.....	278
Boiler Heating Output When Only	
Heating Surface Area is Known.....	279
Boiler Standby Heat Loss (Boiler Skin Loss) at Full Load	279
Estimated Losses from Boiler Short Cycling	280
Dampers and Boiler Isolation Valves.....	281
Estimated Savings of Steam System Improvement.....	284
Chapter 14—Compressed Air	289
Estimated Savings of Compressed Air Improvements.....	289
Chapter 15—Fan and Pump Drives	293
Fan Drive Efficiency Comparison Diagram	293
Cog Belts Instead of Standard V-Belts.....	294
Variable Speed Drive Considerations.....	294

Chapter 16—Lighting	297
Lighting terms.....	298
Dimming.....	298
Light Colored Surfaces	299
General Lighting Information	300
Typical Recommended Lighting Levels.....	302
Occupancy Sensor Energy Savings.....	304
 Chapter 17—Envelope Information.....	 305
BLC Heat Loss Method.....	305
R-Value Reduction from Stud Walls	306
Glazing Properties.....	307
Infiltration.....	310
 Chapter 18—Water and Domestic Water Heating.....	 311
Water Consumption for Water-cooled Equipment.....	311
Blowdown vs. Cycles of Concentration.....	311
Plumbing Water Points of Use.....	312
Domestic Water Heaters.....	312
Domestic Water Heater Stand By Losses	313
 Chapter 19—Weather Data	 315
Degree Days	315
Bin Weather Data.....	316
Weather by Days and Times	317
 Chapter 20—Pollution and Greenhouse Gases	 321
Emission Conversion Factors by Region	321
Greenhouse Gas Relationship to Energy Use.....	321
Emissions from Burning Fossil Fuels.	324
Pollution-conversion to Equivalent Number of Automobiles.....	325
Other Environmental Considerations.....	326
 Chapter 21—Formulas and Conversions	 327
Common Energy Equations.....	327
Other Useful Formulas	337
Energy Conversion Factors.....	339
 APPENDIX.....	 341
Glossary of Terms.....	341
Conflicting ECMs and 'Watch Outs'	345
Types of Energy Audits	348

Pressure-Temperature Charts for Refrigerants.....	349
Cost Estimating—Accuracy Levels Defined.....	354
Simple Payback vs. Internal Rate of Return (IRR).....	355
Heat Loss from Uninsulated Hot Piping and Surfaces.....	358
Heat Loss from Insulated Piping.....	358
Duct Fitting Loss Coefficients.....	359
Evaporation Loss from Water in Heated Tanks.....	361
Bin Weather Data for 5 Cities (dry bulb).....	362
Altitude Correction Factors at Different Temperatures.....	363
Energy Use Intensity (Em)—per SF—by Function and Size.....	364
Energy Use Intensity (Em)—per SF—by Function and Climate Zone.....	365
Energy Use Intensity (Em)—per SF—by Function, Climate Zone and Size.....	365
Energy Use Intensity (Em)—per SF—Measured at One Data Center.....	370
CBECS Climate Zone Map.....	370
Building Use Categories Defined (CBECS).....	371
Operating Expenses: Percent that are from Utility Costs.....	375
Energy Use Intensity (EUI)—per SF—for Some Manufacturing Operations.....	377
Energy Use Intensity (Em)—in Production Units—Some Mfg. Operations.....	378
ASHRAE 90.1—Items Required for All Compliance Methods.....	379
Top 15 Emerging Technologies—2002 (DOE).....	384
HVAC Retrofits for the Three Worst Systems.....	385
Service Life of Various System Components.....	388
Equating Energy Savings to Profit Increase.....	390
Integrated Design Examples.....	394
Energy Audit Approach for Commercial Buildings.....	395
Energy Audit Look-for Items.....	397
Sample Pre-audit Customer Questionnaire.....	401
Facility Guide Specification: Suggestions to Build in Energy Efficiency.....	418
ASHRAE Psychrometric Charts 1-5.....	437
INDEX.....	443

Index

A

- absorption chiller 226
- addressable lighting ballast 127
- adiabatic cooling 27,248
- adiabatic humidification 82,247
- affinity laws 133,161
 - formulas 328
 - modified for VFD savings 296
- air-cooled equipment 430
- air-side economizer 78, 184,240
- air-source heat pumps 250
- air-to-air heat pumps 250
- air and water circulating system
 - resistance 235
- air changes per hour 332
- air compressor efficiency 289
- air density ratios 334
- air duct leaks 77
- air economizer 167,171
 - savings 243
- air horsepower 90,208,235
- air re-entrainment 83
- air recirculation 26
 - air-to-air 26
 - ground source (GSHP) 252
 - heat pump 26
 - water-to-air 26
- air velocity on comfort 262
- altitude correction 332
 - factors 334
 - factors at different temperatures 363
- angled filters 80
- anti-stratification fans 68
- apartments 21
- apparatus dew point 244

- approach 66, 69, 135, 142, 143, 144,
176,179,186,233,430
 - temperature 26
- ASHRAE 90.1—items required for
all compliant methods 379
- auxiliaries 227
- awnings 74

B

- bag filters 80
- ballast 297
 - electronic 75
 - factor 76,298
 - magnetic 75
- baseline 213,214
- belt drive efficiencies 237
- benchmark 3, 66, 233
- beneficial heat 204,225
- bi-level switching 299
- bin weather 119
 - data 316
 - data, cautions for using 317
 - data for 5 cities (dry bulb) 362
- BLC 305
 - and cooling loads 306
- blowdown vs. cycles of concentra-
tion 311
- boiler 58,201,277,429,435
 - blowdown 286
 - feed water 97
 - hp 279,340
 - isolation valves 281,282
 - isolation 282
 - isolation valves 69
 - lockout from outside air tem-
perature 124

- short cycling 280
 - skin loss 279
 - standby heat loss 279
 - brake horsepower 235
 - break-even temperature 156,241
 - building-related illness 138
 - building leakage testing 422
 - building load coefficient 305
 - building use categories defined (CBECS) 371
 - bypass deck 81
- C**
- calibrating and testing the computer model 210
 - carbon dioxide 321
 - cartridge filters 80
 - centrifugal chiller 226
 - CFL 76
 - CFM 332
 - check numbers 210
 - for cooling and heating design loads 211
 - chilled water reset 124
 - constant flow pumping 124
 - variable flow pumping 124
 - chilled water system 225
 - auxiliaries 227
 - performance 228
 - chiller 58,200,225,429,435
 - efficiencies 226
 - lockout from outside air temperature 124
 - churches /worship 24
 - cleaning
 - boiler fire tubes 140
 - boiler water tubes 140
 - chiller condenser tubes 140
 - chiller evaporator tubes 140
 - condenser coils 139
 - evaporator air coils 139,140, 141
 - clerestories 75
 - climate zone map 370
 - CO₂ sensor 131
 - coefficient, duct fitting loss 91
 - cog belts 294,295
 - coils, dirty 139
 - coincident wet bulb temperature 185
 - cold deck 80
 - cold duct 81,133
 - colleges 28
 - color, exterior 73
 - combustion air 104
 - combustion efficiency 69,278
 - for some equipment 277
 - combustion temperatures 103
 - commissioning 382
 - compact fluorescent 76
 - compressed air 271,398,414
 - reduced pressure 289,414
 - cooler inlet air, heat recovery 290
 - cost 289
 - inlet temperature 103
 - leak 289
 - pressure 103
 - systems 70
 - computer data centers 26
 - computer equipment 26
 - computer modeling 153,154,210, 214
 - computer room 416
 - air conditioning (data center) 244
 - energy, proportion from cooling 245
 - condenser water reset 129,176,

- 179,180
- condensing temperature 78
- conduction heat flow 331
- conflicting ECMs 345
- constant flow pumping 124
- constant volume 85
 - systems 166
 - terminal reheat 85
- construction cracks 73
- controls 408,430,435
- control system cost/benefit 112
- control valves 78
- conventional cooling 257
- conversion factors 327,339
 - energy 339
- conveyors 69
- cooling degree day 315
- cooling tower 233,430
 - relative capacity factor 179
- cool storage 99,100
- COP 252,327
- cost estimating—accuracy levels
 - defined 354
- cost vs. benefit 153
- cracks, construction 73
- CRAC unit 249
- cubic feet per minute 332
- cycles of concentration 311,430
- D**
- damper travel 79
- data center 26,247,416
- daylight harvesting 127
- de-lamping 68, 77
- dead band 115,121,157,380,432
- dedicated outside air system (DOAS) 223,263,426
- degree day, heating 315
 - cooling 315
 - base temperature 315
 - cautions for using 315
- dehumidification 158
- delta T 78, 84, 85, 133, 330
- demand charges 106,122,126
- demand controlled ventilation (DCV) 131
- desiccant 98
- dew point temperature 158
- differential temperature 85,330
- digital control system 111
- direct evaporative cooling 255,258
 - post cooling 257,261
- dirty coils 139
- discharge dampers 87, 89
- district cooling 133
- district heating 91,133
- documentation 215,401
- domestic water heating 311,408
- door seals 66, 69
- dormitories 21
- double use of process air and water 98
- drive losses 235
- dry cooler 26, 70, 234
- dual duct system 222
- dual duct terminal unit 133
- duct and fitting pressure losses
 - using " C factor 337
- duct and fitting pressure losses using equivalent diameters (L/D) 337
- duct fitting 90
 - and system pressure losses, using " C factor 337
 - loss coefficients 91,359
- duct friction 89
- duct leaks 77

- E
- ECM motors 426
- economic savings 241
- economizer 20,123,171
 - air-side 78
 - cutoff point 240
 - water-side 79
- education, colleges and universities 28
 - schools K-12 31
- EER 327,337,338
 - from nameplate compressor full load amp 337
- effect of cooling tower energy on overall energy savings 180
- efficiencies, belt drive 237
- efficiencies, fan and pump 237
- efficacy 298
- electrical formulas 328,329
- electric resistance heat 126
- electric resistance humidifiers 246
- electronic ballast 75
- electronic expansion valves 234
- electrostatic discharge (ESD) 247
- encapsulated ice 100
- energy, end use distribution pie diagram 6
- 'energy audit
 - approach 395
 - look-for items 397
 - sample questionnaire 401
 - types 348
- energy consumption for heating outside air 267
- energy conversion factors 339
- energy transport 224,330
 - loss 172
 - systems, energy budget 427
- energy use graphs 9
- energy use index 4
- energy use intensity (EUI) 4, 5
 - by function, climate, zone, and size 365
 - by function and climate zone 365
 - by function and size 364
 - for some manufacturing operations 375
 - measured at a data center 370
- energy use intensity (EUI) - in production units, for some manufacturing operations 377
- energy use profiles 9
- enthalpy sensors 123
- entrance losses 90
- envelope 125,305,403,421
 - leakage 267
- equating energy savings to profit increase 390
- equipment spacing 83
- eroding savings 125,215
- EUI 4, 5, 364, 365, 370, 377, 378
 - calculating 4
 - mixed 5
 - production 5
- evaporating temperature 78
- evaporation 68/93
 - loss from water in heated tanks 361
- evaporative cooling 67,255,256, 257
 - direct 255,258
 - direct, post cooling 257,261
 - indirect-direct 256,259
 - indirect-direct with supplemental conventional cooling 257,260
- evaporative pad 247

- humidifiers 247
- evaporative pre-cooling 26, 70, 82
- excess air 69, 104, 287
- exfiltration 267
- exit losses 90
- exterior color 73
- exterior screening 309
- exterior shades 309

F

- facility guide specifications 418
- fan-powered VAV box 426
- fan/pump motor work equation 236
- fan and pump efficiencies 237
- fan and pump throttling 238
- fan coil unit 222
- fan horsepower 161, 208
- feed water 103, 104
- filter, angled 80
- filter, bag 80
- filter, cartridge 80
- filter, flat 80
- fin-tube heat exchanger 144
- flat filters 80
- flat plate 185
 - heat exchanger 79, 134
- floating balls 68
- flow chart 63
- fluid cooler 26, 67, 70, 233
 - adiabatic 247
 - humidifiers
 - infrared
 - ultrasonic
- food sales 34
- food service/restaurants 50
- foot-candles 298
- forced draft 277
- formulas 327

- fossil fuel emissions 324
- fouling 66, 69, 142, 144
 - in a boiler 141
- friction
 - duct 89
 - factor 337
 - losses 208
 - pipe 89
- full storage TES 99
- furnaces 429

G

- general exhaust 98
- generators 288
- glass, exterior shades 309
- glass, interior shades 309
- glass, low E coating 308
- glass, shading 308
- glass, silk screen shaded 309
 - exterior screening 309
 - solar film 309
- glass, thermal break 307
- glazing 422
 - frame 307
 - high performance 307
 - properties 307
- global point sharing 135
- glycol vs. efficiency 263
 - effect on chilled water pumping 264, 265
 - effect on chiller efficiency 264
 - effect on heating water efficiency 264
- graphing 9
- graphs, energy use 9
- gravity flue 277
- greenhouse gas 321
 - emissions by gas 324
 - relationship to energy use 321

- grocery stores 34
- ground source heat pump (GSHP)
 - 223,252,430
- guide specifications, facility 418

- H**
- harmonics 103
- head pressure 26, 80
- health care, hospital 36
- heat-conversion factors 327
- heat-cool overlap 159
- heating-cooling overlap 133
- heating and cooling, simultaneous 133
- heating degree days 305,315
- heating surface area 279
- heat exchange, wash water 97
- heat exchanger 143
 - approach 143
 - fin-tube 144
 - flat plate 79
 - plate-frame 144
 - shell and tube 144
- heat loss from uninsulated hot piping and surfaces 358
- heat pump 223,250
 - air-to-air 250
 - ground source (GSHP) 252
 - water heaters 313
 - water-to-air 250
 - water-to-water 252
- heat recovery 68, 95
 - equipment 98
 - refrigeration system 96
 - viability test 95
- heat transfer formulas 330
- heat transfer surfaces 215
- heat wheels 98
- HID 68, 76
- high bay 76
 - lighting 68
- high rise 59
- horsepower, air 90
- hospital 36
- hotels 44
- hot deck 80
- hot duct 81,133
- hot water recirculation 314
- hot water reset 204
 - from zone demand 132
- humidification 244,427
 - and dehumidification, simultaneous 244
 - formula 334
- humidifiers 70,247
 - adiabatic 247
 - electric resistance 246
 - evaporative 247
 - fogging 247
 - infrared 246
 - ultrasonic 247
- humidity-sensitive 242,244
- humid climates 157,267
- HVAC 380
 - control 114,127
 - settings 115
 - formulas 331
 - retrofits for the three worst systems 385
- hydraulic diameter 337

- I**
- ice rinks 61
- ice storage 102
- idle mode 63
- idling 400
- idling equipment 18,400
- impeller trimming 86

- incandescent 76
- indirect-direct evaporative cooling 256,257,259
- indirect-direct with supplemental cooling 257
- indoor air quality 137
 - costs 137
- indoor comfort settings 114
- induction system 222
- infiltration 73,267
- infrared humidifiers 246
- inlet vanes 87, 89, 406
- instantaneous water heaters 314
- insulation 74
- insulation formulas 335
- integrated design 394
- integrated part load value 228
- interior shades 309
- internal gains 242
 - heat 239
- internal loads 156,186
- internal rate of return (IRR) 355
- IPLV 228
- IPMV 212
- J**
- just-in-time manufacturing 67
- K**
- k-12 schools 31
- kBtu 4
- kBtu/SF-yr 3
- k-value 336
- kitchen 249,412
 - hood exhaust 249
 - hood make-up 249
- kW/ton 327
- L**
- labor costs 66
- latent heat of water 335
- laundries 41
- laundry 97,413
- leakage 267
 - envelope 267
 - testing, building 422
- leaks, air duct 77
- libraries/museums 42
- lighting 75,193,194,195,297,383,403,423
 - ballast, addressable 127
 - control 113,127
 - energy use, pct of total electric 301
 - fluorescent 76
 - HID 76
 - hours by building type 301
 - incandescent 76
 - levels, typical recommended 302
 - opportunities 302
 - technology properties 300
 - terms 298
- light harvesting 75
- load-following 159
- load factor 15, 67, 108
 - defined 106
 - effect on energy cost 14
 - limiting 122
 - profile 63,155,159,201,294
 - profile, HVAC 155
 - profile, motor 201
 - profile for humid climates 157
 - profile for overlapping heating and cooling 159
- lodging 44
- loss coefficients, duct fitting 359
- low-E coatings 308

M

M&V 212

baseline 213

options 213

magnetic ballast 75

maintenance 404,434

value 137

energy benefits 129,139

make-up air 68, 97, 126

make-up water 97

manufacturing 63,415

measurement & verification 212

mercantile 53

minimum stack gas 279

mismatched compressor/evaporator coil 247

mixing box, zone 81

Mollier Diagram 253

most open valve 127

motels 44

motor 196,269,424

efficiency 269

efficiency at reduced load 271

load profile 196

losses 273

motor power factor at reduced load 275

multi-family buildings 21

multi-zone 80,133

hot deck/ cold deck reset 132

system 222

museums 42

N

normalize 214

O

occupancy data 214

occupancy patterns 132

occupancy sensor 120,423

control of HVAC 128

energy savings 304

off-peak 105

office buildings 47

on-peak 105

operable window 125

operating budgets 215

operating costs 6

operating expense 6

operating expenses, percent from utility costs 375

optimization 111,127,432

optimum start 117

outlet damper 87

outside air 73

energy consumption for heating 268

reset of hot water converters 125

ovens 68

overhangs 74

overlapping heating and cooling 159,268

owner-friendly design considerations 217

P

parasitic fan heat 26, 27

loss 27, 98, 225

partial storage TES 99

part load refrigeration compressor power 229

part load benefits of variable flow pumping, chillers 230

part load boiler operation 280

part load chilled water system performance 228

people counter 131

percent occupancy 5
perimeter heating 307
perimeter lighting 127
phase change material storage 102
photo-cell 424
pipe (in) 358
pipe friction 89
plate-frame heat exchanger 144
plenum 27, 73, 77
plumbing 433
plumbing fixture water flow rates
 312
polling 127, 129
pollution 321
pollution-conversion constants by
 region 322
pollution conversion to equivalent
 number of automobiles 325
pool 59, 93
 covers 93
 evaporation 94
pool air and water temperature 93
pool evaporation formula 94
power factor 102, 108, 328, 329
 correction 102, 274
 for some equipment 276
pre-cool 79
pre-heating 97
predictive maintenance 66, 135
pressure-temperature charts for
 refrigerants 349
pressure unit equivalents 340
preventive maintenance 137
process air and water, double use
 of 98
process analysis 63
process cooling 68
process flow chart 63
process flow diagram 64

production rate 16, 65
production scheduling 66
productivity increase 137
 equated to dollars 138
productivity value 138
profit 390
profit 6
programmable lighting ballast 127
project intent 215
properties of air, water, ice 334
proportional balancing 86
psychrometric charts 437
pumping, variable flow 181
pump horsepower 161, 184

Q

questionnaire, energy audit sam-
 ple 401

R

R-value 335
 reduction from stud walls 306
ratchet clause 108
rate of return (ROI) 153
re-entrainment, air 83
recirculation, air 26
redundancy 210
reflectance factor 74
reflective values of common col-
 ors 299
reflectivity 73
reflectors 77
refrigerants, pressure-temperature
 charts 349
refrigerant hot gas 97
refrigerated warehouse 57
refrigeration compressor percent
 power at part load 229
refrigeration cycle 253

- refrigeration efficiency degradation at part load 230
- refrigeration system heat recovery 96
- reheat 239
 - energy penalty 166
 - penalty 116
- rejected heat 69, 97
- relative cooling tower capacity factor 176,179
- relative efficiency of air conditioning systems 221
- relief damper 78, 79
- repair costs 137
- reset
 - chilled water, constant flow pumping 124
 - chilled water, variable flow pumping
 - condenser water 128
 - hot water, from zone demand 132
 - multi-zone hot deck/cold deck from zone demand 132
 - schedule 125,130,204
 - supply air, VAV from zone demand 128
 - supply air static pressure 128
 - supply water pressure, variable pumping 128
 - VAV box minimum setting 128
 - ventilation, from CO₂ 131
 - ventilation, by people count 131
- restaurant 50,412
- retail/sales 53
- return air plenum 73, 77, 399, 422
- ROI 153
- S**
- sales 53
- scale 141
- scaling 66
- schools 31
- SEER 327
- sensible cooling 244
- sequencing of multiple chillers/boilers 132
- service access 216
- service life of various system components 388
- set back 117
 - thermostat savings 120
- set up/set back 117
 - glass, thermal break exterior shades 308
 - low-E coating
 - interior shades
- shading 307
 - coefficient 308
 - window 74
- shell and tube heat exchanger 144
- shift pay differentials 66
- short cycling 400
 - boiler 280
- sick building syndrome 138
- side-arm heater 280
- silk screen shaded glass 309
- simple payback 153,355
- simultaneous dehumidification/humidification 26, 27, 244
- simultaneous heating and cooling 67,133,159,268
- single zone system 222
- single zone VAV 223
- skylight 75,422
- sleep mode 63
- solar heat gain factor 308

- solar load 306,307
- soot build-up 141
- space heaters 434
- specific heat 224
 - of air and water 335
- spot cooling 67, 82, 262
- stack dampers 281,282
- stack gas temperature, minimum 279
- stack temperature 103,142
- standby losses 19,117,125,204, 313,314,400
 - boiler 279
 - water heaters 313
- static pressure control setting 88
- steam 414
 - cost 277
 - leak 284,285
 - pressure 103
 - pressure, reducing 284
- storage tanks for domestic hot water heaters 313
- stranded cost 108
- stratification losses 99
- super T-8 76
- supply air 129
 - reset 166,171
 - reset of VAV systems 130
 - static pressure reset 128
 - temperature reset 129
- supply water pressure reset 228
- sustainability 224
- swimming pools 93,411
- system resistance 89
 - air and water circulating 234
- T
- TAB 86
- tenant override 120
- terminal reheat system 222
- TES 99
 - cool storage 100
 - full storage 99,100
 - ice storage 100
 - partial storage 99,100
 - phase change material (PCM) 100
 - warm storage 100
- testing adjusting and balancing (TAB) 86
- Texas multi-zone 81
- thermal break-even concept for buildings 239
- thermal break-even point 130
- thermal break-even temperature 154
- thermal breaks 307
- thermal conductivity 336
- thermal resistivity 335
- thermal short circuit 74
- thermal storage 99
- thermodynamic lift 26
- throttling, fan and pump 238
- ton-hours 100,200,332,339
- top 15 emerging technologies—2002 (DOE) 384
- transport energy 161,221
- trimming, impeller 86
- U
- U-value 307,336
- ultrasonic humidifier 247
- unit ventilator 222
- universities 28
- unoccupied mode 118
- utility load tracking 135
- utility rates 105

V

V-belt 294,295
vapor barrier 27
vapor compression cycle 253
vapor pressure 93
variable air volume (VAV)85
 systems 171
variable flow 231,
 pumping 124,181
variable pumping 181
variable speed drive 294
variable speed pumping 84
variable volume system 222
VAV 85
 fan savings de-rate factors 166
 reheat penalty 167,263
VAV box 85
 box minimum air flows 171
 considerations 294
 cooling minimum air flow 116
 heating minimum air flow 116
 minimum air flow setting 399
 minimum settings 130
 minimum setting reset 128
 reheat penalty 171
 system fan savings reduction
 for maintaining downstream
 pressure 165
velocity head (Hv)91
 formulas 235
viscosity, glycol in chilled water
 266
ventilation 81,267
 effectiveness by season 132
 reset from CO₂ 131
vestibule 125
VFD 294,424
 savings 296

viscosity, glycol 263
 in chilled water 266
voltage imbalance 270

W

warehouses 56
warm storage 99
waste water heat exchange 97
water-cooled 224
water-side economizer 79, 134,
 184,186
water-source heat pumps 252
water-to-water heat pumps 252
water flow rate when load and ΔT
 are known 182
water heaters 312
 storage tanks 313
water heating 382,408
water horsepower 235
water source heat pump loop 224
water treatment 66
weather, bin 316
weather dependent 189
weather data, degree day 315
weather data by days and times
 317
weather dependent 13
weather independent 14,190,192,
 244
wet bulb depression 82
wet bulb temperature 116,129,176
window shading 74
work equation, fan/pump 236
worship 24

Z

zone mixing boxes 81
zone of greatest demand 114