

Pounder's Marine Diesel Engines and Gas Turbines

Ninth edition

Edited by

Doug Woodyard



ELSEVIER

AMSTERDAM • BOSTON • HEIDELBERG • LONDON • NEW YORK

OXFORD • PARIS • SAN DIEGO • SAN FRANCISCO • SINGAPORE

SYDNEY • TOKYO

Butterworth-Heinemann is an imprint of Elsevier



Contents

Preface.....	vii
Introduction.....	ix
1 Theory and General Principles	1
2 Dual-Fuel and Gas Engines	41
3 Exhaust Emissions and Control	61
4 Fuels and Lubes: Chemistry and Treatment.....	87
5 Performance	143
6 Engine and Plant Selection	159
7 Pressure Charging	173
8 Fuel Injection	235
9 Low-Speed Engines—Introduction.....	269
10 MAN B&W Low-Speed Engines	289
11 Mitsubishi Low-Speed Engines	361
12 Wärtsilä (Sulzer) Low-Speed Engines	387
13 Burmeister & Wain Low-Speed Engines.....	451
14 Doxford Low-Speed Engines	475
15 MAN Low-Speed Engines	493
16 Medium-Speed Engines—Introduction.....	507
17 Allen (Rolls-Royce).....	525
18 Alpha Diesel (MAN Diesel)	531
19 Caterpillar	537
20 Deutz	545
21 MaK (Caterpillar Marine Power Systems)	549
22 MAN Diesel	571
23 Bergen (Rolls-Royce).....	615
24 Ruston (MAN Diesel)	627
25 SEMT Pielstick (MAN Diesel Group).....	635
26 Sulzer (Wärtsilä).....	649
27 Wärtsilä	669
28 Other Medium-Speed Engines	715

vi Contents

29	Low-Speed Four-Stroke Trunk Piston Engines	759
30	High-Speed Engines.....	763
31	Gas Turbines	829
32	Engineroom Safety Matters.....	865
Index.....		875

Index

A

- AAC *see* alpha adaptive cylinder oil control
- ABB Turbo Systems:
A100 series, 193, 207-9
Ruston (MAN Diesel) 16RK270 engine, 629
TPL series, 201-6
TPS series, 198-201
turbo compound systems, 229, 231
turbochargers, 228-9, 767
turbocooling, 188, 190-1
two-stage turbocharging, 190-1
VTR-4P high efficiency turbocharger, 197, 617
VTR... series, 192-8
Wärtsilä medium-speed engines, 64 type, 706
- ABC *see* Anglo Belgian Corporation
- Abrasive impurities in heavy fuel, 92
- ACERT technology in Caterpillar high-speed engines, 769
- Acid stress, 127
- Active mountings, 25-6
- ADD *see* Advanced Diesel Engine Development Company
- ADD30 V Engine, 513-16
- ADEC *see* Advanced Diesel Engine Control
- ADEM III:
Caterpillar control system, 768-9
EUI system for fuel injection, 543-4, 567
- Admiralty Constant and engine performance, 150
- Advanced Diesel Engine Control (ADEC), 801
- Advanced Diesel Engine Development (ADD) Company, 513-16
- AFR *see* air-fuel ratio
- Afrika, x
- After top dead centre (AFDC), 3, 8-9
- Air filtration for gas turbines, 839-40
- Air manifold, MAN Diesel V28/33D engines, 608
- Air-fuel ratio (AFR), 201, 858
- Aircraft jet engines and gas turbines, 840-3
- Akasaka Diesel low speed four-stroke piston engines, 759, 761
- Alcap system for cleaning fuel oils, 106-7, 109-10
- Alfa Laval Alcap system, 106-7, 109-10
- Alignment of large bore engines, 309
- Alkalinity reserve *see* base number
- Allen (Rolls-Royce) engines, 525-9
- Alpha adaptive cylinder (AAC) oil control, 315
- Alpha cylinder lubricator unit, 132-4
- Alpha Diesel (MAN Diesel), 531-5
- Alston Engines, 603
- Aluminium alloy, 817
- American Bureau of Shipping, 116
- AMOS, UK XTS-W bearing wear sensor, 871-2
- Amot speed monitor for VS12 engine, 529
- Anglo-Belgian Corporation (ABC), medium-speed engines, 715-16
- Anti-polishing rings (APR):
Bergen (Rolls-Royce), 615-16
MAN Diesel, L32/40 engine, 589
medium-speed engines, 517
Wärtsilä medium-speed engines
26 type, 687
64 type, 708-9
W32 type, 671
Wärtsilä (Sulzer)
RTA-T series, 403
Tribopack, 424
- Anti-vibration mountings, 21, 24-5
- Anti-wear performance summary, 123
- Aorangi, xv
- Apparent propeller slip and engine performance, 150
- APR *see* anti-polishing ring
- Ash content of fuel oils, 97
- Asphaltene content of fuel oils, 98
- Asphaltenes stress, 127
- Astern running and engine performance, 154-7
- ATDC *see* after top dead centre
- Atmospheric distillation, 88
- ATR *see* automatic flexible rating
- Automatic flexible rating (ATR), 370
- Automation and Wärtsilä medium-speed 64 type engine, 712
- Automotive-derived high-speed engines:
Scania, 825-6
Volvo Penta, 826-7
- Auxiliary blowers:
Burmeister & Wain L-GB engines, 473
MAN B&W ME engines, 360
- Auxiliary power generation, 162-3
- Axial vibrations, 33-6

B

- Backbone for MaK M32 engine, 552
- Balancing, 18–19
- Base number (BN), 119, 129–32, 134–5, 141
- Bazan Motores, Spain, 537, 540
- BBC *see* Brown Boveri
- BDC *see* bottom dead centre
- Bearing Overheating Monitoring System (BEARMOS), 871
- Bearings:
- 28/32A medium-speed engines, 534
 - 3600 series engines, 538
 - B&W engines post-1997 service, 329–31
 - Bearing Overheating Monitoring System, 871
 - Bergen (Rolls-Royce), B32-40 engine, 621
 - Burmeister & Wain L-GB engines, 465
 - Daihatsu DC-32 engine, 719
 - gas turbine lubrication, 838
 - large bore engines, 308–9
 - MAN B&W
 - MC engines, 320–2
 - ME engines, 358
 - MAN Diesel V28/33D engines, 608
 - MAN (Holeby) high-speed L16/24 genset engine, 778
 - Ruston (MAN Diesel) engines 16RK270, 630
 - Stork-Werkspoor TM410 series, 741
 - Sulzer (Wärtsilä) ZA40/ZA40S engines, 657–8
 - turbochargers, 194, 199–200, 218
 - Wärtsilä
 - 46 type, 694
 - 64 type, 707–8
 - Vasa, 32, 673
 - W38A type, 690–1
 - XTS-W bearing wear sensor, 871–2
- BEARMOS *see* Bearing Overheating Monitoring System
- Bedplates:
- Burmeister & Wain L-GB engines, 465
 - K-GF engines, 452–4
 - large bore engines, 306–8
 - MAN B&W
 - MC engines, 293
 - ME engines, 358
 - Ruston (MAN Diesel) engines 16RK270, 630
 - SKL VDS 29/24AL engine, 738
 - Stork-Werkspoor TM410 series, 741
 - Sulzer RL engines, 442–3
- Before top dead centre (BTDC), 8–10, 245
- Benzene emissions, 41
- Bergen Diesel:
- C-series engines, 52
 - company, 51
 - KV-G4 gas engine, 52
 - piston ring design, 512
- Bergen (Rolls-Royce) engines, 615–25
- B-series, 616–18
 - B32-40, 619–22
 - BV, 618–19
 - C-series (C25:33L), 622–4
 - gas engines, 624–5
 - K-series, 615–16
 - RK215, 632–4
- Berufsgenossenschaft (SBG) recommendations, 21
- Bio-fuels, 105–7
- Black sludge in medium-speed engines, 126–7
- Blast injection, xvi–xix
- BN *see* base number
- Bolnes:
 - engine tests, 120
 - two-stroke medium-speed engines, 754–5
- Bottom dead centre (BDC), 8, 19, 189
- 'Boundary lubrication', 122
- BP Marine:
 - Enersyn MGT synthetic lubricant, 839
 - lubricating oil for gas turbines, 838
- Brake horsepower (bhp), 143
- Brown Boveri (BBC), 192–3
- Büchi, Alfred, xix, 192
- Bunker quality testing for fuel oils, 116–17
- Burmeister & Wain (B&W) engines:
 - 6S50MC type, 78
 - constant pressure turbocharging, 461–3
 - four-stroke, ix, xv, xvi
 - fuel consumption, xxii–xxiv
 - hull vibration, 39–40
 - K-GF type, 451–9
 - L-GB type, 459–63, 463–74
 - L-GF type, 459–63
 - low-speed, 451–74
 - MAN Diesel, 289, 451
 - scavenged, xxii–xxiv
 - twin six-cylinder, x
 - two-stroke engines, xviii, xxii–xxiv, 29
- Burnability of heavy fuel, 90–1

C

- Caernarvon Castle*, xv
- Calculated Carbon Aromaticity Index (CCAI), 97
- California Air Resources Board, 79
- 'California Button', 69
- Calorific value, fuel oils, 93–4
- Camshafts:
 - 28/32A medium-speed engines, 534
 - Allen (Rolls-Royce) VS12 engine, 528
 - Bergen (Rolls-Royce) engines, 615

- Burmeister & Wain
 K-GF engines, 457-8
 L-GB engines, 471
- Daihatsu DC-32 engine, 719
- Doxford low-speed engines, 487-8
 drive gear for RTA84T engine, 406-8
- MAN B&W low-speed MC engines, 295
- MAN Diesel
 32/40 engines, 586-8
 L27/38 and L21/31 engines, 600-1
 V28/33D engines, 608
- MAN (Holeby) high-speed engines, L16/24 series, 779-80
- MAN KSZ series engines, 498
- Paxman (MAN Diesel) VP185 engine, 810
- Ruston (MAN Diesel) 16RK270 engine, 631
- Semt-Pielstick engines, 644, 647, 813
- Stork-Werkspoor TM410 series, 741-2
- Wärtsilä, 674, 679, 691
- Cantieri Navali Riuniti, xi
- Carbon dioxide (CO₂) emissions:
 dual-fuel engines, 41
 engine thermal efficiency, 287
 exhaust gas emissions, 63-4
 medium-speed engines, 517
 Miller cycle, 189
 two-stage turbocharging, 191
- Carbon monoxide (CO), 63, 76, 86
- Carbon-cutting *see* anti-polishing
- CASS *see* combustion air saturation system
- Cat Data link, 768
- Catalytic cracking, 88-9
- Caterpillar:
 high-speed engines, 766-71
 3500 series, 767-8
 ACERT technology, 769
 ADEM III control system, 544, 768-9
 high-displacement, 766
 medium-speed engines:
 3500B series, 544
 3600 series, 537-40
 3618 (Bravo), 540-2
 C280, 542-4
 engine builders, 508, 513-14
 takeovers, 517
- Caterpillar Common Rail (CCR) fuel injection system, 565-8
- Caterpillar Marine Power Systems, 257
- CBM Management tool, 430-1
- CCR *see* Caterpillar Common Rail
- CCU *see* cylinder control unit
- Centinel oil management system, 771
- Centrifugal separators for fuel oils, 110-12
- Cermet (ceramic metal) coatings, 350
- Cetane number for fuel oils, 96
- CFD *see* computational fluid dynamics
- Chain drives:
 Burmeister & Wain MC engines, 326
 Doxford L-GB engines, 471
- Charge air humidification, 73-4
- Charge coolers for MAN Diesel V28/33D engines, 608-9
- Chevron Global Lubricants, 129
- Chevron Marine Combustion Improver, 104-5
- Chrome ceramic piston rings, 424
- Churchill, Winston, ix
- CIT *see* controllable injection timing
- CL *see* controlled leakage
- Clean design for Bergen (Rolls-Royce) B32-40 engine, 622
- Cleaning of fuel oils, 106
- Cloud point of fuel oils, 98
- CMCR *see* contract maximum continuous rating
- CNG *see* compressed natural gas
- CO *see* carbon monoxide
- CO₂ *see* carbon dioxide
- Coalescer for air filtration, 839
- CoCoS computerized surveillance system, 781
- CODAG *see* combined diesel engine and gas turbine
- Code of Practice for Atmospheric Oil Mist Detectors*, 866
- CODEG *see* combined diesel and gas turbine electric
- CODOG *see* combined diesel or gas turbine propulsion
- COGAG *see* combined gas turbine and gas turbine
- COGES *see* combined-cycle gas turbine and steam turbine electric
- Coking and lubricating oil for gas turbines, 838-9
- Cold filter plugging point (CFPP), 105
- Combined diesel and gas turbine (CODAG) propulsion, 85, 172, 830-1
- Combined diesel and gas turbine electric (CODEG) propulsion, 830
- Combined diesel or gas turbine (CODOG) propulsion, 830
- Combined gas turbine and gas turbine (COGAG) propulsion, 830
- Combined-cycle gas turbine and steam turbine electric (COGES) propulsion, 832-3
- Combustion air saturation system (CASS), 73
- Combustion chambers:
 Alpha (Diesel) 28/32A medium-speed engines, 533
 Doxford low-speed engines, 479-80
 large bore engines, 309-14
 MAN B&W B7W ME engines, 358
 MAN Diesel 48/60B engines, 595

Combustion chambers: *(Continued)*

- MAN KSZ series engines, 498–500
 - Semt-Pielstick PA4 series, 812
 - Siemens GT35 gas turbine engine, 846–7
 - Sulzer RL engines, 444–5
 - Sulzer (Wärtsilä) ZA50S engine, 664
 - Wärtsilä (Sulzer) RTA engine, 388, 393, 417
- Combustion equations for fuel oils, 100–3
- Common rail (CR) fuel injection:
- 8000 engine, 263–4
 - description, 235, 255–7
 - dual-fuel and gas engines, 44–7
 - filtration regimes, 112
 - MaK engines, 563–8
 - MAN Diesel
 - 51/60 DF engine, 50
 - CR engines, 610–11
 - ME-GI engine, 55
 - medium-speed engines, 508–9
 - Wärtsilä medium-speed engines, 264–8, 704
 - Wärtsilä (Sulzer) RT-flex electronic engines, 393, 432–3
- Compressed natural gas (CNG) carriers, 41
- Computational fluid dynamics (CFD), 709, 728
- Condition-based maintenance for Wärtsilä (Sulzer) engines, 429–31
- Connecting rods:
- Allen (Rolls-Royce) VS12 engine, 526
 - Bergen (Rolls-Royce) engines, 621, 623
 - Burmeister & Wain L-GB engines, 468–9
 - Caterpillar 3600 series engines, 538
 - Daihatsu DC-32 engine, 719
 - Doxford low-speed engines, 485–7
 - General Electric GE L/V250 series, 756–7
 - MaK M43 engine, 559
 - MAN B&W low-speed engines
 - MC types, 294
 - ME type, 358
 - MAN Diesel
 - L27/38 and L21/31 engines, 600
 - L32/40 engines, 592
 - L58/64 engines, 576, 581
 - V28/33D engines, 608
 - MAN (Holeby) high-speed engines L16/24 series, 779
 - Mitsui 42M engine, 735
 - Paxman (MAN Diesel) VP185 engine, 809
 - Ruston (MAN Diesel) engines, 633
 - Semt-Pielstick engines, 642–3, 812, 816
 - Stork-Werkspoor TM410 series, 743
 - Sulzer (Wärtsilä) ZA40/ZA40S engines, 656
 - Wärtsilä high speed engines W200 series, 821
 - Wärtsilä medium-speed engines
 - 20 type, 682
 - 26type, 688
 - 64 type, 709
 - Vasa 32 type, 673
 - W38A type, 690
- Conradson Carbon Value, 97
- Constant pressure turbocharging, 361, 461–3
- Container ships and gas turbines, 830
- Contract maximum continuous rating (CMCR), 390–2
- Control and protection card (CPC) for fuel injection, 254
- Controllable injection timing (CIT), 370
- Controllable pitch (CP) propeller, 159, 163
- Controlled leakage (CL), 317
- Controlled swirl scavenging (CSS), 367–8
- Cooling system:
- Caterpillar 3600 series engines, 539
 - Cummins high-speed engines, 770–1
 - Daihatsu medium-speed engines, DC-32, 720
 - MAN Diesel
 - L27/38 and L21/31 engines, 602
 - V28/33D engines, 609
 - MAN (Holeby) L16/24 series, 780–1
 - MTU
 - 4000 series engines, 800
 - 8000 series engines, 793–4
 - Ruston (MAN Diesel) engines, 633
 - Semt-Pielstick PA6B STC engine, 818
 - Stork-Werkspoor TM410 series, 744
 - Wärtsilä medium-speed engines
 - 20 type, 683
 - 38 series, 693–4
 - 64 type, 711
 - W46 type, 702
 - Wärtsilä W200 engine, 823–4
- Cover mounted valves for Doxford L-GB engines, 468
- CP *see* controllable pitch
- CPC *see* control and protection card
- CR *see* common rail
- Crankcase:
- explosions and relief valves, 872–3
 - explosions and safety in enginerooms, 866–72
 - L32/40 engines, 591–2
 - MaK
 - C-version engines, 563
 - VM43 engine, 559
 - MAN Diesel V28/33D engines, 607–8
 - MTU series 4000 engine, 798
 - Ruston (MAN Diesel) engines 16RK270, 630
 - Semt-Pielstick engines, 639–41, 813
 - Sulzer (Wärtsilä) S20 engine, 667
- Crankshafts:
- Bergen (Rolls-Royce) engines, 617
 - B32-40, 620–1
 - C-series (C25:33L), 622
 - Burmeister & Wain, engines, 455, 468

- Daihatsu DC-32 engine, 719
- Deutz 628 series engine, 545
- Doxford low-speed engines, 481-2
- MaK VM43 engine, 560
- MAN B&W low-speed engines
 - MC type, 294
 - ME type, 358
- MAN Diesel, V28/33D engines, 607
- MAN (Holeby) high-speed L16/24 genset engine, 778-9
- MTU series 8000 engines, 793
- Paxman (MAN diesel) VP185 type, 809
- Ruston (MAN Diesel) engines, 633
- Semt-Pielstick
 - PA6B STC engine, 813-14, 816
 - PC2-6B engine, 642-3
 - PC4-2B, 646
- Stork-Werkspoor TM410 series, 741
- Sulzer RL engines, 442
- Sulzer (Wärtsilä) S20 engine, 667
- VS12 engine, 525
- Wärtsilä medium-speed engines
 - 26 type, 686-7
 - 46 type, 694
 - 64 type, 707-8
 - Vasa 32 type, 673
 - W38A type, 690
- Crossheads:
 - Burmeister & Wain
 - K-GF engines, 456
 - L-GB engines, 469-70
 - Sulzer RL engines, 446-7
- Crude oil distillation, 88
- Cruise ships and gas turbines, 829
- CSS *see* controlled swirl scavenging
- Cummins:
 - high-speed engines, 764
 - KTA50-M2 type, 771
 - Quantum system, 769-71
- Cycles, practical, 2-3
- Cycloconverter system for diesel- electric drives, 166
- Cylinder blocks:
 - Bergen (Rolls-Royce) C-series engine, 617, 621
 - MaK M43C engine, 561
- Cylinder bore of Paxman (MAN Diesel) VP185 type, 806-8
- Cylinder control unit (CCU), 342-3
- Cylinder covers for Burmeister & Wain engines, 457, 467
- Cylinder frames for Burmeister & Wain L-GB engines, 466
- Cylinder heads:
 - Alpha diesel 28/32A engines, 533
 - Bergen (Rolls-Royce) engines, B32-40, 621
 - Daihatsu C-32, 719
 - GMT BL550, 720-1
 - MaK M43 engine, 558-9
 - MAN Diesel
 - L27/38 and L21/31 engines, 600
 - L58/64 engines, 574, 579, 582
 - V28/33D engines, 608
 - MAN (Holeby) high-speed engines, L16/24 genset series, 777-9
 - MTU series 8000 engines, 791-2
 - Paxman (MAN Diesel) VP185 engine, 809
 - Ruston (MAN Diesel) engines, 631, 633-4
 - Semt-Pielstick (MAN Diesel Group) engines, 643-4, 647
 - Semt-Pielstick PA6B STC engine, 813, 816
 - Stork-Werkspoor TM410 series, 743
 - Sulzer (Wärtsilä)
 - S20 engine, 667
 - ZA40/ZA40S engines, 655-6
 - Wärtsilä medium-speed engines, 670
 - 20 type, 679, 681
 - 26 type, 687
 - 46 type, 695
 - 64 type, 709
 - low NOx Vasa 3 type, 674
 - Vasa 32 type, 674
 - W38A type, 691
- Cylinder jackets:
 - K-GF engines, 454-5
 - MAN Diesel, 32/40 engines, 588-9
- Cylinder liners:
 - 28/32A medium-speed engines, 533-4
 - Allen (Rolls-Royce) VS12 engine, 525
 - Anglo Belgian corporation BZ, 715-16
 - Bergen (Rolls-Royce) B32-40 engine, 621
 - Caterpillar 3600 series engines, 539
 - Daihatsu DC-32, 719
 - Deutz TBD 645 series engine, 547
 - GMT BL550, 721
 - L-GB engines, 466-7
 - large bore engines, 313-14, 425-6
 - MAN B&W low-speed engines, 294, 317-19
 - MAN Diesel
 - 32/40 engines, 589-90
 - L58/64 engines, 572-3
 - V28/33D engines, 608
 - MAN (Holeby) high-speed L16/24 genset engine, 778
 - MAN KSZ series, 500, 502
 - Niigata high-speed engines, 805
 - Ruston (MAN Diesel) engines, 630
 - Semt-Pielstick
 - engines, 640-1, 646
 - PA6 STC series, 813-14
 - Stork-Werkspoor, 743, 746

Cylinder liners: (*Continued*)

- Sulzer (Wärtsilä)
 - S20 engine, 667
 - ZA40/ZA40S engines, 655
- Tribopack, 424-5
- Wärtsilä medium-speed engines
 - 20 type, 681
 - 26 type, 687
 - 46 type, 694
 - 64 type, 708-9
 - low NOx Vasa 32 type, 674
 - Vasa 32 type, 673
 - W38A type, 691
- Wärtsilä Sulzer low-speed RTA84T engine, 408-9, 410-11

Cylinder lubrication:

- Burmeister & Wain L-GB engines, 472
- feed rates, 130-4
- low-sulphur fuels, 129-30
- Mitsubishi Heavy Industries engines, 386
- Sulzer RL engines, 444-5
- types, 119-21

Cylinder pressure:

- Wärtsilä medium-speed engines, 670-1
 - 20 type, 679
 - low NOx Vasa, 32, 674

Cylinder units:

- Bergen (Rolls-Royce) engines B32-40, 623
- concept in four-stroke engines, 509
- MAN (Holeby) L16/24 series, 781-3
- Wärtsilä high speed engines W200 series, 821

Cylinders:

- condition in B&W engines, 327-8
- covers for MC engines, 294
- cut-out system for B&W engines, 334-5
- Doxford low-speed engines, 482-4
- frames for MC engines, 294
- jacket water cooling system for RTA84T engine, 408, 412
- jackets for Sulzer RL engines, 444
- pressure measuring system, 344
- technology in medium-speed engines, 517
- wear and lubricating oils, 121-3

Cyltech 80 lubricants, 119-20

D

Daihatsu:

- medium-speed engines, 716-20
- DC-32 engine, 718-20

Daihatsu single pipe (DSP), 718

Daring, 856*Data collector* in CBM Management tool, 430DDC *see* Detroit Diesel Corporation

Delphi Bryce fuel injection systems, 249-50, 252-3, 253-4, 254-5

Derating of engine performance, 147

Det Norske Veritas Petroleum Services (DNV), 96, 116-17, 865, 868

Detroit Diesel Corporation (DDC), 764, 795

Deutz engines:

- 628 series, 545
- high-speed, 772-3
- TBD 645 series engine, 546

DF *see* duel-fuel

DICARE system support (MaK engines), 569

Diesel combined Cycle, xxvi-xxvii

Diesel, Rudolf, xvii, 1

Diesel-electric drives, 166-71, 171-2

Diesel-mechanical drives, 161-6, 171-2

DIMOS system support (MaK engines), 569

Direct injection systems, 236-8

Direct water injection (DWI), 72-3, 76

DLE *see* dry-low emissionsDNV *see* Det Norske Veritas*Dorthe Maersk*, 192

Doxford low-speed engines, 475-6, 476-191

- camshafts, 487-8
- combustion, 479-80
- connecting rods, 485-7
- construction, 481
- crankshafts, 481-2
- cylinders, 482-4
- fuel injection, 488-9
- J-type, 476-91
- pistons, 485
- turbochargers, 490-1

Dry-low emissions (DLE) technology, 838

DSP *see* Daihatsu single pipe

Dual-fuel (DF) engines, 41-60

- gas engines, 51-2
- gas-diesel engines, 51
- injection systems, 248
- MAN 51/60DF engine, 48-51
- performance gas injection engine, 56-9
- Wärtsilä 50DF engine, 45-8

DWI *see* direct water injection

E

East Asiatic Company ix-x

Eavestone, xivEC *see* exhaust closureECC *see* 'eco cylinder controller'ECL *see* electronically controlled cylinder lubrication

'Eco cylinder controller' (ECC), 384

'Eco main controller' (EMC), 384

Eco-engine (UEC series), 379-85

ECS *see* electronic control systemECU *see* engine control module; engine control unit

- EEC *see* electronic engine controller
- Efficiency of engines, 4-5
- EGR *see* exhaust gas recirculation
- EIAPP *see* Engine International Air Pollution Prevention
- Electric transmission:
- ease of control, 170
 - economical part-load running, 169-70
 - environmental safety, 170
 - flexibility of layout, 167-9
 - load diversity, 169
 - low noise, 170
 - ship safety, 170
- Electrically driven oil supply for mark 9 large bore engines, 353
- Electro-Motive Division:
- 710G series, 751-4
 - two-stroke medium-speed engines, 751-5
- Electronic control system (ECS), Caterpillar high-speed engines, 766, 768
- Electronic engine controller (EEC), 860
- Electronic fuel injection:
- description, 253-5
 - MAN low-speed engines, 504-6
- Electronic gas injection (ELGI), 54-5
- Electronic high-pressure cylinder lubricator for large bore engines, 314-15
- Electronic unit injection (EUI), 543-4
- Electronically controlled cylinder lubrication (ECL), 384
- Electronics and common rail fuel injection, 567
- ELGI *see* electronic gas injection
- EMC *see* 'eco main controller'
- EMD *see* Electro-Motive Division
- Emissions *see* exhaust emissions
- Energol CLO 50M 70BN lubricant, 120
- Engine blocks:
- Himsen (HHI), H21/32 engine, 728
 - Wärtsilä high speed engines, W200 series, 820
 - Wärtsilä medium-speed engines
 - 46 type, 694, 697
 - 46F type, 705
 - 64 type, 706
- Engine control unit (ECU), 260-2, 342-3, 684, 689
- Engine driven oil supply for mark 9 large bore engines, 353
- Engine International Air Pollution Prevention (EIAPP), 65
- Engine performance:
- Admiralty Constant, 150
 - apparent propeller slip, 150
 - astern running, 154-7
 - derating, 147
 - exhaust temperatures, 146
 - fuel coefficient, 150
 - maximum rating, 144-6
 - mean effective pressure, 147-8
 - power build-up, 152-3
 - propellers
 - law, 148-9
 - performance, 150-2
 - slip, 148, 150
 - trailing/locking of propellers, 153-4
- Engine Vision System (EVS)
- Engineroots and safety, 865-74
- Ensel engine selection program, 392
- Environment:
- gas turbines, 830
 - issues, xx-xxi
 - legislation and lubricating oils, 118
 - performance of RT-flex electronic engines, 436
- EUI *see* electronic unit injection
- European Union and greenhouse gases, 63
- EVC *see* exhaust valve closure
- EVO *see* exhaust valve opening
- EVS *see* Engine Vision System
- Exhaust and air intake, 3600 series engines, 539-40
- Exhaust closure (EC), 10
- Exhaust emissions/controls, 61-86
- benzene, 41
 - charge air humidification, 73-4
 - exhaust gas recirculation, 74-6
 - fuel nozzles, 76-7
 - gas turbines, 837-8
 - low-speed engines, 272
 - MAN Diesel, 83, 510
 - medium-speed engines, 508
 - nitrogen oxides emissions, 65-9
 - options summary, 86
 - particulates, soot and smoke, 81-6
 - Selective Catalytic Reduction, 64, 77-81
 - Wärtsilä, 85-6
 - water based NOX reduction, 69-73, 69-77
- Exhaust gas installation for MaK VM43 engine, 560
- Exhaust gas recirculation (EGR), 74-6, 275-6, 286
- Exhaust gas system in Burmeister & Wain L-GB engines, 473
- Exhaust systems:
- Daihatsu D series engines, 718
 - Daihatsu medium-speed DC-32 engine, 720
 - H-type engine (UEC series), 373-8
 - MaK 32C engine, 557
 - MaK M43C engine, 562
 - MAN Diesel
 - L27/38 and L21/31 engines, 600
 - L58/64 engines, 558
 - V28/33D engines, 608

Exhaust systems: (*Continued*)

MTU series 4000 engine, 800

Ruston (MAN Diesel) engines, 629, 634

Sulzer (Wärtsilä)

ZA40S engine, 660

ZA50S engine, 664

Wärtsilä Vasa 32 type, 674

Exhaust temperatures and engine performance, 146

Exhaust turbochargers for Burmeister & Wain
L-GB engines, 473

Exhaust valve actuation:

Wärtsilä (Sulzer)

RTA uniflow engines, 398-9

RTA-T series engines, 398-400 ...

RTA84T engine, 407, 410

Exhaust valve closure (EVC), 8

Exhaust valve opening (EVO), 9

Exhaust valves:

Allen (Rolls-Royce) VS12 engine, 526

Burmeister & Wain engines

K-GF type, 457

L-GB type, 468

Deutz TBD 645 series engine, 547-8

Grandi Motori Trieste A32 engine, 726

MAN B&W

MC engines, 295-7, 319-20

ME engines, 360

post-1997 service, 331-2

RT-flex electronic engines, 435

MAN (Holeby) high-speed engines L16/24
series, 779

Mitsubishi UEC engines, 369-70, 382-4

Sulzer (Wärtsilä) engines, 651, 657

Wärtsilä (Sulzer) engines, 390, 429

Waspaloy Inconel 718 alloy, 805

Expert system in CBM Management tool, 430

Explosions:

crankcases, 866-72, 872-4

relief valves for VS12 engine, 529

External unbalanced moments and vibrations, 29

ExxonMobil Marine Fuels, 101-2

FFADEC *see* full authority digital engine control

Fast ferry propulsion, 767-8, 813

Father-and-son layout, 165-6, 830

FCC *see* fluid catalytic crackingFCT *see* flexible camshaft technology

Finnjet, 829

Fiona, ix

First-order moments, 29-31

Flash point of fuel oils, 99, 135

Flexibility and gas turbine propulsion, 830

Flexible camshaft technology (FCT), 560,
563-4

Flexible manufacturing systems (FMS), 764

Fluid Analytical Consultancy Services (FACS),
142

Fluid catalytic cracking (FCC), 87, 89

FMS *see* flexible manufacturing systems

Four-stroke engines:

builders, 670

chrome ceramic piston rings, 424

cylinder unit concept, 509

father-and-son layouts, 165-6

fuel injection, 433

low-speed piston, 759-62

SKL medium-speed engines, 736

turbochargers, 174-6, 180, 192-3

Wärtsilä, 818-19

Wärtsilä DF, 42

FQS *see* fuel quality setting

Frameboxes:

MAN B&W low-speed engines

MC type, 294

ME type, 358

Frames:

Alpha Diesel 28/32A medium-speed
engines, 532-3

Burmeister & Wain engines, 452-4, 465

Sulzer RL engines, 442-3

Freight carriers and gas turbines, 829

Fuel:

flexibility for gas turbines, 845

IF30 grade, 818, 843, 845

Fuel economy:

MAN Diesel 48/60B engines, 596

medium-speed L32/40 engines, 510

Fuel injection:

3600 series engines, 539

8000 engine common rail system, 263-4

ADD 30 V engine, 515-16

ADEM III system, 544

Allen (Rolls-Royce) VS12 engine, 528

B&W engines post-1997 service, 332-3

Bergen (Rolls-Royce)

B32-40 C series engines, 623

B32-40 engine, 621

BV engine, 619

Burmeister & Wain L-GB engines, 470

Caterpillar C280 engine, 543-4

Caterpillar high-speed engines, 766-7

common rail systems, 235, 255-7

Daihatsu medium-speed DC-32 engine, 719

developments/trends, 247-9

Doxford engines, 488-9

electronic, 253-5, 504-6, 533-4

fuel lines, 240-1

fuel valves, 249

- GMT A32 engine, 726
 injection and combustion, 235–8
 injectors, 238–40, 567
 MaK M32 engine, 556
 MAN B&W
 L32/40 engines, 510–11
 MC engines, 297, 322–4, 324–6, 339–42
 MAN Diesel
 L27/38 and L21/31 engines, 601
 L32/40 engines, 586
 L58/64 engines, 576
 V28/33D engines, 609
 MAN (Holeby) high-speed engines, 780
 MAN KSV series, 502–3
 MTU Friedrichshafen, 257–64
 MTU high-speed engines
 8000 series, 789–90
 s 4000 series, 797
 pump/pipe injectors, 252–3
 pumps, 242–5
 Ruston (MAN Diesel) engines, 631, 633
 Semt-Pielstick PC series, 636, 644, 647
 SKL VDS 29/24AL engine, 739
 Stork-Werkspoor TM410 series, 744
 Sulzer (Wärtsilä) Z series engines, 658, 668
 TBD 645 series engine, 548
 TDC, 822
 timing, 245–6
 uniformity, 246–7
 unit injector v. pump/pipe injector, 249–52
 unit injectors, 250–2
 Wärtsilä medium-speed engines
 20 type, 682–3
 26 type, 688
 38 type, 689–90
 46F type, 704, 709
 64 type, 709–10
 common rail system, 264–8, 670
 low NOx Vasa, 32, 674–5
 Vasa 32 type, 674
 Wärtsilä (Sulzer)
 RTA-flex electronic engines, 434–5
 RTA-T series engines, 399
 RTA84T engine, 405–6, 409
 Wärtsilä W200 engine, 822–3
 Fuel oils:
 additives, 104–5
 ash content, 97
 asphaltene content, 98
 bio-fuels, 105–7
 bunker quality testing, 116–17
 Calculated Carbon Aromaticity Index, 97
 calorific value, 93–4
 centrifugal separators, 110–12
 cetane number, 96
 cloud point, 98
 coefficient and engine performance, 150
 combustion equations, 100–3
 Conradson Carbon Value, 97
 consumption in 24 hours, 13
 flash point, 99, 135
 good bunkering practice, 112–16
 heating chart, 132–3
 heavy, xix–xx
 injection technology, xviii
 low-sulphur, 100–4
 MC engines, 297
 microbial contaminants, 136–9
 pour point, 99
 properties, 93–106
 sediment content, 98
 specific gravity, 99–100
 specification, 99–100, 113–14
 sulphur content, 98
 treatment, 106–12
 viscosity, 95–6, 135
 water content, 98
 see also heavy fuel oils
 Fuel quality setting (FQS):
 RTA84C/96C engines, 418
 RTA84T engine, 407–8
 Fuel standard for marine application, ISO
 8217, 105, 113, 116–17
 Fuel valves:
 28/32A medium-speed engines, 533
 fuel injection, 249
 large bore engines, 314
 Fuel water emulsion (FWE), 69–70
 Full authority digital engine control (FADEC),
 860
 Functional groupings for MaK M32 engine,
 553
 Future for diesel engines, xxii–xxvii
 FWE *see* fuel water emulsion
- ## G
- Gallery brackets, L-GB engines, 472
 Gas engines, 41–60, 624–5
Gas Generator term, 841, 844, 851
 Gas turbine change unit (GTCU), 843, 854,
 862–4
Gas Turbine term, 841
 Gas turbines:
 advantages, 830
 air filtration, 839–40
 aircraft jet engines, 840–3
 container ships, 830
 cruise ships, 829
 cycles and efficiency, 834–7
 designs, 840–3
 freight carriers, 829

- Gas turbines: (*Continued*)
 liquid natural gas carriers, 829
 lubricating oil, 838
 lubrication, 838-9
 maintenance, 830, 860-4
 Mitsubishi, 850
 nitrogen oxides emissions, 830, 837-8
 passenger ferries, 829
 plant configurations, 830-4
 propulsion, 829-30
 Rolls-Royce, 850-60
 Siemens, 843-7
- Gas-diesel (GD) engines, 51-2
- GCR *see* gear constant ratio
- GD *see* gas diesel
- GE *see* General Electric
- Gear constant ratio (GCR), 297
- Gear train in MAN Diesel V28/33D engines, 603-5
- Geared drives, 163-5
- Geislinger damper, 412
- General Electric (GE):
 gas turbines
 LM1500 engine, 847
 LM1500+ engine, 847-8
 LM1600 engine, 830, 847
 LM2500 engine, 830, 832, 847-9, 849-50
 LM2500 + G4 engine, 849-50
 TF49 turbofan aircraft engines, 848
 medium-speed engines, 755
 GE L/V250 series, 756-8
 GE V228 series, 755-6
- Generators/motors for turbochargers, 232-3
- GMT *see* Grandi Motori Trieste
- Good bunkering practice for fuel oils, 112-16
- Governors:
 L-GB engines, 471
 MAN Diesel V28/33D engines, 609
- Grandi Motori Trieste (GMT):
 high-speed engines, 772-5
 medium-speed engines, 720-7
 A32 type, 725-7
 A55 series, 720, 722-5
- Grey Goose*, 835
- Gripsholm*, xv-xvi
- GTCU *see* gas turbine change unit
- Guide-force moments, 32-3
- H**
- Hagen*, xii
- HAM *see* humid air motor
- Hamburg-America line, ix, xiv
- Hans Jensen Lubricators, 386
- Hansestadt*, 192
- Hansestadt Danzig*, xix
- Hanshin Diesel low speed four-stroke piston engines, 760-2
- HC *see* hydrocarbons
- HD *see* high displacement (HD)
- Heat cycle, theoretical, 1-2, 2-3
- Heavy fuel oils (HFOs):
 ADEM Electronic Control Module, 567
 ash content, 97
 asphaltenes, 127
 black sludge, 126
 Chevron Marine Combustion Improver, 104-5
 cleaning, 106-7
 description, 87
 effects, 91
 gas operation, 41, 55-6
 history, xix-xx
 ignition properties, 96, 97
 liquid fuels, 48-9
 MAN Diesel engines, 577, 610
 problems, 89-93
 sulphur content, 104
 Sulzer (Wärtsilä) S20 engine, 666
 viscosity, 95
- Heavy-duty high-speed engines, 763
- Hertzian (contact) stresses, 244
- HFOs *see* heavy fuel oils
- Hi-Fog nozzles for scrubbing, 85
- High displacement (HD) engines, 766
- High pressure pumps for common rail fuel injection, 567
- High temperature (HT):
 corrosion by heavy fuel oils, 92
 water cooling, 602
- High-performance high-speed engines, 763
- High-speed engines:
 automotive-derived, 825-7
 Caterpillar, 766-9
 Cummins, 769-71
 design features, 764-5, 765-6
 Deutz, 772
 Grande Motori Trieste, 772-5
 heavy-duty, 763
 high-performance, 763
 Isotta Fraschini, 775
 MAN (Holeby), 775-83
 Mitsubishi, 783-95
 Niigata, 801-5
 Paxman (MAN Diesel), 806-12
 Semt-Pielstick, 812
 Wärtsilä, 818-15
- Himsen (HHI):
 medium-speed engines, 727-30
 H17/28, 729
 H21/32, 727-9

- H25/33, 729
H32/40, 729–30
Hoerbiger explosion relief valves, 872–4
Horsepower, 10–11
Hot Combustion process, xxvi–xxvii
H.S. Denison, 847
HT *see* high temperature
Humid air motor (HAM), 73
Hydrocarbons (HC), 61–3, 76–7, 78, 82–3, 86
- I**
- IACS *see* International Association of Classification Societies
IC *see* inlet closure
ICR *see* intercooled recuperated
IF30 grade fuel, 818, 843, 845
IFEP *see* integrated full electric propulsion
IMO *see* International Maritime Organization
Impulse method for turbochargers, 183
InFi *see* intelligent fuel injection
Injection and combustion, 235–8
Injectors for fuel injection, 238–40, 567
Inlet closure (IC), 10
Inlet temperature for Siemens GT35 gas turbine engine, 846
Inlet valve closure (IVC), 8, 189
Inlet valves, Semt-Pielstick PC2-6B engine, 647
Inner dead centre (IDC) *see* top dead centre
Insoluble products in lubrication oils, 135
Installation refinements for MAN B&W MC engines, 326–7
Integrated full electric propulsion (IFEP), 167
‘Intelligent’ cylinder lubrication, 131–4
‘Intelligent’ engines, 280–7
Intelligent fuel injection (InFi), 282–3
Intelligent valve actuation (InVA), 282–4
Intercooled recuperated (ICR) cycle for propulsion, 835–6, 857–8, 860
International Association of Classification Societies (IACS), 867–8
International Maritime Organization (IMO):
 emission regulations, 379, 385
 engine room noise, 21–4
 exhaust emissions, 286, 508
 exhaust gas recirculation, 76
 low-sulphur fuels, 100
 nitrogen oxides emissions
 B&W MC engines, 293
 Bergen (Rolls-Royce) engines, 620
 control, 65–8
 direct water injection, 72
 environmental issues, xx
 exhaust gases, 508
 medium-speed engines, 508
 Ruston (MAN Diesel) 16RK270 engine, 630
 Selective Catalytic Reduction, 78–9
 Sulzer Wärtsilä ZA40S engine, 664
 Wärtsilä (Sulzer) RTA engines, 390
 nitrogen oxides/smoke emissions, 563–5
 SOLAS regulations (safety), 865
 sulphur content of fuel, 64
InVA *see* intelligent valve actuation
Invisible smoke (IS), 596–7
IS *see* invisible smoke
ISO 8178, emission regulations, 82–3
ISO 8217, fuel standard for marine applications, 105, 113, 116–17
Isotta Fraschini high-speed engines, 775
IVC *see* inlet valve closure
- J**
- J-type engines (Doxford), 476–91
John Brown (UK), xv
Junkers engines, xiv
Jutlandia, x
- K**
- KBB turbochargers, 227
Knocking control in dual fuel engines, 50, 53
Kongsberg Maritime, Norway:
 oil mist detection, 868–70
 Sentry GB-100 system, 869–70
 Sentry temperature monitoring, 705
Kyoto Protocol, 63
- L**
- L-orange fuel injection, 797
Lamda control:
 air-to fuel ratio, 201
 fuel injection, 780
Lanchester balancing, 19, 40
Large bore engines:
 cylinder liner wear, 425–6
 MAN B&W low-speed engines, xxi–xxii, 306–15, 346–5
 MAN Diesel, 572
LCI *see* Load Commutated Inverter
LCV *see* lower calorific value
Lead emissions, 41
LEAD injectors for MTU series 4000 engine, 801
LEE *see* low emission engine
LHV *see* lower heating value
Liner lacquering in medium-speed engines, 124–6

- Liquid natural gas (LNG) carriers:
 dual-fuel engines, 41, 44, 49
 gas turbines, 829
 low-speed two-stroke engines, 269
 MAN Diesel ME-GI engine, 53, 55-6
 medium-speed engines, 507, 516
- Liquified natural gas (LNG) carriers, 166
- Lloyd's Register:
 bio-fuels, 105
 charter party, 113
 crankcase explosions, 867
 electric propulsion, 167
 Fluid Analytical Consultancy Services, 142
 Fuel Oil Bunker Analysis Service, 117
 fuel testing, 116
- LNG *see* liquid natural gas
- Load Commutated Inverter (LCI), 166
- Loki*, xii
- Loop cooling in RLB engines, 449
- L' Orange fuel injection, 548, 617
- Low emission engine (LEE), 563
- Low NOx Wärtsilä 32 engine, 674-5
- 'Low port':
 concept for turbochargers, 186
 cylinder liners for RTA84T-B/D engines,
 410-11
- Low temperature (LT):
 corrosion by heavy fuel oils, 92
 water cooling, 602
- Low-speed engines:
 Burmeister & Wain, 451-74
 development, xxi-xxii
 Doxford, 475-6, 476-91
 engine selection, 160, 161
 four-stroke piston, 759-62
 intelligent engines, 280-7
 introduction, 269-80
 MAN, 493-506
 MAN B&W, 289-360
 Mitsubishi Heavy Industries, 361-86
 Sulzer (Wärtsilä) 4RTX54 test, 273-5
 vibration, 26-9
 Wärtsilä (Sulzer), 387-449
- Low-sulphur fuels, 100-4
- Lower calorific value (LCV), 6
- Lower heating value (LHV), 45
- LT *see* low temperature
- Lubricating oils:
 black sludge, 126-7
 contamination, 139-42
 cylinders
 lubricant feed rates, 130-4
 types, 119-21
 wear, 121-3
 environmental legislation, 118
 gas turbines, 838
 insoluble products, 135
 'intelligent' cylinder lubrication, 131-4
 low-sulphur fuels, 129-30
 lube oil stress, 127-8
 medium-speed engines, 124-6
 microbial contaminants, 136-9
 oil stress, 127-8
 synthetic, 128-9
 testing, 134-5
 wear metal elements, 135
- Lubrication:
 Caterpillar 3600 series engines, 539
 Daihatsu DC-32 engine, 720
 gas turbines, 838-9
 MAN Diesel
 L27/38 and L21/31 engines, 602
 V28/33D engines, 609
 MAN (Holeby) high-speed L16/24 genset
 engine, 778-81
 MTU series 1163 engines, 788
 Ruston (MAN Diesel) engines, 631, 633
 Stork-Werkspoor TM410 engines, 743
 Sulzer (Wärtsilä) engines, 664, 667-8
 Wärtsilä medium-speed engines
 20 type, 683-4
 32 type, 677
 38 series, 693-4
 64 type, 711-12
 Wärtsilä W200 engine, 824
 LUCAS EUI systems for electronic fuel
 injection, 254
Lyra Leader, 380, 384
- M**
- Main control unit (MCU), 712
- Maintenance:
 Bergen (Rolls-Royce) C-series engines, 624
 gas turbines, 830, 860-4
 MAN Diesel L32/40 engines, 593
 MTU series 8000 engines, 793
 Sulzer (Wärtsilä) S20 engine, 668
 Wärtsilä
 38 engine, 690
 W200 series engine, 822
- Maintenance assembly change units (MACUs),
 852, 862
- MaK (Caterpillar Marine Power Systems),
 549-69
 C-versions, 562-3
 common rail fuel injection, 563-8, 565-9
 design features, 549-51
 early models, 569
 low emission technologies, 563-5
 M32 engine, 551-7
 M32 engine construction, 552

- M32C engine, 557, 565–6
M43 engine, 557–9
M43C engine, 560–2
support, 569
VM43 engine, 559–60
see also Caterpillar
- MAN Diesel:
4T50ME-X research engine, 75
4T50MX low-speed research engine, 277–80
32/40 engine, 58
51/60DF engine, 48–51
alpha cylinder lubricator unit, 132–4
axial vibrations, 33–6
B&W low-speed engines, 289–360
980 mm-bore MC engines, 304–5
CoCoS-EDS diagnostic system, 344
control system, 342–3
electronically controlled ME engines, 336–7
exhaust gas emissions flexibility, 338–9
exhaust valve actuation systems, 342
fuel injection system, 339–42
L series, 289–92
L35MC engine, 289, 298
large bore engines, 306–15, 346–54
mark 9 large bore engines, 346–54
MC engines, 293–8, 298–306, 316–27
ME engine systems, 339, 345–6
ME-B engines, 272, 354–60
milestones, 290–1
operating advice, 335–6
operational safety/flexibility, 338
post-1997 service, 327–35
programmes expansion, 298–306
reduced fuel consumption, 338
S26MC engine, 298
S35MC engine, 298–300
S...MC engine series, 300–4
water mist catchers, 315–16
CoCoS computerized surveillance, 781
exhaust gas recirculation, 75
first-order moments, 29–30
fuel oil heating chart, 132–3
fuel water emulsion, 70
gas-burning engines, 59–60
guide-force moments, 32–3
high pressure turbocharging, xix
hull vibrations, 39–40
injectors, 50
intelligent engines, 280–1
L32/40 engines emissions, 594
low-speed engines
description, 493–506
designers, 269–72, 285, 493–506
electronic fuel injection, 504–6
KSZ series, 493–5, 495–504, 504–6
research and development, 276–80, 285
ME-GI engine, 53–6
medium-speed engines
28/32A, 531–2
32/40, 584–93, 593–4
32/44CR engines, 611–12
32/44CR engines 48/60CR, 612–13
48/60 engines, 518–20
48/60B, 594–7
CR series, 609–11
description, 508, 571–613
exhaust emissions, 510
fuel economy, 510
L21/31, 598–603
L32/40, 510–12
L37/38, 598–603
L40/54, 583–4
L58/64, 513, 571–8, 578–82
V28/33D, 603–7, 607–9
‘mini-sac’ fuel valve, 76
nitrogen oxides reduction, 73–4, 83–4
noise, 21–4
over lubrication, 130–1
particulates, 83
performance gas injection engine, 56–8
pollution, 63
Queen Elizabeth, 2, ix
SaCoS DF engine management system, 50–1
second-order moments, 31–2
slide-type fuel valve, 77
soot reduction, 83–4
torsional vibrations, 37, 39
turbochargers
NA series, 212–14, 217–19
NR series, 212–14
TCA series, 214–20, 221
TCR series, 220–1
turbo compound systems, 231
vibrations, 27–8
volatile organic compounds, 56
MAN (Holeby) high-speed engines, 775–83
L16/24 genset series, 775–8, 778–83
MAN low-speed KSZ series engines structure, 496–8
Manoeuvring system (without bridge control) for L-GB engines, 472
Marine Spey SMIC combustor, 858
Marioff Oy company, 73
Marpol 73/78 regulation for marine pollution, 137
Maschinefabrik Augsburg Nurnberg *see* MAN
Materials for MaK M32 engine, 555
Maximum continuous rating (MCR), 143, 391
Maximum rating and engine performance, 144–6
MCR *see* maximum continuous rating

- MCRS *see* modular common rail fuel system
 MCS *see* monitoring and control system
 MCU *see* main control unit
 MDEC (MTU Diesel Control Unit), 790
 Mean effective pressure and engine performance, 147–8
 Mean piston speed, 12–13
 Mechanical efficiency, 7
 Medium-speed engines:
 Advanced Diesel Development DD30V engine, 513–16
 Allen (Rolls Royce) 5000 series engines, 520–3
 Alpha Diesel, 531–5
 Anglo-Belgian Corporation, 715–16
 Bergen (Rolls-Royce), 615–25
 black sludge, 126–7
 carbon dioxide emissions, 517
 Caterpillar, 537–44
 compactness, 508
 cylinder technology, 517
 Daihatsu, 716–20
 design, 518–23
 Deutz, 545–8
 engine selection, 160
 General Electric, 755
 GE L/V250 series, 756–8
 GE V228 series, 755–6
 Grandi Motori Trieste, 720–7
 Himsen (Hyundai Heavy Industries), 727–30
 introduction, 507–23
 liner lacquering, 124–6
 MaK (Caterpillar Marine Power Systems), 549–70
 MAN Diesel, 571–613
 B&W Alpha, 531–2
 L32/40, 510–12
 Mirrless Blackstone, 730–22
 Mitsui, 733–5
 Niigata, 736
 nitrogen oxides emissions, 517
 Nohab, 736–7
 reduced weight, 508
 Ruston (MAN Diesel), 627–34
 Semt-Pielstick, 635–47
 SKL, 736–9
 Stork-Werkspoor Diesel, 739–46
 Sulzer (Wärtsilä), 649–68
 turbochargers, 509
 two-stroke, 747–55
 variable inlet closing, 509
 Wärtsilä, 669–713
 common rail system, 264–8
 Yanmar, 746–7
 MET series turbochargers, 222–7
 Methane, 41
 Microbial contamination and fuel/lubricants, 136–9
 Miller cycle, 68, 188–9, 563
 Miller system for Niigata 32FX engine, 803–5
 Mirrless Blackstone:
 medium-speed engines, 730–22
 ESL series, 732–4
 MB340L, 730–1
 Mitsubishi Heavy Industries (MHI):
 engines, 72–3
 gas turbines, 850
 GG-8 engine, 850
 ICR cycle, 835–6
 MFT-8 engine, 838
 high speed engines, S16R-S, 783–4
 intelligent engines, 285–6
 low-speed engines
 350 mm/400 mm bore, 378–9
 cylinder lubrication, 386
 eco-engines advantages, 384–5
 emissions, 385–6
 H-type, 373–9
 UEC eco-engine, 379–85
 UEC series, 361–6, 366–73
 UEC-LSE, 366, 379–81
 RTA series engines, 404
 turbochargers, 222–7, 231
 Mitsubishi Kakoki Kaisha (MKK), centrifugal separators, 111–12
 Mitsui medium-speed engines, 733–5
 Mobilgard lubricant:
 570, 120-1
 SHC, 1, 128
 Modular common rail fuel system (MCRS), 770
 Modular system for MaK M32 engine, 553
 Moment compensators for Burmeister & Wain L-GB engines, 471
 Monitoring and control system (MCS)
Monte Penedo, xiii–xiv
 Mountings, active, 25–6
 MPC turbocharging system, 647
 MTU Diesel Control Unit (MDEC), 790
 MTU Friedrichshafen:
 active mountings, 25
 common rail system, 257–63
 fuel injection systems
 8000 engine common rail, 263
 high-speed engines, 257–63
 technology development, 256–7
 MTU (Motoren- und Turbinen-Union):
 DDC engines, 795
 high-speed engines, 784–801
 ADEC, 801
 research and development, 764–6
 396 series, 784–5

595 series, 785–6
 1163 series, 786–8
 2000 series, 795–6
 4000 series, 796–801
 8000 series, 788–94, 794–6
 Multi-pulse method for turbochargers, 183
 Munter Euroform company, 73

N

Napier turbochargers, 210–12
 Natural gas, 42
 Niigata:
 high-speed engines, 801–5
 32FX engine, 803–5
 Miller system, 803–5
 V16FX engine, 802–3
 medium-speed engines, 736
 Nimonic alloy:
 cylinder heads, 667
 GMT A32 engine, 726
 valves, 527, 542
 Nitrogen oxides (NOx) emissions:
 A100 series (turbochargers), 207
 centrifugal separators, 112
 combustion chamber design, 59
 dual-fuel and gas engines, 41–3, 52
 eco-engine, 385–6
 exhaust emissions/control, 61, 65–9, 86
 gas turbines, 830, 837–8
 International Maritime Organization
 B&W MC engines, 293
 Bergen (Rolls-Royce) engines, 620
 control, 65–8
 direct water injection, 72
 environmental issues, xx
 medium-speed engines, 508
 Ruston (MAN Diesel) 16RK270 engine,
 630
 Selective Catalytic Reduction, 78–9
 Sulzer (Wärtsilä) ZA40S engine, 664
 Wärtsilä (Sulzer) RTA engines, 390
 low-speed engines, 275, 277, 287
 lubricating oils, 118
 MaK
 engines, 563–5
 VM43 engine, 560
 MAN B&W ME engines, 357
 MAN Diesel
 32/40 engines, 585
 48/60 engine emissions, 519
 51/60DF engine, 48
 L27/38 and L21/31 engines, 601
 particulates, 83–4
 V28/33D emissions, 604, 607
 medium-speed engines, 517
 MTU series 8000 engines, 794
 Paxman (MAN Diesel) VP185 engine, 810
 performance gas ejection engine, 57
 reduction techniques, 69–73
 requirements, xx
 Rolls-Royce WR-21 engines, 860
 two stage turbocharging, 189–91
 UEC emissions, 372–3
 Wärtsilä, 508, 672
 38 type, 689
 dual-fuel 50DF engines, 46
 low NOx Vasa 32 type, 674–5
 W200 engine, 822–3
 Nodes and vibration, 14–16
 Nohab medium-speed engines, 736–7
 Noise:
 engines, 19–21
 gas turbines, 830
 low-speed engines, 272
 Northrop Grumman, USA, 854
 NOx *see* nitrogen oxides
 NR series (turbochargers), 212–14

O

Oil mist detection (OMD), 335, 865–6, 867–9,
 871, 872
 Oil stress, 127–8
 OMD *see* oil mist detection
 Oranje, xv
 Oros combustion chambers, 309–11, 327,
 350–2
 Otto working principle, 56
 Overcritical running and torsional vibrations,
 38–9
 Overspeed protection on Allen (Rolls-Royce)
 VS12 engine, 529

P

Particulate matter (PM), 63
 Particulates, soot and smoke, 81–6
 Passenger ferries, gas turbines, 829
 Paulstra active mountings, 25
 Paxman (MAN Diesel):
 high speed engines, VP185 type, 806–12
 high-speed engines, 806–12
 PC *see* piston cleaning
 PDM *see* Pulse Width Modulation
 Peak firing pressure in high-speed engines,
 765–6
 Performance of engines, 143–57
 Performance gas injection (PFI) engine, 56–9
Petit Pierre, xi
 PFI *see* performance gas injection
 Pipework in MaK M43C engine, 562

- Piston cleaning (PC) rings, 313, 327–8, 358
- Piston-running:
- RTA Type engines, 401
 - RTA-T series engines, 401
 - RTA84T engine, 409–10
- Pistons:
- Allen (Rolls-Royce) VS12 engine, 526
 - Alpha diesel 28/32A engines, 533
 - Bergen (Rolls-Royce)
 - B32-40 engine, 621, 623
 - engines, 616, 617
 - Burmeister & Wain low-speed engines
 - K-GF type, 456
 - L-GB type, 469–70
 - Caterpillar 3600 series engines, 539
 - chrome ceramic rings, 424
 - crowns
 - high top-land, 309
 - Oros shape, 309–11, 327, 350–2
 - Wärtsilä (Sulzer), 429
 - Daihatsu DC-32 engine, 719
 - design features for large bore engines, 309–13
 - Deutz 628 series engine, 545
 - Doxford low-speed engines, pistons, 485
 - General Electric GE L/V250 series, 756
 - Grandi Motori Trieste
 - A32 engine, 726
 - BL550, 721–2
 - high-speed engine, Caterpillar, 767–8
 - MaK M43 engine, 559
 - MAN B&W
 - MC engines, 294–5, 317
 - ME engines, 359
 - MAN Diesel
 - 48/60B engines, 596
 - L27/38 and L21/31 engines, 599–600
 - L32/40 engines, 591
 - L58/64 engines, 574–6
 - V28/33D engines, 608
 - MAN (Holeby) high-speed engines L16/24 series, 779
 - MAN KSV series, 500–2
 - mean speed, 12–13
 - MTU series 4000 engine, 799
 - ring packs, 311–13, 359
 - rod glands, 428–9
 - Ruston (MAN Diesel) engines, 630–1, 633
 - Semt-Pielstick (MAN Diesel Group) engines, 640–3, 647
 - SKL VDS 29/24AL engine, 739
 - speed in high-speed engines, 765
 - speed in Semt-Pielstick PA6B STC engine, 816
 - Sulzer RL engines, 447
 - Sulzer (Wärtsilä) engines, 656, 667
 - TriboPack for extended time-between-overhaul, 423–5
 - Wärtsilä medium-speed engines, 670–1
 - 20 type, 681–2
 - 26 type, 688
 - 46 type, 694
 - 64 type, 708
 - low NOx Vasa 32 type, 674
 - Vasa 32 type, 673
 - W38A type, 691
 - Wärtsilä (Sulzer) RTA84T engine, 405
 - see also* rotating piston
- Plant configurations for gas turbines, 830–4
- Plant selection, 159–72
- Plunger seizures, Sulzer (Wärtsilä) ZA40/engines, 658–9
- PM *see* particulate matter
- Podded propulsors, 170–1
- Post weld-heat treatment (PW-HT), 349
- Pour point of fuel oils, 99
- Power:
- build-up and engine performance, 152–3
 - Semt-Pielstick
 - PA6B STC engine, 816
 - PC2-6B engine, 639
 - turbines for MC engines, 297–80
 - Power related unbalance (PRU), 32
 - Power take ins (PTIs), 229, 298
 - Power take offs (PTOs), 26, 34–5, 36, 162, 165, 297
- Practical cycles, 2–3
- Pressure:
- ratings for engines, xxvii
 - testing fuel valves in B&W engines, 333–4
- Pressure charging:
- charge air cooling, 178–9
 - scavenging, 179–80
 - turbochargers, 173–233
- Preussen*, xix, 192
- Propellers:
- engine performance, 150–2
 - law and engine performance, 148–9
 - slip and engine performance, 148, 150
- Propulsion:
- fast ferry, 767–8, 813
 - gas turbines, 829–34
 - intercooled recuperated cycle, 835–6, 857–8, 860
- PTIs *see* power take in; power take ins
- PTOs *see* power take offs
- Pulse converter method for turbochargers, 183
- Pulse jet cylinder lubrication, 427–8
- Pulse Width Modulation (PDM) drive, 166
- Pump/pipe injector v. unit injector for fuel injection, 249–52

Pump/pipe injectors for fuel injection, 252–3
 Pumps for fuel injection, 242–5

Q

Quantum System Electronics, 771
Queen Elizabeth, 2, ix
Queen Mary, 2, 85, 832
 Quiet engine rooms, 21–4

R

Rail in common rail fuel injection, 567
 RCS *see* remote control system
 Refinery processes, 87–9
Reina Del Pacifico, 867
 Reliability, gas turbines, 830
 Relief valves for crankcase explosions, 872–4
 REMIND software for centrifugal separators, 111
 Remote control system (RCS), 790
 Retrofits of turbochargers, 228–9
 Reversing mechanism:
 Burmeister & Wain L-GB engines, 471
 MAN B & W MC engines, 297
 Wärtsilä (Sulzer) RTA84T engine, 405
 Ricardo Consulting Engineers, UK, 520
 'Rillenkager' bearings, 657
 RL-type engines, 448–9
 Rolls-Royce (RR), 51–2, 520–3
 gas turbines
 Marine Spey engines, 850–3
 MT30 engine, 853–4
 RB211 engines, 856, 858
 RM 60 engine, 835
 WR-21 engine, 835, 854–60
 see also Allen (Rolls-Royce)
 Romagna, xi
 Rotating piston in Sulzer (Wärtsilä) engines, 651–2, 656, 663–4
 Royal Caribbean Cruises, 832
 RR *see* Rolls-Royce
 RTA engines – Wärtsilä (Sulzer):
 9RTA84C engine, 388–9
 35/40-bore series, 439
 82-bore series, 437–9
 combustion components, 388, 393
 design, 392–4, 394–5
 piston running technology, 401
 RT-flex
 50C, 404–5
 electronic, 431–6
 large bore liner wear, 426
 programme, 390, 436–7
 pulse jet cylinder lubrication, 427
 service, 436–7

RTA 96C, 414–19
 RTA-2U series, 395–7, 398
 RTA-T series, 397–401
 RTA50C, 404–5
 RTA60C, 401–4
 RTA68T-B, 414
 RTA84C, 414–19
 RTA84T series, 405–10, 410–14
 RTA96C, 414–19, 419–23, 426, 427
 selection, 390–2
 uniflow scavenging, 387
 VIT/VEC, 408–11
 Running gear:
 MaK M32 engine, 553
 MAN K SZ series, 498
 Ruston Design (UK), 603
 Ruston (MAN Diesel) engines, 627–34
 16RK270, 627–8, 630–2
 20RK270, 629
 RK215, 632–4
 RK270, 627–8
 RK280, 634

S

SACM Diesel, France, 818
 SaCoS DF engine management system, 50–1
 Safety, oil mist, 865–6
 Safety in engineer rooms, 865–74
 crankcase explosions, 866–72
 IACS, 867–8
 oil mist, 865–6
 Sankey diagrams, 4–5
 SAW *see* surface acoustic wave
 Scania automotive-derived high-speed engines, 825–6
 Scavenging:
 Burmeister & Wain L-GB engines, 472–3
 H-type engine (UEC series), 373–8
 uniflow, 361
 Schaller Automation:
 Bearing Overheating Monitoring System, 871
 crankcase explosions, 869–71
 Schwitzer turbochargers, 811–12
 SCR *see* selective catalytic reduction
 SECAs *see* sulphur emission control areas
 Second-order moments, 31–3
Secundus, xiv
 Sediment content of fuel oils, 98
Selandia, ix–x, xiii
 Selection of engines, 159–72
 Selective catalytic reduction (SCR):
 carbon monoxide, 86
 environmental issues, xx
 exhaust emissions, 77–81

- Selective catalytic reduction (SCR):
 (Continued)
 hydrocarbons, 86
 low-speed engines, 275, 277, 285, 287
 lubrication oils, 118
 nitrogen oxides emissions, 64, 77–81
- Selfjector Future (SJ-F) centrifugal separator,
 111–12
- Semt-Pielstick:
 high-speed engines
 PA6B STC, 812–18
 programmes, 812
- Semt-Pielstick (MAN Diesel Group) engines,
 635–47
 company, 236, 584
 PC series, 635–6
 PC2-6B, 638–44
 PC2-6B low pollution, 644–5
 PC4-2B, 645–7
- Sequential turbocharging system (STC), 812,
 817
- Sequentially turbocharged (STC), 604
- Service propulsion (SP) point, 292
- Shaft generators for MC engines, 297
- SHC *see* synthesized hydrocarbon
- Shell Alexia X OIL, 119
- Siemens:
 gas turbines, 843–7
 GT35 (SGT-500) engine, 843–6
- Signal processing unit (SPU), 869–70
- Single pipe exhaust (Spex) in Wärtsilä engines,
 677, 701–2, 704
- SINOx Selective Catalytic Reduction System,
 80
- SKL:
 medium-speed engines, 736–9
 four-stroke engines, 736
- Smart drive unit (SMU) for electronic fuel
 injection, 254
- Smoke emissions:
 International Maritime Organization, 563–5
 MaK engines, 563–5
 soot production, 83
 Sulzer (Wärtsilä) ZA40S engine, 663
- SMU *see* smart drive unit
- Société des Études de Machines Thermiques
 see SEMT
- ‘Soft blast’ cleaning for Siemens GT35 gas
 turbine engine, 846
- SOLAS regulations (safety), International
 Maritime Organization, 865, 867
- SP *see* service propulsion
- SPC *see* spill port closure
- Specific fuel oil consumption, 144–5
- Specific gravity of fuel oils, 99–100
- Spex *see* single pipe exhaust
- Spill port closure (SPC), 245
- SPU *see* signal processing unit
- SRB *see* sulphate-reducing bacteria
- SSV *see* start-up and safety valve
- Start-up and safety valve (SSV), 267
- Starting air system:
 Burmeister & Wain L-GB engine, 473–4
 MAN B&W low-speed ME engines, 345
 MAN Diesel V28/33D engines, 609
- Starting in Allen (Rolls Royce) VS12 engine,
 528–9
- STC *see* sequential turbocharging system;
 sequentially turbocharged
- Stena HSS 1500-class ferry, 830, 840
- Stop-Choc active mountings, 25
- Storage of heavy fuel oils, 89–90
- Stork-Werkspoor Diesel (SWD):
 medium-speed engines, 739–46
 SW 280 series, 745–6
 TM410 series, 740–5
 TM620 series, 740–4
 Wärtsilä 26 engine, 686
- Stratified fuel-water injection (SFWI), 72
- Stroke/bore ratio in high-speed engines, 765
- Structure of MAN B&W low-speed engines
 MC engines, 316–17
- Stuffing boxes for Doxford L-GB engines, 466
- Sulphate-reducing bacteria (SRB), 136, 140
- Sulphur:
 content in fuel, 64, 98, 315
 deposition, 62
 low-temperature corrosion by heavy fuel, 92
- Sulphur emission control areas (SECAs), 64–5,
 101, 104, 129–30
- Sulphur oxides (SOx):
 exhaust emissions/controls, 61, 86
 gas engines, 41, 101
 gas turbines, 830
 low-sulphur fuels, 101
- Sulzer:
 hydraulic actuation of gas exchange valves,
 509
 R-type engines, 392–3
 RL-type engines, 440–9
 ZA50S engine, 509–10
 see also Wärtsilä (Sulzer)
- Sulzer (Wärtsilä) engines, 649–68
 4RTX54 test, 273–5
 rotating piston, 651–2
 S20, 665–8
 Z series, 649–50
 ZA40/ZA40S, 653–61, 665
 ZA50S, 662–5
- Surface acoustic wave (SAW), 869
- SWD *see* Stork-Werkspoor Diesel
- Swirl injection principle (SIP), 386

Synthesized hydrocarbon (SHC) lubricants, 128
 Synthetic lubricating oils, 128-9

T

- TBN *see* total base number
 TBO *see* time-between-overhaul
 TDC *see* top dead centre
 TDC, fuel injection, 822
 Theoretical heat cycle, 1-2, 2-3
 Thermal cracking, 88
 Thermal efficiency of engines, 6-7, 287
 Thermal load in MaK M32 engine, 555
Thermal stress, 127
 Thermodynamic conditions, MaK M32 engine, 551
 Thrust bearings for Burmeister & Wain L-GB engines, 465
 Time-between-overhaul (TBO):
 condition-based maintenance, 430
 Doxford RL-type engines, 448
 large bore cylinder liners, 425
 piston rod glands, 428-9
 Tribopack, 423-5
 Wärtsilä (Sulzer)
 RT-flex engines, 432
 RTA96C engines, 415-16
 Timing for fuel injection, 245-6
 Tin- aluminium (Sn40Al) alloy in main bearings, 308-9
Toiler, xii
 Top dead centre (TDC), 2, 7, 19, 42, 59
 Topham, Nick, 127
 Torque, 11-12
 Torsional vibrations, 36-9
 Total base number (TBN), 101, 118, 119-20
 Trailing/locking of propellers, 153-4
 Trends for fuel injection, 247-9
 TriboPack:
 piston-running, 416
 time-between-overhaul, 423-5
 Turbo compound systems for turbochargers, 229-32
 Turbochargers:
 3618 (Bravo) engine, 542
 A100 series, 193, 207-9
 ABB, 228-9, 767
 advantages, 173-5
 Allen (Rolls-Royce) VS12 engine, 528
 Alpha Diesel 28/32A engines, 534
 B&W low-speed engines, 461-3
 bearings, 199-200, 218
 Bergen (Rolls-Royce) engines, 617-19, 621, 623
 Burmeister & Wain engines, 458-9, 473
 burst tests, 191
 Caterpillar 3600 series engines, 539
 cleaning, 191
 constant pressure, 361
 construction, 183-5
 Cummins high-speed engines, 770-1
 Daihatsu DC-32, 720
 designers, 192-8
 Doxford engines, 490-1
 emissions, 188-9
 four-stroke engines, 174-6, 180, 192-3
 General Electric GE L/V250 series, 756
 generators/motors, 232-3
 history, xix
 KBB, 227
 MaK
 C-version engines, 563
 VM43 engine, 560
 MaK (Caterpillar Marine Power) M43C engine, 561
 MAN Diesel, 184, 212-21
 32/40 engines, 593
 48/60B engines, 595-6
 L27/38 and L21/31 engines, 602
 L58/64 engines, 577, 578-80
 V28/33D engines, 604, 609
 MAN (Holeby) L16/24 series, 780
 MAN K5Z series engines, 500-3
 medium-speed engines, 508
 Miller cycle, 188-9
 Miller system for Nūigata 32FX engine, 804
 Mitsubishi Heavy Industries, 222-7
 MTU
 1163 series engines, 788
 4000 series, engine, 800
 8000 series engines, 790, 795
 NA Series, 212-14, 217-19
 Napier, 210-12
 noise, 21
 Paxman (MAN Diesel) VP185 engine, 810-11
 performance/development, 185-7
 retrofits, 228-9
 RR series, 193, 199
 Ruston (MAN Diesel) engines, 629, 634
 Schwitzer, 811
 Semt-Pielstick PA6B STC engine, 817
 Semt-Pielstick PC series, 636, 647
 SKL VDS 29/24AL engine, 739
 Sulzer RL engines, 447-8
 Sulzer (Wärtsilä)
 S20 engine, 668
 ZA40S engine, 660-1
 surging, 181-2
 systems, 182-3
 TCA series, 214-20, 221

Turbochargers: (*Continued*)

- TCR series, 220-1
- TPL series, 193, 201-6, 206-7
- TPL-C series, 206-7
- TPS series, 198-201
- turbo compound systems, 229-32
- turboblowers, 180
- two-stage, 189-91, 362
- two-stroke engines, 174-9, 186, 192-6, 206
- variable turbine area technology, 221-2
- VTC series, 193
- VTR design, 183-4, 185
- Wärtsilä medium-speed engines, 677, 684-5, 691
 - 64 type, 710-11
- Wärtsilä (Sulzer) RTA engines, 418-19
 - see also* pressure charging
- Turning gear/wheel for Burmeister & Wain
 - L-GB engines, 472
- Two-stroke engines:
 - 4RTX research engines, 273-5
 - Bolnes, 754-5
 - constant pressure turbocharging, 491
 - Electro-Motive Division, 751-4
 - propellers, 159
 - turbochargers, 174, 176-9, 186, 192-6, 206
 - Wärtsilä (Sulzer), 387-449
 - Wichmann WX28, 747-50

U

- UEC series engines:
 - automatic flexible rating, 370
 - controlled swirl scavenging, 367-8
 - description, 361-6
 - design, 366-73
 - eco-engine, 379-85
 - exhaust valves, 369-70
 - H-type, 373-9
 - history, 366, 371
 - LSE, 366, 379, 381
 - lubrication, 386
 - nitrogen oxides emissions, 372-3, 385-6
 - time-between-overhaul, 370-1
- Ulstein Group, 615
- Undercritical running and torsional vibrations, 38
- Unified requirements (UR) and safety in engine rooms, 867-8
- Uniflow scavenging, 361, 387
- Uniformity in fuel injection, 246-7
- Union Steamship Company, xv
- Unit injector v. pump/pipe injector for fuel injection, 249-52
- Unit injectors, fuel injection, 250-2

V

- Vacuum distillation, 88
- Valve inlet timing (VIT) in Sulzer (Wärtsilä) ZA40S engine, 660
- Valves:
 - 3600 series engines, 539
 - L-GB engines, 468
 - MAN Diesel V28/33D engines, 608
 - Nimonic, 527, 542
- VAN *see* variable area nozzles
- Vanadium and corrosion by fuel oils, 92
- Vandal, xi
- Vane separator for air filtration, 839-40
- Variable area nozzles (VAN), 858-9
- Variable compression ratio (VCR), 278
- Variable exhaust valve closing (VEC), 274, 407-8
- Variable geometry (VG), 812
- Variable injection timing (VIT):
 - engine performance, 278
 - low-speed engines, 435
 - RTA84C/96C engines, 418
 - RTA84T engine, 408
- Variable inlet closing (VIC):
 - medium-speed engines, 509
 - pressure charging, 190-1
 - Sulzer (Wärtsilä) ZA40S engine, 663
- Variable inlet valve closure (VIC), Wärtsilä
 - medium-speed engines, 46F type, 704
- Variable Multi-Pulse (VMT) system, 556
- Variable radial turbine (VRT) geometry, 227
- Variable turbine area (VTA), 216, 221-2
- Variable turbine geometry (VTG), 187, 201
- Variable valve timing (VVT) in Bergen (Rolls-Royce) C-series engines, 624
- VCR *see* variable compression ratio
- VEC *see* variable exhaust valve closing
- Very large container carriers (VLCC)
 - propulsion, 301-4, 346, 381, 411
- VG *see* variable geometry
- VI *see* viscosity index
- Vibrations:
 - axial, 33-6
 - description, 13-17
 - external unbalanced moments, 29
 - gas turbines, 830
 - low-speed, 26-9
 - nodes, 14-16
 - torsional, 36-9
- VIC *see* variable inlet valve closure
- Viscosity, fuel oils, 95-6, 135, 845
- Viscosity index (VI), 109
- Viscous damping, 412
- VIT *see* variable injection timing

Viton O-rings for VS12 engine, 525–7
 VLCC *see* very large container carriers
 VMT *see* Variable Multi-Pulse
 VOCs *see* volatile organic compounds
 Volatile organic compounds (VOCs), 56
 Volvo Penta automotive-derived high-speed engines, 826–7
 VRT *see* variable radial turbine (VRT)
 VTA *see* variable turbine area
 VTG *see* variable turbine geometry
 VTR-type turbochargers, 192–8
Vulcanus, xii

W

WacoReG *see* water-cooled residual gas
 Wärtsilä:
 7RTA52U two-stroke engine, 81
 32DF engine, 44–5
 50DF engine, 45–8
 cleaning of fuel oils, 107–9
 common rail injection systems, 257, 264–8
 DF four-stroke engines, 42–4
 direct fuel injection, xx
 direct water injection, 71–2
 EnviroEngine concept, 83–4
 exhaust emissions, 85–6
 high-speed engines, 764, 818–15
 W200, 819–25
 hull vibrations, 39–40
 intelligent engines, 280
 low-speed engines:
 4RTX54 test engine 273–5
 development, 274–6
 engine designers 269–70
 RTA series, 285–6
 medium-speed engines, 669–713
 16V46 engines, 832
 20 type, 679–84
 26 type, 685–9
 46 type, 694–8
 46F type, 702, 703–5
 64 series, 513
 64 type, 705–12, 712–13
 companies in group, 669
 CR type, 713
 cylinder technology, 517
 development, 670
 engine builders, 508
 low NOx Vasa 32 type, 674–5
 nitrogen oxides emissions, 672
 Sentry system for 46F engine, 870
 smokeless, 84
 Spex turbocharging, 701–2
 Vasa 32 type, 669, 672–3, 675–9
 W38 series, 689–94
 W46 fuel injection, 698–701
 nitrogen oxides, 68, 70
 over lubrication, 130–1
 particulate composition, 82
 RT-flex96C engine, xxvi
 RTA series engines, 274, 285
 RTA96C engines, xxv
 selective catalytic reduction, 80–1, 86
 smokeless medium-speed engines, 84
 Stork-Werkspoor Diesel, 537
 turbo compound systems, 229
 turbocharging, 187, 190
 two-stroke engines, xiii, xv, xvii, xx–xxi
 VASA, 32, 69
 vibrations, 26–8
 W64 engine servicing, 712–13
 Wetpac H system, 73
 Wärtsilä Engine Control System (WECS), 45, 48, 266, 435
 20 type, 685
 32 type, 678–9
 38 series, 693
 64 type, 712
 Wärtsilä (Sulzer) low-speed engines:
 35/40-bore series, 439
 82-bore series, 437–9
 CBM Management tool, 430
 condition-based maintenance, 429–31
 engine selection, 390–2
 exhaust valves, 428–9
 large bore liner wear, 425–6
 pistons, 428–9
 pulse jet cylinder lubrication, 427–8
 RT-flex, 404–5
 96C, 426, 427
 electronic, 431–6
 programme, 390
 service, 436–7
 RTA series, 387–90, 392–5, 395–7, 401–5
 RTA68T-B, 414
 RTA84C, 414–19
 RTA84T series, 405–10, 410–13
 RTA96C, 414–19, 419–23
 Sulzer RL-type, 440–9
 Tribopack for extended TBO, 423–5
 see also Sulzer (Wärtsilä)
 Waspaloy Inconel 718 alloy for exhaust valves, 805
 Waste heat recovery (WHR), 287
 Water in fuel oil, 90, 98, 135
 Water-cooled residual gas (WACoReG), 76
 WAVE engine performance simulation, 522–3
 WECS *see* Wärtsilä Engine Control System
 Weight of Semt-Pielstick PA6B STC engine, 817–18

Wetpac H system for Wärtsilä, 73
WHR *see* waste heat recovery
Wichmann WX28 two-stroke medium-speed engines, 747-50
Wide operating speed range (WOSR), 769
Woodward Governor *see* Delphi Bryce
Working cycles, 7-9

WOSR (wide operating speed range)
technology in Caterpillar engines, 769

Y

Yanmar medium-speed engines, 746-7