

Instrumentation and Control Systems

W. Bolton



ELSEVIER

AMSTERDAM • BOSTON • HEIDELBERG • LONDON • NEW YORK • OXFORD
PARIS • SAN DIEGO • SAN FRANCISCO • SINGAPORE • SYDNEY • TOKYO

Newnes is an imprint of Elsevier



Newnes

Contents

<i>Preface</i>	ix
----------------	----

1 Measurement systems	1.1 Introduction	1
	1.2 Instrumentation systems	2
	1.3 Performance terms	5
	1.4 Reliability	10
	1.5 Requirements	11
	Problems	14
2 Instrumentation system elements	2.1 Introduction	17
	2.2 Displacement sensors	17
	2.3 Speed sensors	24
	2.4 Fluid pressure sensors	25
	2.5 Fluid flow	27
	2.6 Liquid level	31
	2.7 Temperature sensors	33
	2.8 Sensor selection	38
	2.9 Signal processing	39
	2.10 Signal transmission	54
	2.11 Smart systems	57
	2.12 Data presentation elements	58
	Problems	62
3 Instrumentation case studies	3.1 Introduction	68
	3.2 Case studies	68
	3.3 Data acquisition systems	74
	3.4 Testing	77
	Problems	79
4 Control systems	4.1 Introduction	82
	4.2 Control systems	83
	4.3 Basic elements	86
	4.4 Case studies	89
	4.5 Discrete-time control systems	98
	Problems	98

5	Process controllers	5.1	Introduction	101
		5.2	On-off control	102
		5.3	Proportional control	104
		5.4	Derivative control	108
		5.5	Integral control	110
		5.6	PID control	112
		5.7	Tuning	115
		5.8	Digital systems	119
			Problems	121
6	Correction elements	6.1	Introduction	125
		6.2	Pneumatic and hydraulic systems	125
		6.3	Directional control valves	129
		6.4	Flow control valves	135
		6.5	Motors	142
		6.6	Case studies	149
			Problems	151
7	PLC systems	7.1	Introduction	156
		7.2	Logic gates	157
		7.3	PLC system	160
		7.4	PLC programming	162
		7.5	Case studies	169
			Problems	173
8	System models	8.1	Introduction	179
		8.2	Gain	180
		8.3	Dynamic systems	183
		8.4	Differential equations	193
			Problems	197
9	Transfer function	9.1	Introduction	200
		9.2	Transfer function	200
		9.3	System transfer functions	206
		9.4	Block manipulation	208
		9.5	Multiple inputs	212
		9.6	Sensitivity	213
			Problems	216
10	System response	10.1	Introduction	219
		10.2	Inputs	219
		10.3	Determining outputs	220
		10.4	First-order systems	226
		10.5	Second-order systems	230

	10.6	Stability	240
	10.7	Software Problems	245
			247
11 Frequency response	11.1	Introduction	252
	11.2	Sinusoidal inputs	255
	11.3	Bode plots	261
	11.4	System identification	271
	11.5	Stability	272
	11.6	Compensation Problems	275
			278
12 Nyquist diagrams	12.1	Introduction	282
	12.2	The polar plot	282
	12.3	Stability	284
	12.4	Relative stability Problems	287
			288
13 Controllers	13.1	Introduction	290
	13.2	Controllers	290
	13.3	Frequency response	295
	13.4	Systems with dead time	296
	13.5	Cascade control	299
	13.6	Feedforward control Problems	300
			300
Appendix A: Errors		Measurement errors	303
		Random errors	304
		Combination of errors	307
Appendix B: Differential equations		Differential equations	311
		Solving differential equations	312
Appendix C: Laplace transform		The Laplace transform	319
		Obtaining the transform	320
		The inverse transform	324
		Solving differential equations	324
			324
		<i>Answers</i>	327
		<i>Index</i>	334

Index

- Accuracy, 5
Actuator, 88, 126, 127
Alphanumeric display, 58
Amplifier,
 as system, 1, 3
 transfer function, 204
Analogue,
 signal, 45
 -to-digital converter, 45
 voltage transmission, 54
AND, 158, 163
Antilock brakes, 92
Argand diagram, 254
Argument, 254
ASCII, 55
Automation, 82
Average, 304

Bimetallic,
 strips, 33
 thermostat, 102
Binary number, 46
Bit, 46
Bode plots, 261, 295, 297
Bourdon tube, 26
Bumpless transfer, 115
Bus, 57

Calibration, 11
Capacitive:
 displacement sensor, 19
 humidity sensor, 72
 level indicator, 32
 proximity switch, 24
Capacitance,
 system attribute, 102
Car suspension, 183
Cascade, 299
Cathode ray tube, 59
CD player system, 2
Central heating system, 103, 172

Charge amplifier, 53
Comparison element, 87
Compensation, 275
Complex numbers, 253
Controllers,
 derivative, 108, 290
 direct digital, 119
 element, 87
 frequency response, 295
 integral, 110, 291
 law, 101
 on-off, 102
 PD, 109, 290, 295
 PI, 111, 291, 295
 PID, 112, 291, 296
 proportional, 104, 290, 295
 selection, 292
 two-step, 102
Control systems,
 cascade, 299
 case studies, 89
 closed-loop, 85
 Compensation, 275
 defined, 84
 disturbances, 213
 elements, 86
 feedforward, 300
 open-loop, 85
 sensitivity, 213
 uses of, 83
Conversion time, ADC, 47
Coriolis flowmeter, 30
Correction element, 88, 126
Current,
 loop, 54, 57
 -to-pressure converter, 125
 -to-voltage converter, 51
Cylinder,
 cyclic movement, 170
 principle, 127
 sequencing, 132, 171

- Cylinder, *continued*
 transfer function, 204
- Dall tube, 28
- Damping,
 critical, 196, 232, 316
 factor, 195, 231, 316
 overdamped, 196, 231, 316
 underdamped, 196, 232, 316
- DAQ, see Data acquisition system
- Darlington pair, 22
- Data,
 acquisition system, 74
 logger, 76
 presentation indicator, 58
 presentation system, 3, 58
 transfer, 76
- Dead,
 band, 7, 103
 space, 7
 time, 101, 296
 -weight pressure calibration, 70
- Decrement, 236
- Delay,
 time, 101, 228
 transfer, 101
- Derivative control,
 Laplace transform, 291
 principle, 108
 time constant, 108, 291
 with P, 109, 291, 295
- Deviation,
 absolute, 106
 fractional, 106
 percentage, 106
- Diaphragm sensor, 25, 70
- Differential equation,
 characteristic equation, 231
 complementary function, 313
 first-order, 193, 226, 258, 312
 for models, 180
 homogeneous, 311
 order, 311
 ordinary, 311
 particular integral, 313
 second-order, 195, 230, 260, 315
 separation of variables, 312
- solving, 312
 solving by Laplace, 325
- Differential pressure, level gauge, 32
- Digital,
 signal, 45
 -to-analogue conversion, 48
 voltage transmission, 54
- Direct,
 action, 101
 digital control, 119
- Discrete-time control systems, 98, 156
- Displacement sensors, 17, 70
- Displacer gauge, 31
- Distance-velocity lag, 102
- Disturbance with control systems, 212, 215, 294
- Drift, 9
- Drill, automatic, 98
- Dynamic,
 characteristics, 9
 response, 179
- Earths, multiple, 56
- Embedded systems, 121
- Encoder,
 absolute, 20
 defined, 20
 incremental, 20, 24
- Engine,
 idling speed control, 105
 management system, 91
- Error,
 combination, 307
 defined, 5
 human, 304
 hysteresis, 5
 insertion, 6, 304
 instrumentation, 303
 non-linearity, 5
 random, 304
 reading, 303
 standard, of mean, 306
 systematic, 304
- Fail-safe, 141
- Failure rate, 10
- Feedback, 88, 181
- Feedforward, 300

- Fibre-optic transmission, 55
- Floats, 31, 72, 94, 104
- Flow, fluid,
 - control, 97
 - sensors, 27, 71
- Forward path, 88, 181
- Free-body diagram, 184
- Frequency response,
 - controllers, 295
 - defined, 252
 - first-order system, 258
 - function, 255
 - second-order system, 260
- Fuel pressure control, 91
- Gain,
 - crossover, 273
 - feedback systems, 181
 - margin, 273, 287
 - series systems, 180
 - steady-state, 193
 - system, 180
- Galvanometric recorder, 60
- General purpose instrument bus, 76
- GPIB, 76
- Gray code, 21
- Hart communication protocol, 57
- Hot-wire anemometer, 71
- Humidity measurement, 72
- Hydraulic source, 126
- Impulse input, 219
- Instrumentation system,
 - case studies, 68
 - constituent elements, 3
 - defined, 2
 - faults, 79
 - maintenance, 77
 - performance terms, 5
 - testing, 77
- Integral control,
 - Laplace transform, 291
 - principle, 110
 - time, 112, 291
 - windup, 295
 - with P, 111, 291, 295
- Intelligent sensor, 57
- Interference,
- described, 55
- reduction, 56
- Kirchhoff's laws, 187
- LabVIEW, 76
- Ladder program, 162
- Lag, 101
- Laplace transform,
 - final value, 322
 - initial value, 322
 - inverse, 220, 324
 - properties, 320
 - table, 220
 - uses, 200, 219, 319
- Latching, 164
- Law of intermediate temperatures, 35
- LED, 22, 45, 58
- Level, liquid,
 - control, 94, 104, 149, 192, 299
 - measurement sensors, 31, 38, 72
 - transfer function, 205
- Light-emitting diode, see LED
- Linear variable differential transformer, see LVDT
- Liquid crystal display, 58
- Liquid-in-glass thermometer, 34
- LM35, 36, 57
- Load cell, 32
- Loading, 6
- Logic gates, 157, 163
- Lumped parameter model, 183
- LVDT,
 - described, 20
 - dimension checking, 73
 - pressure gauge, 26
 - pressure-to-current converter, 53
 - sheet thickness control, 94
- Machine tool control, 96, 133, 150
- Magnetic recording, 62
- MATLAB, 245, 262, 283
- Mean, 304
- Models,
 - electrical systems, 186

- Models, *continued*
 hydraulic systems, 191
 mechanical systems, 183
 rotational systems, 185
 thermal systems, 188
- Modulus, 254
- Moiré fringes, 21
- Motor,
 brushless, 144
 compound, 143
 d.c., 142
 permanent magnet, 142
 separately excited, 143
 series-wound, 143
 shunt-wound, 143
 stepper, 145, 150, 231
 transfer function, 204, 205
- Motorola MPX, 25
- Moving coil meter, 58
- NAND, 159, 164
- Neutral zone, 103
- Noise, 55
- NOR, 159, 164
- NOT, 158, 163
- Nozzle flowmeter, 28
- Nucleonic level gauge, 33
- Nyquist,
 diagram, 282
 stability criterion, 284
- Op-amp,
 case study, 71
 charge, 53
 differential, 52
 gain, 182
 instrumentation, 52
 inverting, 49
 non-inverting, 50
 principle, 49
 sensitivity, 214
 virtual earth, 50
 voltage follower, 51
- Operational amplifier, see Op-amp
- Optical,
 fibres, 55
 proximity sensors, 22
 sensors, 22
- Optoisolator, 44, 161
- OR, 158, 163
- Orifice plate, 28
- Overshoot, 235
- Parity bit, 55
- Partial fractions, 222, 324
- Peak time, 235
- Phase,
 crossover frequency, 273
 difference, 252
 -lag compensation, 277
 -lead compensation, 276
 margin, 273, 287
- Phasor, 252
- Photoconductive cell, 22
- Photodiode, 22
- Phototransistor, 22
- PID control, 112, 291, 295
- Piezoelectric sensor, 26
- Pitot tube, 28
- PLC system,
 components, 160
 counter, 167
 input/output, 161
 internal relay, 165
 ladder program, 162
 latching, 164
 principle, 157
 timer, 166
- Pneumatic,
 sources, 126
 system, 125
 transmission, 55
- Polar plot, 282
- Pole,
 defined, 242
 and stability, 243
- Position control, 90
- Potentiometer, 18, 204
- Power steering, 91
- Precision, 7
- Pressure,
 absolute, 25
 differential, 25
 gauge, 25
 measurement system, 9, 70
 sensors, 25
 system calibration, 70
 -to-current converter, 53
- Printer,
 dot-matrix, 60

- Printer, *continued*
 ink jet, 61
 laser, 61
- Process control, 88
- Programmable logic controller, *see* PLC system
- Proportional,
 band, 105
 control, 104, 290
 disturbance rejection, 294
 offset, 107, 293
 with D, 109, 291, 295
 with I, 111, 291, 295
 with I and D, 112, 291, 295
- Protection, 44
- Pulse width modulation, 144
- Pyroelectric sensor, 23
- Pyrometers,
 disappearing filament, 37
 optical, 36
 total radiation, 36, 37
- Radiator, car, control system, 103
- Ramp input, 219
- Range, 7, 105
- Recorder, 60
- Reed switch, 23
- Regulator, 89
- Relay, 103
- Reliability, 10
- Repeatability, 7
- Reproducibility, 7
- Resistance,
 temperature detector, 34, 41
 to voltage converter, 39
- Resolution, ADC, 47
- Response time, 9
- Reverse action, 101
- Rise time, 9, 229, 234
- Robot,
 control system, 149
 gripper, 95
- Rotameter, 28
- Rotation speed control, 89
- RS-232, 55, 76
- RS-422, 76
- RS-485, 55
- Safety systems, 14
- Sensitivity, 8, 213
- Sensor,
 defined, 3
 displacement, 17
 fluid flow, 27
 fluid pressure, 25
 liquid level, 31, 38
 selection, 38
 speed, 24
 temperature, 33, 38
- Serial communication, 55, 76
- Settling time, 9, 237
- Signal conditioner, 39
- Signal lamp system, 170
- Signal processor,
 defined, 3
 forms of, 39
- Signal transmission, 54
- Simulink, 246
- Smart systems, 57
- Span, 7, 105
- Speed sensors, 24
- s-plane, 242
- Stability,
 and frequency response, 273
 and Nyquist diagram, 284
 and transfer function, 240
 definition, 272
 instrumentation system, 9
 measures, 273
- Standard,
 deviation, 305
 error, 306
- Standards,
 national, 12
 primary, 12
 supplementary, 12
 traceable, 13
- Static,
 characteristics, 9
 response, 179
- Strain gauge,
 bridge, 40, 42
 described, 18
 gauge factor, 18
 load cell, 32
 pressure gauge, 25
 temperature compensation, 42
- Steady-state error, 107
- Step input, 179, 219, 320

- Stilling well, 149
- Subsidence ratio, 236
- Superposition principle, 212
- Switch,
 - limit, 23
 - mechanical, 23
 - reed, 23, 72
- System,
 - block diagram, 1
 - defined, 1
 - identification, 197, 271
 - instrumentation, 2
 - measurement, 4
 - model, 179
 - response, 219
- Tachogenerator, 24, 205
- Temperature,
 - compensation, 42
 - control, 105
 - measurement, 68
 - sensors, 33, 38
- Thermistors, 34, 68
- Thermocouple, 9, 35, 74
 - compensation, 36, 42
 - with ADC, 48
- Thermodiode, 36
- Thermotransistor, 36
- Thickness control, 93
- Time constant, 193, 226
- Transducer, 4
- Transfer function,
 - block manipulation, 208
 - feedback systems, 207
 - multiple inputs, 212
 - series systems, 206
 - system, 200
- True value, 305
- Truth table, 158
- Tuning,
 - process reaction, 115
 - ultimate cycle, 117
 - quarter-amplitude, 119
- Ziegler and Nichols, 115
- Turbine flowmeter, 29
- Two-step control, 102
- Ultrasonic,
 - flowmeter, 29
 - level gauge, 33
- Valve,
 - directional control, 93, 127, 129, 149
 - double seated, 135
 - finite position, 127
 - flow control, 94, 127, 135, 141
 - infinite position, 127
 - plug, 136
 - positioner, 140
 - rangeability, 138
 - shuttle, 133
 - single seated, 135
 - sizing, 139
 - spool, 133
 - turndown, 138
- Venturi tube, 27
- Voltage-to-current converter, 51
- Voltmeter, digital, 59
- Vortex flowmeter, 29
- Wheatstone bridge,
 - case study, 70
 - four-wire, 41
 - system, 3,
 - theory 40
 - three-wire, 41
- Word, 46
- XOR, 159, 164
- Zener diode, 44
- Zero drift, 9
- Ziegler and Nichols, 115, 297