

Automotive Air-conditioning and Climate Control Systems

Steven Daly

BEng, BA (Hons), IEng, Cert Ed, MIMI, LAE, MSAE



Amsterdam • Boston • Heidelberg • London • New York • Oxford
Paris • San Diego • San Francisco • Singapore • Sydney • Tokyo
Butterworth-Heinemann is an imprint of Elsevier



Contents

<i>Preface</i>	vii
<i>Acknowledgements</i>	viii
<i>Introduction: An overview of the automotive air-conditioning market, training and qualifications</i>	ix
1 Air-conditioning fundamentals	1
1.1 History of automotive air-conditioning systems	1
1.2 Introduction to heating and ventilation	6
1.3 The basic theory of cooling	26
1.4 Vapour compression refrigeration	39
1.5 Alternatives cycles	42
1.6 The air-conditioning system	57
1.7 The expansion valve system	58
1.8 The fixed orifice valve system (cycling clutch orifice tube)	59
1.9 Dual air-conditioning	61
2 Air-conditioning components	62
2.1 The compressor	62
2.2 The condenser	77
2.3 The receiver-drier/accumulator	81
2.4 The expansion valve/fixed orifice valve	84
2.5 The evaporator	89
2.6 Anti-frosting devices	91
2.7 Basic control switches	93
3 Air-conditioning electrical and electronic control	95
3.1 Electrical principles	95
3.2 Sensors and actuators	113
3.3 Testing sensors and actuators	159
3.4 Oscilloscope waveform sampling	172
3.5 Multiplex wiring systems	183
3.6 OBD and EOBD	188
3.7 How to read wiring diagrams	194
3.8 Automotive A/C manual control system (case study 1)	205
3.9 Automotive A/C auto temp control system (case study 2)	221
3.10 Automotive climate control system (case study 3)	238

4 Diagnostics and troubleshooting	264
4.1 Initial vehicle inspection	264
4.2 Temperature measurements	266
4.3 Pressure gauge readings and cycle testing	267
4.4 A/C system leak testing	277
4.5 Sight glass	282
5 Service and repair	283
5.1 Servicing precautions	283
5.2 Refrigerant recovery, recycle and charging	288
5.3 System oil	310
5.4 System flushing	312
5.5 Odour removal	316
5.6 Retrofitting	317
5.7 Replacement and adjustment of compressor components	318
5.8 Fixed orifice valve remove and replace	335
6 The environment	337
6.1 Global warming	337
6.2 The ozone layer	338
7 Legislation	341
7.1 Historical perspective	341
7.2 US perspective	344
Appendices	352
Index	359

Index

- A/C modules and displays, 195, 196, 197
A/C registrations, 7
Absorption refrigeration, 57
Accumulator, 32, 54, 55, 56, 67, 69, 79, 88, 89,
 93, 98, 99, 203, 213, 258, 280, 282, 288, 299,
 300, 302, 305
Air distribution, 26, 27, 32, 34, 48, 60, 106, 152,
 154–6, 164, 195, 196, 198, 207, 215, 219, 220,
 252, 253, 284, 294
Air distribution unit, 27
Air filtration, 24, 25
Air inlets, 27
Air mix type, 22
Air outlets, 24, 27, 232
Air quality sensor, 136, 231, 233, 235
Air recirculation, 28, 120, 144, 197, 202, 255, 258
Air-conditioning, 6, 12, 15, 25, 33, 37, 38, 43, 64–6,
 68, 69, 72, 73, 90, 230–2, 325, 326, 331, 336
Amp clamp, 122, 159, 208
Ampere, 104, 105
Armature, 138, 143, 144, 146, 150, 305, 308, 309,
 312, 319, 321
Atoms, 100, 102, 103, 127, 326
- Blower motor switch, 198, 206
Box type expansion valve, 91, 92
Break-out box, 139, 158, 168, 211
British Standard, 191
Brushless motor, 146
- CAD, 16
CAE, 16
CAM, 16
CAN, 157, 175, 176, 179, 180–3, 186, 230, 231, 235,
 238, 242–4
Carbon filter, 26
CCS system, 63, 64
CFD, 5, 16–19, 24
Charging cylinder, 277, 278
Circuit diagram, 188, 190, 222
CITB, 12
- City and Guilds, 12
Climate, 6, 7, 12, 30, 38, 123, 125, 132, 167, 196,
 197, 236, 242, 324
Clutch, 15, 65, 69, 79, 80, 81, 97, 98, 99, 140, 155,
 164, 170, 171, 187, 200, 203–6, 209, 210, 211,
 215, 216, 219, 221–3, 233, 235, 246, 258, 268,
 304, 305, 307, 312, 313, 314
CO₂, 6, 12, 14, 45, 52, 53, 56, 57, 175, 282, 297, 324,
 327, 328, 329, 336
Colour coding, 190, 275
Commutator, 142, 143, 144, 146
Comparator, 283
Compound circuit, 100, 111, 112
Compressor cycling switch, 98, 209, 212
Compressor design, 56
Condenser, 12, 15, 51, 52, 54, 57, 66, 67, 69, 79,
 83–7, 92, 93, 95, 99, 117, 138, 200, 203, 212,
 213, 217, 253, 254, 262, 267, 270, 278, 279,
 287, 290, 293, 298, 300, 306
Conduction, 40, 41
Continuity, 139, 160, 164, 210
Control valve, 21, 69, 72, 141, 200
Convection, 30, 40, 41, 48, 325
Cooler, 38, 41, 53–7, 69, 83
- Data bus, 178, 179, 180, 181, 195, 215, 217, 244
Data link connector, 167, 186, 248
Data list, 139, 158, 197, 211, 249
DC motors, 148, 164
De-ice switch, 98
Demisting, 24, 28, 30, 54
Desiccant, 87, 89, 268, 270, 271, 299, 305
Design of an evaporator, 96
Diagnostic information, 182, 183, 267
DIN Standard, 139, 188, 221, 222, 241
Dry bulb, 49
Duty cycle ratio, 148, 149, 150, 154, 174, 217
- ECC system, 229, 233, 235, 236, 237, 238, 241
Electromotive force, 104, 141
Electronic leak detection, 264

- Engine coolant temperature sensor, 183, 211
 Engine cooling fan, 205, 210
 Enthalpy, 41, 51, 53, 54, 55, 59, 60
 Environment, 6, 15, 38, 43, 53, 88, 146, 159, 236, 251, 264–6, 303, 326, 331, 335
 EOBD, 3, 6, 182, 183, 185, 186, 259
 EPR valve, 254
 Evaporative cooling, 15, 61
 Evaporator, 11, 15, 27, 30, 49, 50–7, 64–7, 69, 72, 74, 79–98, 117, 149, 154, 196, 203, 209, 213, 216, 217, 219, 222, 223, 226, 233, 235, 238, 242, 244, 250, 253, 254, 262, 263, 267, 271, 284, 290, 300, 303, 307
 Evaporator sensor, 97
 Excelsior cone, 15, 61
 Exchanger, 20–2, 25, 27, 28, 30, 34, 36, 37, 41, 51, 53–6, 59, 60, 63, 83, 154, 196, 200, 202, 205, 207
 Expansion valve system, 67, 69
 Externally regulated compressor, 82
- Fan, 18, 23, 24, 27, 30, 37, 48, 63, 64, 67, 83, 99, 110, 118, 124, 138, 148, 156, 176, 177, 191, 195, 197, 200, 203, 204, 210–12, 215–20, 222, 225, 226, 231, 235, 293, 306
 Fault code, 37, 64, 156, 158, 159, 165, 167, 183, 187, 195, 197, 251, 252
 Fault diagnostics, 165
 Fixed orifice valve, 67, 69, 92, 93, 95, 252
 Flux, 81, 134, 137, 140–2
 Freon, 63, 324, 325, 326, 327, 330
 Frequency, 24, 57, 63, 132, 134, 147, 148, 149, 150, 151, 153, 154, 159, 163, 171, 172, 173, 178, 217, 265, 324
 Fully automatic control system, 156
 Fusible plug, 87, 88
- Gas cooler, 53–5, 57
 Gas refrigeration, 59
 Gateway, 181, 182
 Germicidal lamp, 25
 Global warming potential, 43, 44, 327, 328, 335
 Greenhouse effect, 324
 Growth, 7–11, 14
- Handling refrigerant, 269, 279
 Harness multiplug, 82
- Heat, 15, 20–5, 28, 30, 33–43, 49, 51–67, 69, 83, 85, 86, 90–6, 99, 105, 109, 118, 124, 144, 149, 154, 177, 178, 196, 200, 202, 205, 207, 208, 217, 219, 220, 237, 253, 254, 263, 270–7, 299, 300, 302, 307, 324, 326
 Heat exchanger, 15, 20–22, 25, 28, 34, 36, 37, 41, 51, 53, 54–6, 59, 60, 63, 83, 154, 196, 200, 202, 205, 207
 Heat intensity, 38, 40
 Heater assembly, 20, 22, 25, 132
 Heater control module, 110, 194, 200, 202, 204, 207, 208, 210, 211
 Heating, 15, 18, 20, 21, 24, 26, 29, 30, 33–7, 40, 41, 54, 56, 59, 63, 64, 120, 141, 195, 196, 202, 207, 229, 230, 231, 232, 238, 243, 277, 303
 Humidity sensor, 135
- ICE, 215, 217–19, 222, 226
 Inductive speed sensor, 134
 Institute of the Motor Industry, 12, 13
 Insulators, 40, 103
- Kyoto protocol, 328
- Leak detector, 265, 266
 Legislation, 6, 12, 16, 20, 44, 264, 327, 329
 Linear potentiometer, 128, 129
 Liquid charging, 278
- MACS, 13
 Magnetic clutch, 64, 68, 69, 82, 205, 252, 303
 Manual control system, 155, 195, 198
 Market, 6, 7, 9, 10, 15, 187, 189, 195, 214, 282, 293, 297, 329
 Market growth, 7, 10
 Matrix, 20, 196
 Mineral oil, 43, 44, 83, 267, 297, 299, 305
 Movement of electrons, 103
 MS-CAN, 182, 186
 Multimeter, 159, 160, 161
 Multiplex wiring system, 97, 151
- Natural flow ventilation, 15
 Negative temperature coefficient, 97, 106, 109
 Network, 115, 148, 155, 157, 164, 176, 178, 179, 181, 184, 198, 201, 231, 241, 244

- OBD, 3, 6, 164, 165, 182, 183, 195, 259
 Oil replacement, 44, 298
 Oscilloscope, 82, 119, 131, 139, 158, 159, 163, 165,
 169, 170, 175, 211, 225, 258, 259, 266
 Ozone depletion potential, 44, 326
 Ozone layer, 43, 325, 327
- PAG, 43, 44, 47, 56, 83, 250, 266, 267, 297–9, 308,
 318, 319, 322
 Parallel flow condenser, 86
 Peltier module, 63, 64
 Permanent magnet, 128, 131–4, 143, 144, 146,
 147, 219
 Photoelectric, 103, 121
 Piezoelectric, 103
 Pollen filter, 24, 25, 148, 198, 214, 230, 235, 245
 Position sensor, 127, 128, 148, 152, 182, 211, 219,
 223
 Positive temperature coefficient, 35, 106, 120
 Potential difference, 101, 102, 104–6, 110, 112, 126,
 162, 163, 211
 Power distribution, 158
 Power probe, 139, 157, 164, 208, 210, 211
 Pressure gauge readings, 255, 260, 286, 293
 Pressure relief valve, 79, 88
 Pressure sensor, 99, 100, 124, 125, 126, 127, 135,
 235, 246
 Pressure switch, 64, 67, 88, 98, 99, 195, 200, 203,
 204, 209, 210, 212, 213, 215, 216, 219, 222,
 223, 252, 266, 278, 303
 Protocol, 165, 178, 181, 183, 186
 PTC element, 35, 120
- R12, 42–7, 51, 83, 84, 89, 254, 257, 258, 261–4,
 267, 270, 271, 275, 282, 295, 297, 298, 299,
 324, 326, 330
 R134a, 6, 15, 42–8, 51, 52, 53, 56, 58, 83, 84, 87, 89,
 213, 228, 250, 254, 256, 257, 258, 261, 262,
 263, 267, 270, 271, 275, 279, 282, 295, 297,
 299, 305, 306, 322, 324, 326, 329, 336
 R744, 2, 53, 54, 56
 Radiation, 40, 41, 109, 124, 195, 217, 326
 Receiver drier, 15, 52, 66, 86–8, 91, 125, 126, 127,
 130, 217, 278, 280, 288, 299, 300, 302
 Recirculation air actuator, 207, 208
 Recirculation damper, 215, 219
 Recycled refrigerant, 271, 272
 Refrigerant charging, 226
 Refrigerant identifier, 282, 283, 332
- Refrigerant loss, 46, 324
 Refrigerant recovery, 13, 274, 308, 331, 335
 Relative humidity, 15, 30, 48, 49, 50
 Relay, 64, 97, 98, 137, 138, 139, 140, 149, 158, 161,
 164, 178, 184, 186, 200, 203, 204, 205, 207,
 209, 210, 211, 216, 219, 221–3, 226, 229,
 239, 246
 Resistance, 35, 97, 103, 105, 107–20, 126, 127, 128,
 129, 135, 139, 140, 144, 157, 159, 160, 161,
 163, 170, 181, 205, 211, 244, 245, 297, 326
 Resistor pack, 176, 177, 195, 198, 204, 206
 Resistors in parallel, 110, 112, 115, 116
 Resistors in series, 107, 108, 113, 123
 Retrofitting, 297, 333, 335
 Rheostat, 215, 217, 222, 225
- Saturated vapour, 51, 54, 55, 67, 92
 Schematic, 153, 188, 189, 195, 206, 222, 241, 243
 Semiconductors, 103
 Sensible heat, 39, 40
 Serial tester, 139, 158, 159, 164–6, 168, 175, 258
 Serial testing, 211
 Service connectors, 44, 275, 278, 280
 Service operation, 264, 273
 SID, 215, 217
 Sight glass, 87, 261–3, 267, 268, 277, 278
 Solenoid operated water control valve, 155
 Solenoids, 178
 Solidworks, 16
 Specific heat capacity, 39
 Specification, 16, 19, 34, 57, 58, 119, 155, 156, 169,
 170, 195, 305, 312
 Speed sensor, 132, 134, 149, 171, 211, 215
 Stepper motor, 144, 146, 147, 150, 151, 154, 164,
 196, 206, 215, 219, 229, 233, 236
 Strain gauge, 126
 Sub cooled, 83
 Substitutes, 44, 331
 Sun load sensor, 121, 122, 124
 Superheated, 51, 53, 55, 66, 92, 95
 Swash plate, 71, 72, 73, 75, 82
 Symbols DIN, 190
 System flushing, 299
 System oil, 258, 282, 287, 298
- Technical data, 165, 225, 298
 Temperature blend door, 28, 29, 32
 Temperature comparisons, 253
 Thermostatic expansion valve, 87, 90, 254

Tracer dye, 213, 250, 258, 262, 267, 290, 299

Training providers, 12

UK registrations, 9

UV, 89, 109, 195, 229, 252, 264, 265, 267,
299

Vacuum, 22, 31, 32, 42, 63, 70, 126, 175, 264, 266,
273, 274, 276, 277, 278, 287–90, 305

Vane type compressor, 76, 77, 81

Vapour charging, 278

Variable capacity compressor, 69

Variable orifice valve, 92, 199

Variable reluctance, 147, 151, 164, 172

Velocity, 17, 31

Voltage, 35, 37, 57, 61, 62, 63, 64, 82, 97–113, 117,
119–34, 136, 139, 141, 144, 146, 148, 150, 154,
158–80, 182, 184, 189, 200, 202, 204, 206, 207,
209, 210, 211, 217–19, 222, 223, 225, 226, 234,
236, 237, 242, 244, 245, 249

Watt, 104

Waveform, 82, 119, 130, 150, 154, 169, 170, 177,
178, 244, 245, 266

WDS, 166, 167, 178, 180

Wet bulb, 49, 50

Wiggle test, 159, 163, 252