

Refrigeration Equipment

A servicing and installation handbook

Second edition

A. C. Bryant



AMSTERDAM • BOSTON • HEIDELBERG • LONDON • NEW YORK • OXFORD
PARIS • SAN DIEGO • SAN FRANCISCO • SINGAPORE • SYDNEY • TOKYO

Newnes is an imprint of Elsevier



Contents

Preface ix

Acknowledgements x

- 1 Introduction 1**
 - The service engineer 1
 - Installation procedures 2
 - Vapour compression systems 2

Part One Servicing

- 2 Service valves and gauges 7**
 - System service valves 7
 - Service gauge manifold 8
 - Fitting gauges 11
 - Removing gauges 13
 - Other valves 14
- 3 Refrigerant leak detection 17**
 - Dye systems 17
 - Test pressures 17
 - Methods of testing 18
 - Pressure leak testing 20
 - Handling refrigerants: safety precautions 21
- 4 Pumping down and charging 24**
 - Pumping down 24
 - Adding refrigerant 25
 - Vapour charging 25
 - Liquid charging 27
 - Refrigerant cylinders and fill ratio 29
- 5 Operating principles and symptoms 31**
 - Temperature, humidity and air motion in food storage 31
 - Calculating the operating head pressure 34
 - Compressor pressure ratio 37
 - Symptoms of system faults 38

- 6 Service diagnosis and repairs 41**
 - Pressure drop: external equalizing 43
 - Suction line frosting 45
 - Distributor refrigerant control 46
 - Replacing a thermostatic expansion valve 46
 - Replacing the filter drier 49
 - Low side purging 50
 - Moisture in the system 50
 - Compressor efficiency test 51
 - Removing compressor valve plate assembly 52
 - Removing a compressor rotary shaft seal 53
 - Excessive operating head pressure 55
 - High side purging 57
 - Water cooled condensers: scale and corrosion 58
 - Compressor motor burn-out: system flushing 60
 - Pressure controls 64
 - Motor cycling controls: thermostats 69
 - System faults 71
 - Noise 71
 - Seven simple steps for service diagnosis 72

- 7 Electrical equipment and service 74**
 - Description 74
 - Service equipment 75
 - Current relay 75
 - Potential (voltage) relay 77
 - Solid state starting devices 77
 - Capacitors 80
 - Centrifugal switch (open-type motors) 82
 - Motor protection 83
 - Electrical test procedures 84

- 8 Domestic refrigerators and freezers 90**
 - Appliance systems 90
 - Components and operations 91
 - Electrical faults 96
 - Decontaminating domestic systems 97
 - Refrigerant charging in domestic appliances 97
 - The domestic absorption system 101

- 9 Fault finding guide for vapour compression systems 104**
 - Visual fault finding 104

- Pressures 105
- Advanced diagnosis 106
- Single phase/three phase motor compressors and remote-drive motors 107

Part Two Installation and Commissioning

- 10 Pipework and oil traps 111**
 - Installation principles 111
 - Pipework fittings 112
 - Pipework supports 113
 - Pipework routes 115
 - Oil traps 117
 - Oil separators 118
 - Discharge line mufflers 120
 - Parallel pipework 121
 - Pipework assembly 124
- 11 System control valves 128**
 - Crankcase pressure regulator 128
 - Evaporator pressure regulator 129
 - Water regulating valve 129
 - Reversing valve 131
 - Fusible plugs 131
- 12 Other system components 133**
 - Solenoid valve 133
 - Crankcase heater 133
 - Check valve 134
 - Sight glass 134
 - Filter drier 135
 - Oil pressure failure switch 136
- 13 Drive belts and couplings 139**
 - Drive belts 139
 - Drive couplings 142
- 14 Electrical circuit protection 147**
 - Fuses 147
 - Circuit breakers 150
- 15 Drive motors 152**
 - Installation details 152
 - Three phase electrical connections 155

- 16 Commissioning of refrigerating systems 159**
 - Contaminants 159
 - Evacuation 160
 - Commissioning checks 163
 - Oil addition and removal 164
 - Environmental impact of CFCs 169
 - Good refrigeration practice for CFC systems 170
 - Refrigerant recovery system 171

Part Three Replacement Refrigerants and Ozone Depletion

- 17 Ozone depletion 175**
 - The Montreal Protocol 175
- 18 New and replacement refrigerants 178**
 - Zeotropic blends 181
 - Refrigerant blends 181
 - Reclaiming the refrigerant 185
 - Changing the refrigerant charge 186
 - Compressor lubricating oils 187
 - Domestic and commercial sealed hermetic systems 189

Appendix A Fundamental principles of air conditioning 194

Appendix B Refrigerant data 215

Index 219

Index

- Absorption systems, 101-3
- Accumulators, 91-2, 94
- Acid testing, 61
- Aerosols, 176-7
- Air, 11, 195-205
 - velocity, 197, 203-4
- Air conditioning, 131, 194-214
 - air filters, 211
 - ductwork, 209-10
 - fans, 209-10
 - maintenance, 209-12
 - noise, 209-10
- Air cooled systems, 55-6
- Air filters, air conditioning, 211
- Air motion, 202-4
- Air movement, 202-5
- Air temperature, 194-5, 198-202, 205-7
- Algaecides, 60
- Ammonia, 19-20, 101-2, 132, 169-70, 215-7
- Appliance systems, 90-2
- Aqua-ammonia, 101-3
- Atmosphere, 195-6
- Axial fans, 209
- Azeotropic blends, 25, 181

- Bearings, 153
- Bi-metal switches, 83
- Bimetal thermostats, 69-71
- Blowtorches, 51, 126-7
- Brazing, 124-7
- Bubble point, 181, 191
- Bubble test, 18, 21
- Burn-out driers, 62-3, 135-5
- Burn-out test indicator, 61

- Calipers, 144-5
- Capacitors, 80-2, 88-9
- Capillary restrictors, 91, 93
- Carbon, 196
- Carbon dioxide, 175-6, 196
- Castrol, 187
- Ceiling mounted condensing units, 115, 117
- Centrifugal fans, 209
- Centrifugal switches, 82-3

- CFCs, 169-72, 175-9, 185-6
- Charging, *see* Liquid charging; Vapour charging
- Check valves, 134-5
- Chloroflourocarbons, *see* CFCs
- Circuit breakers, 83, 150-1
 - magnetic, 150-1
 - thermal, 150
- Colour coding, 9, 215-16
- Comfort conditions, 204-7
- Commissioning, 159-72
- Commissioning checks, 163-4
- Compound bar thermostats, *see* Bimetal thermostats
- Compound gauges, 9
- Compressor charging, 167
- Compressor efficiency test, 51
- Compressor oils, 187
 - draining, 168
- Compressor pressures, 37-8, 72-3
- Compressor pump test, *see* Compressor efficiency test
- Compressor rotary shaft seals, 53
- Compressor valve plate assembly, 52-3
- Compressors, 2, 41-2, 74-5, 90, 104, 107-8
 - hermetic, 7, 12-13, 26
 - open-type, 7, 11-12, 36-7
 - semi-hermetic, 7, 26, 35
- Condensers, 4
 - cleaning, 170
- Condensing medium, temperature, 35-7
- Contactors, 155-6
- Contamination, 11, 17, 60, 90, 121, 159-60
- Contractors, 159
- Cooling coil, *see* Evaporators
- Copper plating, 159
- Copper tubing, 124-7
- Corrosion, 60
- Crankcase equalizing, 121-3
- Crankcase heaters, 133-4
- Crankcase pressure regulators, 128-9
- Current overload, *see* Electrical circuits, protection
- Current relay, 75-6

- Decontamination, 97-8
- Deep evacuation method, 170
- Deep vacuum method, 160-1
- Descaling, *see* Scaling
- Dew point, 181, 199
- Diagnosis, 1, 31, 34, 41-73
 - electrical faults, 96-7
 - vapour compression systems, 104-8
- Dial-a-charge, *see* Visual charging cylinders
- Dilution method, 161, 170
- Direct drive units, 55
- Discharge line equalizing, 121-2
- Discharge line oil traps, 117-18
- Discharge lines, 121-2
- Discharge mufflers, 120
- Discharge reeds, 39-40
- Discharge service valves, 7
- Distributor refrigerant controls, 46
- DOL starters, 157-8
- Domestic absorption system, 101-3
- Domestic systems, 90-103, 189-90
- Drive belts, 139-41
- Drive couplings, 2, 142-6
- Drive motors, 152-8
 - connections, 154-5
- Drive pulley size, 72
- Dry bulb temperature, 198, 201
- Ductwork, air conditioning, 209-10
- Dye systems, 18

- Earthing, 152-5
- Effective temperature, 205-6
- Electrical circuits, 96-8
 - protection, 147-51
- Electrical faults, 96-7
- Electrical test procedures, 84-9
- Electromagnetic valves, 131
- Electronic leak detectors, 19
- Electrostatic air filters, 211-12
- Engineers, 1-2
- Environment, 169
- Equipment, 126-7
- Evacuation, 63, 160-3
- Evaporating temperature, 33-4
- Evaporator pressure regulators, 129
- Evaporators, 38-9, 41, 43-5
- Excessive operating head pressure, 55-7
- Expansion devices, 4
- Expansion valve capacity, 106
- Expansion valves, 39, 41-2, 44-5, 47, 72-3
 - replacing, 46-9
 - setting, 43, 184
- External equalizing, 43-5
- External equalizing capillary, 49

- Fans, air conditioning, 209-10
- Fault finding, *see* Diagnosis
- Fill ratios, 29-30
- Filter driers, 38, 135-5, 214
 - replacing, 49-51
- Fire dampers, 211-12
- Flare fittings, 124
- Flare nuts, 112-13
- Flare unions, 112-13
- Flexible couplings, 114-15
- Food products, 31-2
- Freezer door heaters, 94
- Freezing, 160
- FREON refrigerants, 180, 192
- Fuses, 83, 147-50
 - cartridge, 148
 - HRC, 148-9
 - rewireable, 147-8
- Fusible plugs, 131-2
- Fusing factor, 149-50

- Gas refrigerators, 101-3
- Gauge manifolds, 1
- Gauges, 1
 - fitting, 11-13
 - removing, 13-14
- Glide, 181-4
- Global warming, 175-6
- Greenhouse effect, 169, 175-7
- Greenhouse gases, 175-6

- Halide torches, 18, 21
- Halogenated refrigerants, 20
- HCFC22, 177
- HCFCs, 176, 178-80, 185
- HFCs, 176, 178-80
- High side purging, 57-8
- High suction, 39-40
- Hoses, 9-14
- Hot gas defrosting, 94-5
- Hot wire anemometers, 203
- Humidistats, 202
- Humidity, 34, 194-5, 199, 201-2, 206-7
- Humidity control, 202
- Hydrochloroflourocarbons, *see* HCFCs
- Hydrofene, 60
- Hydroflourocarbons, *see* HFCs
- Hydrogen, 196
- Hygrometers, 201
- Hygroscopic ester oils, 25
- Hydra-zorb, 113-15

- IC-22 relay, 80-1
- ICI, 178

- Installation procedures, 2
Invar, 69
- Klea refrigerants, 178-9, 184, 187
- Leak tests, *see* Refrigerant leaks, detection
- Level indicator gauges, 143-4
- Line tap valves, 15-16
- Liquid charging, 27-9
- Liquid charging valves, 47
- Liquid flushing, 97
- Liquid knock, 106-7
- Liquid receivers, 4
- Liquid shut-off valves, 7
- Litmus paper, 61
- Low discharge pressures, 39-40
- Low pressure cut-out point, 33-4
- Low side purging, 50
- Lubricating oils, 6
- Lubrication, 152
- Magnetic valves, 39
- Methane, 175-6
- Moisture, 50-1, 90
- Monometers, 204-5
- Montreal Protocol, 169, 175-7
- Motor burn-out, 60-3
- Motor cycling controls, 69-71
- Motor protection, 83-4
- Motor windings, 75
- Munsen ring, 113-15
- Negative temperature coefficient devices, 84
- Nessler's reagent, 19
- Nitrogen, 196
- Noise, 71-2, 105
air conditioning, 209-10
- Non-return valves, *see* Check valves
- OFN, *see* Oxygen-free nitrogen
- Oil, 40, 168, 184-7
adding, 165-7
replacement, 54-5
- Oil charging pumps, 165-6
- Oil cooling, 94
- Oil levels, 164-9
- Oil pressure, 136-7
- Oil pressure failure switches, 136-8
- Oil separators, 118-20
- Oil traps, 2, 117-23
- Open drive units, 53-4, 82-3
- Open-type systems, 11
- Operating head pressure, 34-7
- Operating principles, 31-40
- Overload protectors, 74-5, 83-5
- Oxygen, 196
- Oxygen-free nitrogen, 20-1, 161
- Ozone depletion, 175-7
- Ozone depletion potential, 177-8
- Ozone layer, 175
- Packaged units, 213
- Parallel pipework, 121-3
- Phosgene, 60-1
- Piercing valves, *see* Line tap valves
- Pipework, 2, 111-27
assembly, 124-7
installation, 111-16
- Pipework fittings, 112-13
- Pipework routes, 115-17
- Pipework supports, 113-15
- Pitot tubes, 203-4
- Pollution, 2, 13-14, 58, 169
- Positive temperature coefficient devices,
78-80, 84
- Potential relay, 77-8, 89
- Pressure controls, 14, 64-8
setting procedures, 65-8
- Pressure drop, 49
- Pressure gauges, 7-15
- Pressure testing, 20-1
- Pressure/temperature relationship, 181-3,
191-3
- Pressures, 1, 7-11, 38-40, 43-5, 105-6,
128-32
recording, 13
- Psychometric charts, 197, 199-202
- Psychometry, 197-202
- PTC, *see* Positive temperature coefficient
device
- Pumping down, 24-5
- R11, 62, 97, 177, 215-17
- R12, 14, 29, 32, 44, 60-1, 99, 132, 177, 181-2,
215-17
- R13, 215-17
- R22, 14, 21, 29, 60-1, 99, 132, 160, 178,
181-2, 184, 215-17
- R113, 177, 215-16
- R114, 177
- R115, 177
- R134a, 25, 186
- R404, 181
- R404A, 181, 183
- R407A, 181, 183
- R500, 160, 177, 215-17
- R502, 14, 25, 29, 60-1, 99, 132, 177, 181-2,
184, 215-17
- R717, 132, 215-17

- Radial fans, 209
- Rapid chargers, 27
- Receiver valves, 9
- Refrigerant blends, 181-4
- Refrigerant charges, 29, 101
 - changing, 184-7
- Refrigerant charging, 29, 97, 99-101, 163
- Refrigerant cylinders, 29-30, 61, 170-1
- Refrigerant hoses, 188-90
- Refrigerant leaks, 1, 41, 90
 - detection, 17-23, 113, 163, 177
- Refrigerant metering controls, *see* Expansion devices
- Refrigerant pressure/temperature charts, 181-3, 191-3, 216-17
- Refrigerant recovery systems, 171-2, 185, 187-8
- Refrigerant thermal decomposition, 60-1
- Refrigerants, 4, 159, 176, 215-16
 - adding, 25
 - azeotropic, 25, 181
 - glide, 181-4
 - halogenated, 20
 - handling, 11, 21-3, 170-1
 - loss of, 13-14
 - new, 29, 175, 178-93
 - phasing-out, 6
 - reclaiming, 185, 187-8
 - removal, 47-8, 170-1
 - shortage, 34, 38-9
 - types, 72-3
 - vapour pressure, 218
 - zeotropic, 25, 181
- Refrigeration circuits, 90-2
- Refrigeration vapour compression systems, 177
- Relative humidity, *see* Humidity
- Remote drive motors, 107-8
- Reseating, 52
- Reversing valves, 131, 213-14
- Rotating vane anemometers, 203
- Rotation, 153

- Safety precautions, 11, 21-3, 58, 60, 125, 159, 170-1, 211
 - see also* Refrigerants, handling
- Scaling, 56-60
- Schraeder valves, 7, 14-15, 188
- Sealed systems, 71, 170-1, 189-90
 - see also* Domestic systems
- Service calls, 1-2
- Service equipment, 72, 75
- Service gauge manifolds, 8-13
- Service gauges, 32

- Service valves, 1, 4, 7-8
- Shims, 145-6, 153
- Sight glasses, 38, 99, 134-5, 165-6
- Silver soldering, *see* Brazing
- Single phase/three phase compressors, 107-8
- Sling psychrometers, 201
- Sludging, 160
- Solenoid flow controls, 94-6
- Solenoid valves, 39, 133
- Split systems, 214
- Start capacitors, 75, 77
- Starters, 74, 77-80, 155-8
 - direct-on-line, 157-8
- Static pressure, 204
- Suction line accumulators, 91-2, 94
- Suction line equalizing, 123
- Suction line frosting, 45-6
- Suction line oil traps, 117-18
- Suction reeds, 39-40
- Suction service valves, 7
- Suction vapour cooling, 26-7
- Sulphur candles, 19-20
- Supply and control switch, 84-5
- SUVA refrigerants, 179, 193
- System analysers, *see* Service gauge manifolds
- System control valves, 128-32
- System evacuation, 2
- System faults, 71
 - symptoms, 38-40
- System flushing, 62-3
- System pressure method, 168
- System service valves, *see* Service valves

- TD, *see* Temperature difference
- Temperature, 31-7, 41-3, 72, 104
 - air, 194-5, 198-202, 205-7
- Temperature difference, 31-4, 41-2, 72-3
- Terminal board connections, 155
- Test cords, 86-8
- Test pressures, 17-18
- Test procedures, 84-9
- Thermal bulbs, 41-2, 44
- Thermal charge, loss of, 47-8
- Thermal overloads, 153
- Thermal shock, 206-7
- Thermistors, 83-4
- Thermostatic expansion valves, *see* Expansion valves
- Thermostats, 69-71
- Tools, *see* Service equipment
- Trace pressure tests, 21
- Triple evacuation method, *see* Dilution method
- Tubing saddles, 113-5

Ultra violet light, 176

Vacuum method, 168

Vacuum pumps, 162-3, 166-7

Valve reeds, 39-40

Valve settings, 43

Vapour charging, 25-7

Vapour compression systems, 2-4, 104-8

Vapour pressure, 218

Vapour pressure thermostats, 69

Vapourization, 181-4

Velocity pressure, 204

Velometers, 203

Ventilating units, 213

Ventilation, 21, 23

Vibration loops, 112-13

Visual charging cylinders, 98-100

Voltage relay, *see* Potential relay

Water coils, 35-6

Water cooled condensers, 29, 58-60

Water cooled systems, 56-7

Water pressure/temperature, 163-4

Water regulating valves, 129-30

Water temperature, 37

Water vapour, 195-6

Wattmeter, 75

Wet bulb depression, 201

Wet bulb temperature, 198-201

Windings, 85-6

Window air conditioners, 213

Zeotropic blends, 181