

STRUCTURAL ASPECTS OF BUILDING CONSERVATION

Second edition

Poul Beckmann and Robert Bowles



ELSEVIER
BUTTERWORTH
HEINEMANN

AMSTERDAM • BOSTON • HEIDELBERG • LONDON • NEW YORK • OXFORD
PARIS • SAN DIEGO • SAN FRANCISCO • SINGAPORE • SYDNEY • TOKYO



CONTENTS

Foreword	xiv
Preface	xvii
Preface to First Edition	xix
Acknowledgements	xxii
1 Structural Behaviour: Basic Principles	1
1.1 Equilibrium	2
1.1.1 The General Principle	2
1.1.2 Equilibrium of External Forces	2
1.1.3 Equilibrium of Internal Forces	4
1.1.4 Elementary General Conditions of Equilibrium	4
1.1.5 Further Examples	4
1.1.6 The Triangle of Forces	7
1.1.7 General (Expanded) Conditions of Equilibrium	10
1.2 The Response of Materials to Force	10
1.2.1 Behaviour under Tension	10
1.2.2 Behaviour under Compression	12
1.2.3 Behaviour under Bending	15

1.2.4	Behaviour under Shear	16
1.2.5	Buckling	17
1.3	The Response of Materials to their Environment	18
1.3.1	Behaviour Due to Temperature Fluctuations	18
1.3.2	Behaviour Due to Fluctuations of Moisture Content	20
1.3.3	The Effect of Restraints	20
1.4	The Inevitability of Deformations	21
1.5	Stability and Robustness	21
2	Aims, Process and Philosophy of Structural Appraisal	24
2.1	The Applications, Scope and Process of Structural Appraisal	25
2.1.1	The Need for Appraisal	25
2.1.2	The Scope of Structural Appraisal	25
2.1.3	The Process of Appraisal	26
2.1.4	Approaches to the Assessment of Margins of Safety	26
2.2	The Historical Development of Design Procedures	29
2.2.1	Rules-of-Thumb and Early Regulations	29
2.2.2	Load Assessment and Prototype Testing	29
2.2.3	Standard Strengths and 'Blanket' Safety Factors	30
2.2.4	Partial Safety Factors (' γ factors')	30
2.2.5	Brief Summary	31
2.3	The Uncertainties Covered by the Safety Factors Used in Design of New Structures	31
2.4	Facts to be Recognized in Appraisal of Existing Structures	32
2.4.1	Facts to be Taken into Account	32
2.4.2	Consequences for the Assessment	32
2.4.3	Adequacy of Existing Load-carrying Capacity for New Use	33
2.4.4	Realistic Assessment of Imposed Loads from New Use	34
2.5	Review of Safety Factors in Appraisal	35
2.5.1	Reduced Factors Do NOT Mean Reduced Safety	35
2.5.2	Reduced Uncertainties Justify Reduced Safety Factors	35
3	Procedures of Structural Appraisal	37
3.1	Examination of Records and Other Documentation	38
3.1.1	Drawings	38
3.1.2	Original Specifications, Accounts, etc.	38
3.1.3	Documentary Evidence Must Be Supplemented	39
3.2	Inspections	39
3.2.1	Permits, etc.	39
3.2.2	Inspection Equipment	44

3.2.3	Health and Safety Precautions	46
3.2.4	Inspection Procedures and Methods	47
3.2.5	Verbal Information	49
3.2.6	Recording	49
3.2.7	Further Investigations	50
3.2.8	Staging of Investigations	51
3.3	Measurement of Defects	51
3.3.1	The Purpose of Measurements	52
3.3.2	Defects to be Measured	52
3.3.3	Measurement of Past Defects	53
3.3.4	Measurement of Ongoing Movements	53
3.3.5	Recording and Interpretation of Measurements	60
3.4	Structural Assessment	64
3.4.1	Consolidation of Information	64
3.4.2	Overall Stability of the Structure	64
3.4.3	Structural Analysis for Assessment of Safety	65
3.4.4	Structural Analysis to Explain Observed Defects	67
3.4.5	Analysis of Dynamic Effects	71
3.4.6	Analysis of Effects of Remedial Works and Additions	76
3.5	Testing	76
3.5.1	Static Tests as an Aid to Structural Appraisal	77
3.5.2	Tests of Dynamic Effects	78
3.5.3	Advantages and Limitations of Testing	80
3.5.4	Practical Points on Commissioning Tests	81
3.6	Reporting	82
3.6.1	Terms of Reference, Limitations, Facts v. Deductions	82
3.6.2	Report Format	82
	Appendix to Chapter 3	85
	Permits for Investigations, etc.	85
4	Masonry	88
4.1	General Strength Properties and Causes of Damage	89
4.1.1	Cracks Due to Imposed Deformations	89
4.1.2	Cracks Due to Excessive Lateral Forces	90
4.1.3	Cracks Due to Eccentric Loading	90
4.1.4	Cracks Due to Embedded Ironwork	91
4.1.5	Defects in Brickwork Cladding on Reinforced Concrete-framed Buildings	92
4.1.6	Problems with Cavity-ties	92
4.2	The Necessity of Diagnosis of Causes of Defects	92
4.3	Assessment of Strength	93
4.3.1	Codes of Practice, Empirical Formulae and Local Experience	93

4.3.2	Testing of Material Samples	94
4.3.3	Testing of Masonry Samples	95
4.3.4	In-situ Strength Testing	95
4.3.5	Cylinder Splitting Tests and Ultrasonic Techniques	96
4.3.6	Stability and Robustness	98
4.3.7	Qualitative Assessment of Seismic Resistance	99
4.4	Characteristics and Problems of Load-bearing Walls and Pillars	99
4.4.1	Dry-jointed Masonry	100
4.4.2	Solid, Through-bonded, Mortar-jointed Masonry	101
4.4.3	Rubble Core Masonry	103
4.4.4	Slender Monolithic Column Shafts	105
4.5	Repair and Strengthening Techniques for Walls and Piers	105
4.5.1	Compatibility of Materials	105
4.5.2	Repair of Static Cracks	106
4.5.3	Provision of Tensile Resistance	107
4.5.4	Strengthening of Wall Junctions	109
4.5.5	Strengthening Against Local Overstressing	110
4.5.6	Treatment of Bulging and Splitting	111
4.5.7	Treatment of Buckling	112
4.5.8	Anchoring-retained Façades	113
4.5.9	Improving Stability by Increasing the Vertical Loading	114
4.5.10	Anti-seismic Strengthening	115
4.5.11	Buttressing of Leaning Walls	117
4.5.12	Repair of Damage caused by embedded, rusting, Ironwork	118
4.5.13	Remedies for rusting/missing Cavity-ties	118
4.6	Arches, Vaults and Domes	119
4.6.1	Structural Behaviour of Arches and Vaults	119
4.6.2	Structural Behaviour of Domes	124
4.6.3	Strengthening and Structural Repair Techniques for Arches, Vaults and Domes	126
4.7	Laterally Loaded Masonry Structures	128
4.7.1	Window Tracery	128
4.7.2	Retaining Walls	129
4.8	Masonry Cladding to Iron- and Steel-framed Buildings	131
4.8.1	Common Arrangements of Cladding	131
4.8.2	Problems and their Diagnosis	131
4.8.3	Repair Techniques	133
4.9	Stone Stairs and Landings	134
4.9.1	Structural Behaviour	134
4.9.2	Problems and Remedies	136
4.10	Fire Problems	136
4.10.1	Effects on Masonry Materials of Fire, Smoke and Water	136

4.10.2	Appraisal of Structural Masonry After a Fire	137
4.10.3	Reinstatement after Fire Damage	137
5	Timber	139
5.1	Material Properties and Behaviour	140
5.1.1	From Tree to Timber	140
5.1.2	Mechanical Properties of Components	142
5.1.3	Durability	144
5.2	Appraisal of Timber Structures, their Characteristics and Common Problems	145
5.2.1	Common Problems of Assessment of Strength	145
5.2.2	Mediaeval and Early Renaissance Buildings	149
5.2.3	Seventeenth to Early Twentieth-Century Structures	152
5.2.4	Later Twentieth-Century Structures	156
5.2.5	Stability and Robustness: Interactions with Supporting Masonry	158
5.3	Structural Strengthening and Repair Techniques	159
5.3.1	Suitability and Compatibility of Materials and Methods	160
5.3.2	Replacement of Timber and Strengthening with additional Timber	160
5.3.3	Strengthening by Metal Straps, Ties or Plates	163
5.3.4	Resin-based Reinforcement Devices	167
5.3.5	Improving Stability and Robustness—Anti-seismic Bracing	168
5.4	Fire Problems and Prevention	170
5.4.1	Basic Behaviour of Timber Structures in Fire	170
5.4.2	Protective Measures	172
5.5	Precautions Against Biological Degradation	172
	Appendix to Chapter 5	175
	Working Stresses and Grading Rules from British Standard Code of Practice CP 112: Part 2 (1971)	175
6	Iron and Steel	188
6.1	Manufacturing Processes and Materials' Properties	189
6.1.1	Ancient Methods v. Coke Smelting	189
6.1.2	Cast Iron: Manufacture, Composition and Properties	189
6.1.3	Wrought Iron: Manufacture, Composition and Properties	192
6.1.4	Steel: Manufacturing Processes, Composition and Properties	194
6.2	Structural Forms and Uses, Historical Development	195
6.2.1	Early Uses of Wrought Iron	195
6.2.2	Cast Iron in 'Fire-proof' Mill Construction	196
6.2.3	Wrought Iron/Cast Iron Building Structures 1850–1900	198

6.2.4	Roof Trusses and Large-span Structures	198
6.2.5	Steel-framed Buildings	200
6.2.6	Stability and Robustness	201
6.3	Identification of Materials and Confirmation of Properties	201
6.3.1	Initial Identification by Shape and Surface Texture	201
6.3.2	Age of Structure	204
6.3.3	Metallurgical Analysis	204
6.3.4	Strength Testing in the Laboratory and on Site	205
6.4	Establishing the Structural Capacity	206
6.4.1	Adequacy of original Loading Requirements for continued or new Use	206
6.4.2	Justification by Calculations, based on published Information on Strength and/or Permissible Stresses	207
6.4.3	Calculations, based on Test Results	210
6.4.4	Load Tests as a Basis for Assessment	212
6.5	Strengthening and Repair Techniques	213
6.5.1	Preserving the Historical Evidence—Relieving Loads by Adding New Members	213
6.5.2	Limitations imposed by the Properties of the Materials	213
6.5.3	Bolt-on Strengthening Devices	214
6.5.4	Welded Strengthening Devices	215
6.5.5	Adhesive-bonded Fibre Composites	215
6.5.6	External Strengthening Devices	216
6.5.7	Creating Composite Action	217
6.5.8	'Stitching' of Cracked Cast Iron	217
6.5.9	Improving Stability and Robustness	218
6.6	Corrosion Problems and Remedies	219
6.6.1	Corrosion Processes	219
6.6.2	Common Problems of exposed Steelwork	220
6.6.3	Common Problems of Steelwork Encased in Masonry	221
6.6.4	Common Problems of Clinker Concrete in Filler-joint Floors	223
6.6.5	Radical remedial Treatment of Corrosion	223
6.6.6	'Palliative' Treatment of Corrosion	224
6.7	Fire Problems and Remedies	224
6.7.1	Effects of Fire on Iron and Steel	224
6.7.2	Performance of Structures in Fires	225
6.7.3	Appraisal of a Structure Following a Fire	227
6.7.4	Fire Protective Treatments	228
7	Concrete and Reinforced Concrete	230
7.1	Properties and Behaviour of Materials	231
7.1.1	Composition of Ordinary Concrete	231
7.1.2	Mechanical Properties of Ordinary Concrete	232

7.1.3	The Role of the Reinforcement	233
7.1.4	Shrinkage, Creep and Moisture Movements	233
7.1.5	Special Cement-based Products	234
7.2	Aspects of Structural Appraisal	235
7.2.1	General Problems of Appraisal of Concrete Structures	235
7.2.2	Stability and Robustness	235
7.2.3	Procedure for Assessment of Load-carrying Capacity	236
7.2.4	Early Concretes and 'Patent' Systems	237
7.2.5	Special Forms of Construction	238
7.2.6	Assessment of Concrete Strength	241
7.2.7	Assessment of Reinforcement Strength, etc.	244
7.2.8	Assessment of Durability	246
7.3	Common Defects, their Diagnosis and Significance	247
7.3.1	Reinforcement Corrosion, due to Excessive Depth of Carbonation	247
7.3.2	Reinforcement Corrosion, aggravated by Chloride Attack	248
7.3.3	Acid and Sulphate Attack, etc.	249
7.3.4	Strength Loss of High-Alumina Cement Concrete	250
7.3.5	Clinker Aggregate Concrete	251
7.3.6	'Destructive' Aggregates	252
7.3.7	Alkali-Silica Reaction	252
7.3.8	'Hollow Pot' and/or Wood-Wool Former Construction	254
7.3.9	Reinforced Aerated Concrete Wall Panels and Floor Planks	254
7.3.10	Glass-Fibre Reinforced Cement (GRC) Panels	254
7.3.11	Pre-cast Slab/Beam/Column Construction	255
7.3.12	Pre-cast Large Panel Construction	256
7.3.13	Pre-stressed Construction	256
7.4	Repair and Strengthening Techniques	257
7.4.1	Repair of Damage caused by Reinforcement Corrosion	257
7.4.2	Alleviation of the Effects of Acid/Sulphate Attack and Alkali-Silica Reaction	259
7.4.3	Traditional Remedies for Reinforcement Deficiency	260
7.4.4	Adhesive-bonded Strengthening Components	261
7.4.5	Remedies for Concrete Strength Deficiency	262
7.4.6	Remedies for Wood-Wool Former Problems	262
7.4.7	'Structural' Crack Filling	263
7.4.8	Temporary and palliative Measures	263
7.5	Fire Problems and Remedies	263
7.5.1	Behaviour of Concrete Materials and Structural Members in Fire	263
7.5.2	Assessment of Structural Members after a Fire	264
7.5.3	Reinstatement after Fire Damage	265

8	Foundations	266
8.1	Principles of Foundation Behaviour	267
8.1.1	Settlement, its Nature, Significance and Effects	267
8.1.2	Factors governing Foundation Behaviour	268
8.1.3	Foundation Types	269
8.1.4	Ground Strata and their Behaviour	272
8.1.5	The Influence of Groundwater	275
8.2	Causes of Foundation Problems	275
8.2.1	Original Deficiency	276
8.2.2	Overloading, subsequent to Original Construction	276
8.2.3	Deterioration of the Foundations	277
8.2.4	Change of Soil Conditions and/or Water Regime	277
8.2.5	Mining Subsidence and Brine Pumping	278
8.2.6	Tunnelling and/or Adjacent Excavations	279
8.2.7	Precautions in Case of Construction Works adjacent to Historic Buildings, etc.	280
8.3	Methods for Foundation and Soil Investigations	281
8.3.1	Geological Information and other documentary Evidence	281
8.3.2	Trial Pits	282
8.3.3	Probing with Hand Tools	283
8.3.4	Mechanically Drilled Boreholes	286
8.3.5	Laboratory Tests	287
8.4	Principal Methods of Foundation Strengthening	288
8.4.1	Soil Improvement by Grouting	288
8.4.2	Underpinning	289
8.4.3	Foundation Strengthening by conventional Bored Piles	293
8.4.4	'Minipiling'	294
8.4.5	Foundation Strengthening by Lateral Extensions	296
9	Sequencing Operations and Temporary Works	302
9.1	Constraints on Operations	303
9.1.1	Constraints on Design and Investigations	304
9.1.2	Constraints on Procurement	306
9.1.3	Constraints on Construction	306
9.2	Temporary Works	307
9.2.1	Safety Legislation, etc.	308
9.2.2	Access for Inspection	308
9.2.3	Provision of Site Facilities	309
9.2.4	Protection	309
9.2.5	Access for Working	310
9.2.6	Demolitions and Structural Alterations	312

9.2.7	Excavations	314
9.2.8	Interim Stabilization	315
9.3	Strategies and Tactics	316
9.3.1	General	316
9.3.2	Case Histories	317
10	Epilogue: Maintenance	321
	References and Further Reading	324
	General Appendix: Weights and Measures	331
	Index	333

Numbers in **bold** refer to illustrations. Order is letter by letter.

- Accelerometers, 78
- Acid rain, 249
- Adhesive-bonded fibre composite
 - strengthening:
 - deterioration in fires, 171, 261
 - for concrete, 261
 - for iron and steel, 215
- Adhesives, 157–8, 261, 263
- Aggregates:
 - behaviour in fire, 263–4
 - coke clinker, 210, 232
 - destructive, 252
- Alkali–silica reaction in concrete, 252, **253**
 - alleviation of effects, 259
- Anti-seismic strengthening, *see* Specific materials' chapters
- Appraisal, *see* Structural appraisal
- Appraisal of Existing Structures* (Institution of Structural Engineers' report), 25, 36
- Arches:
 - cracking, 121, **122**
 - jack, 196, **197**
 - repair, 126–8
 - spreading, 126
 - strengthening, 126
 - structural behaviour, 119, **120**
 - Wren's alternative theory, **123**
 - thrust lines, 119, **120**
- Archives, *see* Documentation
- Ash, pulverized, in grouts, 112, 288
- Augers, **284**, 285
- Auto-levelling instruments, 53
- Basements:
 - excavations, effects on foundations of adjacent buildings, 279
 - excavations, safety precautions, 314
 - walls, sulphate attack, 250
- Beams:
 - cast iron, 196, **197**
 - steel, manufacture, 194
 - welded strengthening, 215
 - timber, 149–56
 - box, 158
 - 'flitch', 155, 165
 - trussed, 155–6, **155**
 - wrought iron, 198, **199**
- Beetles:
 - damage to timber, 145
 - precautions against, 172

- Behaviour of materials, 1, 21
- brittle:
 - under compression, 12–15
 - under shear, 16–17
 - under tension, 10–12
 - ductile:
 - under compression, 12–15
 - under shear, 16–17
 - under tension, 10–12
 - under bending, 15–16
- Bell ringing as a source of vibration, 79
- Bench marks, 55
- Bending deformation, 15, 16
- Binoculars as inspection aids, 45
- Blast furnaces, 189, 190
- Blasting, abrasive, 224, 257
- Bolts:
 - expanding anchor, 111–12, 114
 - friction grip, 214, 228
 - 'Huck', 228
 - resin capsule, 112
 - in timber connections, 152, 154, 156
- Boreholes (for soil investigations), 282, 285, 286
- Bricks:
 - effects of fire, 136
 - engineering, 110
- Brickwork:
 - cladding, 131
 - linings, 114
 - see also* Masonry
- Brine pumping, 278–9
- Buckling, 17–18
 - of iron and steel beams after fire, 227
 - of masonry walls, 105
- Caissons, *see* Piles, friction
- Calcination of lime in fire, 136
- Calcium chloride, cause of corrosion of reinforcement, 249
- Calliper gauge, for crack measurement, 59
- Cameras as inspection aids, 45
- Carbonation:
 - of calcined mortar after fire, 137, 221
 - of concrete, 246
- Cast iron:
 - beams, 196, 197
 - columns, 196, 198, 199
 - casting defects, 212
 - composition, 190
 - corrosion, 220
 - effects of fire, 224–5
 - identification, 201, 202
 - manufacture, 189
 - mechanical properties of, 190–2
 - metallurgical analysis, 204
 - permissible stresses, 207–209
 - repair and strengthening of structural members, 214, 217
 - shrinkage in moulds, 191
 - stitching, 217
 - structural capacity, 206
 - uses, 196–7
- Cements:
 - high alumina, 240, 250–1
 - Portland, 231–2
 - problems in masonry repair, 105–109
 - sulphate-resisting, 250
- Characteristic strength, 80
- Chlorides, cause of corrosion of reinforcement, 248
- repair, 258
- Church spires, *see* Spires, masonry; Masonry
- Cladding, *see* Masonry; Brickwork
- Clays, behaviour, 274, 277
- Codes of practice:
 - for assessing strength of concrete, 241
 - for assessing strength of iron and steel, 208–209
 - for assessing strength of masonry, 93
 - for assessing strength of timber, 145–9
 - limitations for appraisal, 65
- Coefficients of thermal expansion, 19
- Columns:
 - cast iron, 196, 198, 199
 - concrete, strengthening, 262
 - monolithic stone shafts, 105
 - steel and wrought iron, 198, 200
- Composite action:
 - of concrete floors with iron or steel beams, 217
 - strengthening of timber beams by top lamination, 163
- Computers:
 - use in calculating settlement, 280
 - use in structural analysis, 70
- Concrete:
 - acid attack, 249
 - appraisal after fire, 264
 - assessment of strength, 241–4
 - board-marked, repair of, 258
 - clinker aggregate, 210, 251–2
 - composition, 231–2
 - cracks, 233, 253
 - creep, 233
 - 'destructive' aggregate, 252
 - durability, 246
 - early patent systems, 237, 238

- effects of fire, 264
 - history of use in construction, 237
 - hollow-core plank construction, **241**
 - hollow-pot construction, **239**
- load-carrying capacity, assessment, 236–7
 - permissible stresses, 245
 - precast large-panel construction
 - problems, 256
 - pre-cast slab/beam/column construction,
 - problems, 255
 - pre-stressed construction, problems, 256
 - reinforced, aerated concrete planks,
 - problems, 254
 - repair, 252–7
 - repair after fire, 265
 - strengthening, 257–65
- movements, 233
- properties, 231
- repair, 230–5, 257–63
- sprayed, 255, 258, 262
- wood-wool former construction, **239**
 - problems, 254
- X-joint & hollow block construction, **240**
 - problems, 254
- Conservation areas, consents required, 85
- Constraints on design for refurbishment, 304
- Construction for refurbishments, constraints etc., 306
- Conversion tables of weights and measures, 331, 332
- Core drilling:
 - for extracting sample:
 - of concrete, 242
 - of masonry, 95
 - for inspection of encased steelwork, 221
- Corrosion:
 - bi-metallic, 219
 - of exposed iron and steel structures, 220
 - in filler joist floors, 223
 - of iron cramps in masonry, 91, 101
 - processes, 219–20
 - protective and remedial treatments, 223–224
 - of reinforcement in concrete, 247–248
 - aggravated by chlorides, 248–9
 - repair, 257–259
 - of steelwork in masonry, 118, 221–223, **222**
 - see also Specific materials
- Covermeters, 245
- Cracks:
 - in concrete, 233, 234, **235**
 - repair, 263
 - measurement, 51–61
 - repair, 105–109
 - in masonry, 89–90
 - 'live', 92
 - in arches, 126–7
 - in domes, 126
 - static, 106
 - in walls, 107–108
 - repair, 106
- Creep, in concrete, 233
- Damping, internal, 73
- Dead shores, **313**
- Defects:
 - in masonry, 89–90
 - 'live', 92
 - in arches, 126–7
 - in domes, 126
 - static, 106
 - in walls, 107–108
 - repair, 106
 - measurement, 51–63, **54**
 - role of structural analysis to explain, 67–71
- Deformations:
 - elastic, **16**
 - imposed on masonry, causing cracking, 89
 - inevitability of, 21
 - transverse, 12–13
- De-frassing against insect attack, 173
- Demolitions for alteration, potential problems, 313
- Design procedures:
 - history, 29–32
 - 'rules-of-thumb', 29, 31
 - safety factors, 30–6
- Distance meters, electronic, 57
- Documentation:
 - use in soil investigations, 281–2
 - use in structural appraisal, 38–9
- Domes:
 - arch rib action, 124, **125**
 - membrane shell action, 124, **125**
 - repair, 126–8
 - strengthening, 126–9
 - structural behaviour, 124–6
- Drawings:
 - 'as existing', hand-made, 64
 - in reports, 83
 - use in structural appraisal, 38
- Dry rot (*Serpula lacrymans*)
 - description, 145
 - prevention and treatment, 172–4
 - problems, 152–6
- Dubrovnik clock tower, vertical prestressing, 117
- Dynamic amplification factor, 73

- Dynamic effects:
 analysis, 75
 testing, 78–80
- Early de-centering as a cause of cracking in arches, 121
- Earthquakes, *see* Anti-seismic strengthening
- Elastic surface rebound hammer, 137, 243–4, **244**
- Elasticity, modulus of, *see* Modulus, of elasticity
- Electrolytic levels, 56
- Equilibrium:
 of external forces, 2, 3, 3
 general conditions, 4, 4, 8
 of internal forces, 4–7, **5**
 of moments, 4–8, 4, 7, **8**
 principle, 1–2
- Excavations:
 effects on adjacent foundations, 279–80
 next to old walls, precautions, 314–15
- Facades, retained, 113
- Failure modes:
 under compression, 12–15
 under shear, 16–17, **17**
 under tension, 10, 12
- Fibre-reinforced plastic strengthening:
 for concrete, 261
 for steel, 215
- Films for cameras, 46
- Fire:
 appraisal of structure after:
 concrete, 264
 iron and steel, 227
 masonry, 137
 timber, 170
 behaviour of iron and steel structures, 224
 casing, 228
 effects:
 on concrete, 264
 on iron on steel, 224–5
 on masonry, 136–8
 on timber, 170–1
 Fire-load, 226
 protection:
 for iron and steel, 224–5
 for timber, 170–1
- Fissures, in timber, 141, **142**
 permitted depth in grading, 180
- Flatjacks:
 use for preloading buttresses, 118
 use for preloading foundation extensions, 298
 use in masonry testing, 95–6, **96**
- Flitching, to strengthen timber members, 165–6, **166**
- Floors:
 filler joist, 198, **199**, 210, 219, 223
 timber construction, 154–5
 beam strengthening, **167**, **168**
- Flying shore, **316**
- Footings, spread, 269, **270**
- Forces, 2–7
- Foundations:
 bearing strata, 272–5
 behaviour, 267, 269, **268**, **269**
 deterioration, 277–8
 extending, 294–9, **296**, **298**
 grillage, **271**
 investigating, 281–7
 overloading, 276
 pre-loading extensions, **298**
 problems, 275–9
 strengthening, 288–301
 types, 269, **270**, **271**
- Frames, timber, *see* Timber frames
- Frequency:
 natural, of structures, 72
- Frost, effects on rubble core masonry, 105, **105**
- Fungal attack on timber, 145–6, 151–2, 155–6, 172
 precautions against, 172–4
- Gangnails, 157–8
- Gauges:
 ‘Avongard’, 58, **58**
 Demec, 58–60, **58**, **96**
 precision calliper, 59
- Glues, *see* Adhesives
- Grading rules for timber, 146–8
- Grain, maximum permitted slopes in timber grading, 147, 181–2
- Gravels, behaviour of foundations on, 272–3
- Ground anchors, 130
- Ground strata, behaviour, 268–72
- Ground water:
 effects on foundations, 275, **277**
 effects on ground strata, 273–5
- Grouting:
 ‘compensation’, to alleviate effects of tunneling, 289
 of masonry, 107, 111–12
 for soil strengthening, 288–9
 use in fire protection of hollow iron columns, 229
- Grouts, 288, 289

- Growth rings, minimum number for timber grading, 147, 180
- Gunite, 258, 262
- Hammer-beam construction, 139, 150
- Holy Trinity Church, Coventry, improving stability of spire, 114–15, **115**
- Hooke's Law, 11
- Hyde Park Barracks, Sydney, strengthening, 167
- Initial surface absorption test (ISAT), 246
- Insects, effects on timber, 144
precautions against, 172–3
- Inspections, 39–49
equipment, 44–6
permits, 39
procedures, 47–9
recording, 49–50
safety precautions, 46
- Invar, use in measuring rods and tapes, 57
- Iron:
corrosion, 219–20
effects of fire, 224–5
manufacture, 189–94
metallurgical analysis, 204
properties, 189–90, 192–4
repair, 213–18
strengthening, 213–18
structural capacity, 206–213
see also Cast iron; Wrought iron
- Iron sulphides, *see* Mundic
- Joints in timber, *see* Timber, joints
- Joists:
timber, 162
see also Floors
- Karlsruhe University, research at:
strength tests:
of cast iron, 206
of masonry, 96–7, **97**
of timber, "nails" 151
ultrasonic tests:
for flaws in cast iron, 206
for integrity and strength of masonry walls, 97–8
- Knots, maximum permitted sizes in timber grading, 147, 183–5, **186, 187**
- Koran School, Rezayieh, spreading of arches, 126, **127**
- Lamination:
in glued timber construction, 157
in bolted timber construction, 154
in timber repairs, 163, **163**
- Lasers, 56
- Levelling instruments, 53, 55–6
- Lime:
chemical reaction with salts in bricks, 102–103
old, hydraulic, 106
use in ancient concrete, 231
- Limestone, effects of fire, 136–7
- Linear-elastic analysis, 33
- Linearly variable displacement transducers (LVDT), 57, 59
- Listed buildings, consents for investigations, etc., 85
- Load-carrying capacity, assessment *see* Specific materials of construction
- Load transfer to foundation extensions, 296–7
- London Building Act (1909)
loading requirements, 33, 35
permissible working stresses for iron and steel, 208
- Maintenance:
finance for, xix
Health & Safety requirements, 323
need for, 322–33
schedule, 322
- Maps, geological, 281–2
- Masonry:
anti-seismic strengthening, 115–16
assessing strength, 93–5
dry-jointed, 100–101, **100**
effects of fire, 136–8
failure modes, 95
imposed deformations, leading to cracking, 89
kinematic analysis of movement in earthquakes, 99
loading:
eccentric, 90, **90**
lateral, 128–30
transfer from rubble core to ashlar skins, 104
vertical, to increase stability, 114
mortar jointed,
bulging, 111–12
rubble-cored, 103–105
solid, through-bonded, 101–103
need for diagnosis to precede repair, 92
permissible stresses, 94
properties, 89–92
testing, 94, 97
repair materials, compatibility, 105–106
tensile resistance, provision of, 107–108
tensile strengthening, 108–11

- traditional construction, seismic resistance of, 99
- Materials:
 - response to environmental fluctuations, 18–21
 - response to forces, 10–18
 - see also* Specific materials
- Measurements:
 - conversion tables, 331
 - recording and interpretation for appraisal, 60
- Measuring tapes, 45, 57
- Mediaeval timber buildings, 149–52
- ‘Microscopes’ for measuring cracks, 59
- Mill buildings, ‘fireproof’ 196–7
- Mining, effects on foundations, 278–9
- Minipiling, 294–6, **295**
- Models, mathematical, 66, 70, **71**
- Modulus:
 - of elasticity, 11 *see also* Specific materials
 - of rupture, in timber, 142
- Moisture:
 - effects on behaviour of materials, 20
 - role in corrosion, 219, 220
- Moisture content of timber, 143
- Moments:
 - bending, 6–7, **7, 8**
 - external, 4–7
 - of inertia, 18
 - internal, 6–7, **8**
- Mortars:
 - effects of fire, 136–7
 - influence of quality on masonry, 102
 - modern, problems caused by, 106
- Movements, measurements of, 53–64
- Mundic, 252
- ‘Noise’ in instrument readings, 61, **62**
- Non-linear analysis, need for, 33
- Oak pegs, 151
- Overloading, effects on foundations, 276–7
- Padstones for mitigating overstressing masonry, **110, 110**
- Paints:
 - for corrosion protection of iron and steel, 220–1
 - intumescent, for fire protection, 172, 229
- Pastes for fire protection, 229
- Peat, effects on foundations, 275
- Penetrometers, 284, **285**
- Permits for inspections, 39
- Photoelasticity, 69
- Piers and walls, 103–105
 - repair, 105–106
 - strengthening, 105–108
- Piles, 270–2
 - bored, for foundation strengthening, 293–4, **293**
 - friction (caissons), **270, 270–1**
 - minipiles, for foundation strengthening, 294–6, **295**
 - shortening under load, 267
 - timber, 271
 - effect of ground water level, 275
- Pillars, 99–100
 - repair and strengthening, 105–106
- Pits, trial, *see* Trial pits
- Planning consents, 85–6
- Plates:
 - flitch for strengthening timber beams, 155, 165
 - for strengthening concrete members, 260–2
 - for strengthening iron or steel members, 215, **216**
- Plumb bobs and -lines, 53–5
- Plumbs, optical, 55–6, **56**
- Pointing of masonry:
 - effects of defective pointing, 104
 - in repairs, 106
- Portable Ultrasonic tester for concrete strength (PUNDIT), **243–4**
- Post-tensioning tendons, corrosion, 256
- Preloading:
 - buttresses, 117
 - soil under foundation extensions, 298–9
- Preservation of historical evidence, 213
- Prestressing:
 - foundation extensions, 298–9
 - vertical anti-seismic ties, 117
- Probes for soil investigation, 284, **285**
- Procurement for alteration works, constraints, 306
- Protection in temporary condition, 309
- Puddling of iron, 192, **192**
- Pyrites, *see* Mundic
- Rafters, trussed, 157
- Rainwater:
 - acid, attack on concrete, 249–50
 - damage to rubble-cored masonry, 104–105, **105**
 - effects on timber, 152, 156–
 - role in corrosion of iron and steel, 220, 221–3
- Reactions (forces), 5–7, **5**
- Records, examination for structural appraisal, 38–9
- Remedial works, structural analysis of effects, 76
- Renaissance timber buildings, 149–52
- Reports of structural appraisal, 82–4

- Resins, *see* Adhesives
- Rock, characteristics and problems, 272, 273
- Rupture, modulus of, *see* Modulus, of rupture
- Rust, *see* Corrosion
- Safety:
- factors, 30–2
 - margins, assessment, 26
 - precautions, during inspections, 46–7
 - of temporary works, 308
- St. David's Cathedral, Dyfed, 69
- St. Mary's Church, Sandwich, 164–5
- St. Paul's Cathedral, London:
- inner dome, 124
 - South Transept, 63
- Salts:
- in beach sand, cause of corrosion, 248
- Sand:
- and gravels, characteristics, 272
 - loose-bedded, consolidation of, 273
- Sandstone, effects of fire, 136–7
- Scheduled monuments, consents required, 85
- Schmidt-hammer, *see* Elastic surface rebound hammer
- Seasonal fluctuations, in measurements, 61, 62
- Self-levelling instruments, 55
- Serpula lachrymans*, *see* Dry rot
- Settlement of foundations:
- causes, 273–5
 - differential, 267
 - inherent nature of, 267
 - 'planar', 267
 - uniform, harmless, 267
- Shear connection:
- by rivets for composite action, 217
 - in 18th–19th century timber beams, 153, 154
- Shear connectors:
- in timber, 156
- Shotcrete, 258, 262
- Shrinkage:
- of concrete, 233–4
 - of timber, 141
- Silts, 274–5
- Smelting of iron, 189–90
- Softwoods, 140
- non-durable, 158
- Soils:
- effects on foundations, *see* Specific strata 272–5
 - investigating, 281–7
- Sonic boom, effects of, 78
- Spalling:
- concrete, 248, 253
 - dry-jointed masonry, 100, 100
- Specific strata, 272–5
- Spires, masonry, 114, 115
- Stability and robustness:
- concrete, 235
 - general, 21–23, 22, 23
 - iron and steel, improving, 201, 218
 - masonry, improving, 98, 114
 - timber, improving, 158, 168
- Stairs, stone, 134–6, 135
- Standard deviation of test results, 80–1
- Steel:
- composition, 194–5
 - corrosion, 219–24
 - effects of fire, 224–6
 - framed buildings, 200
 - masonry cladding, 131, 132
 - identification, 203–204, 202
 - manufacture, 194–5
 - mechanical properties, 195, 207
 - metallurgical analysis, 204
 - permissible stresses, 208–209
 - yield stresses, 209
- Steelwork, structural:
- effects of fire, 224–6
 - encased in masonry, corrosion, 221–3, 222
 - exposed, corrosion, 220
 - repair and strengthening, 213–19
 - structural capacity, 206–13
 - uses, 198–200
- Stitching:
- of cast iron, 217
 - of masonry, 107
- Strain, definition, 10
- Stress:
- definition, 10
 - flow in masonry, 100, 100
- Stresses:
- linearly-varying, 15
 - permissible, 30–3
 - yield, 11
- Stress-strain diagrams:
- for brittle materials, 12, 14
 - for ductile materials, 11, 13
- String polygons, 119–21, 120
- Structural analysis, 26–9
- for assessing safety, 65–7
 - of dynamic effects, 71–5
 - of effects of additions, 76–7
 - of effects of remedial work, 76–7
 - to explain observed defects, 67–71
- Structural Appraisal:
- need for, 25
 - process of, 25–36

- flow-charts 27, 28, 34
 reporting, 82-4
 Sulphate attack on concrete, 249
 alleviating effects, 259
- Taj Mahal:
 caisson foundations, 271
 cracked arches, 121
- Tell-tales, 57
 Avongard, 57-8, 58
- Temperature:
 masonry versus ambient air, 60
 of metal in fire, 225
 seasonal fluctuations, 60
- Tests:
 commissioning, 81
 concrete:
 core, 235-6
 electrochemical potential, 246, 247
 cylinder-splitting, for cast iron, 206
 for masonry, 96-97, 97
 dynamic effects, 71-5
 Figg permeability, 246
 laboratory:
 of concrete, 242
 of iron and steel, 205-206
 of masonry, 95
 of reinforcement bars, 245
 of soils, 287
 limitations, 80-1
 non-destructive, 77, 206
 of steel after fire, 227
 prototype, as basis for 'design', 29
 reports, 82
 resistivity, 246
 in-situ:
 iron and steel, 206, 227
 masonry, 95-6
 standard penetration, 286
 static, 77
 strength, *see under* Specific materials
 ultrasonic, 96
 of cast iron, 206
 of concrete, 243, 243
 of masonry, 97-8
- Theodolite-plumbing, 53
- Thermal bending, 19
- Thrust:
 lateral, on arch abutments, 119-121
 -lines, 66-68, 67, 68, 119-122, 120, 122
- Tie-rods, in timber trusses, 154
- Ties:
 elbow, for strengthening wall junctions,
 109, 109
 for strengthening roof truss, 165
 ring, for domes, 128
- Tiles for tensile strengthening of masonry, 107
- Timber:
 'air-dry', 143
 anti-seismic strengthening, 168-170
 assessment of strength, 145-9
 behaviour in fire, 170-1
 bonding timbers, as a cause of buckling
 in masonry, 112, 113
 buildings, history, 149-58
 commercial classifications, 146
 durability, 144
 effects of fungi, 145
 frames:
 cruck, 149, 150
 wall, 149, 149
 effects of insects, 144
 fire prevention, 170-2
 grading rules, 147, 175
 'green', 143
 joints, 134, 146, 149, 150, 151, 156, 162
 mechanical properties, 144
 moisture movement, 141-2
 'nails', 149
 permissible stresses, 176-9
 repairs, 159-68
 replacement, 158-61
 shrinkage, 141
 strengthening by flitching, etc., 165-6
- Tools, hand, use in soil investigations,
 283-5
- Tracery, window, 128-9
- Trees, growth, 140
- Trial Pits, for foundation investigations,
 282-3, 283
- Triangle of forces, 7, 9
- Trusses, roof:
 'Belfast', 154
 iron, 198-200
 king-post, 152, 153
 queen-post, 152, 153
- Tunnelling, effects on foundations, 279-80
- Twelvetrees' strengths of iron and steel, 207
- Underpinning, 289-93, 290, 291
- Vane apparatus, 286
- Vaults, *see* Arches
- Velocimeters, 78
- Vibrations:
 caused by adjacent construction, 281
 caused by bell ringing, 79-80
 significance of, 78

Walls:

- buckling, of masonry walls, 112, **113**
 - remedies against, 113
 - bulging, of masonry walls, 111
 - remedies against, 112
 - junctions, strengthening, 109, **109**
 - leaning, 117
 - buttressing, 117
 - load-bearing, 99–105
 - local overstressing, strengthening against, 110, **110**
 - repair and strengthening, 105–106
 - retaining, 129–30
- Wane, maximum permitted size in timber
grading, 147, 182–3
- Water, *see* Ground water; Rainwater
- Weights, conversion tables for, 331
- Welding, suitability of existing material, 213–15
- Wet rot, eradication, 173
- Wood, *see* Timber
- Wrought iron:
- composition, 192
 - corrosion, 194, 220
 - effects of fire, 225
 - identification, 203, **202**
 - manufacture, 192–4

- mechanical properties, 193
- metallurgical analysis, 204–205
- permissible working stresses, 208–209
- repair and strengthening, 213–19
- structural capacity, 206–13
- uses, 195–6, 197
- yield stresses, 209

York Minster:

- central tower, treatment after fire, 138
 - consolidation tests, 287
 - failure of glass tell-tales, 57
 - foundations:
 - overloading, 276
 - prestressing, 297, **298**
 - reconstructing settlement history, 287, **287**
 - settlement, 287
 - mathematical models, 70, **71**, **73**
 - reasons for rubble core expansion after fire, 104
 - tensile strengthening of masonry, **108**
 - thrust-lines, 66–7, **68**
 - tracery of east window, external bracing, 128–9, **129**
 - use of bench marks, 55
 - use of Demec gauge, 58
- Young's Modulus, *see* Modulus, of elasticity