

Measurement and Instrumentation Principles

Alan S. Morris

BUTTERWORTH
HEINEMANN

AMSTERDAM BOSTON HEIDELBERG LONDON NEW YORK OXFORD
PARIS SAN DIEGO SAN FRANCISCO SINGAPORE SYDNEY TOKYO



Contents

<i>Preface</i>	xvii
<i>Acknowledgements</i>	xx
Part 1: Principles of Measurement	1
1 INTRODUCTION TO MEASUREMENT	3
1.1 Measurement units	3
1.2 Measurement system applications	6
1.3 Elements of a measurement system	8
1.4 Choosing appropriate measuring instruments	9
2 INSTRUMENT TYPES AND PERFORMANCE CHARACTERISTICS	12
2.1 Review of instrument types	12
2.1.1 Active and passive instruments	12
2.1.2 Null-type and deflection-type instruments	13
2.1.3 Analogue and digital instruments	14
2.1.4 Indicating instruments and instruments with a signal output	15
2.1.5 Smart and non-smart instruments	16
2.2 Static characteristics of instruments	16
2.2.1 Accuracy and inaccuracy (measurement uncertainty)	16
2.2.2 Precision/repeatability/reproducibility	17
2.2.3 Tolerance	17
2.2.4 Range or span	18
2.2.5 Linearity	19
2.2.6 Sensitivity of measurement	19
2.2.7 Threshold	20
2.2.8 Resolution	20
2.2.9 Sensitivity to disturbance	20
2.2.10 Hysteresis effects	22
2.2.11 Dead space	23
2.3 Dynamic characteristics of instruments	23

2.3.1	Zero order instrument	25
2.3.2	First order instrument	25
2.3.3	Second order instrument	28
2.4	Necessity for calibration	29
2.5	Self-test questions	30
3	ERRORS DURING THE MEASUREMENT PROCESS	32
3.1	Introduction	32
3.2	Sources of systematic error	33
3.2.1	System disturbance due to measurement	33
3.2.2	Errors due to environmental inputs	37
3.2.3	Wear in instrument components	38
3.2.4	Connecting leads	38
3.3	Reduction of systematic errors	39
3.3.1	Careful instrument design	39
3.3.2	Method of opposing inputs	39
3.3.3	High-gain feedback	39
3.3.4	Calibration	41
3.3.5	Manual correction of output reading	42
3.3.6	Intelligent instruments	42
3.4	Quantification of systematic errors	42
3.5	Random errors	42
3.5.1	Statistical analysis of measurements subject to random errors	43
3.5.2	Graphical data analysis techniques – frequency distributions	46
3.6	Aggregation of measurement system errors	56
3.6.1	Combined effect of systematic and random errors	56
3.6.2	Aggregation of errors from separate measurement system components	56
3.6.3	Total error when combining multiple measurements	59
3.7	Self-test questions	60
	References and further reading	63
4	CALIBRATION OF MEASURING SENSORS AND INSTRUMENTS	64
4.1	Principles of calibration	64
4.2	Control of calibration environment	66
4.3	Calibration chain and traceability	67
4.4	Calibration records	71
	References and further reading	72
5	MEASUREMENT NOISE AND SIGNAL PROCESSING	73
5.1	Sources of measurement noise	73
5.1.1	Inductive coupling	74
5.1.2	Capacitive (electrostatic) coupling	74
5.1.3	Noise due to multiple earths	74

5.1.4	Noise in the form of voltage transients	75
5.1.5	Thermoelectric potentials	75
5.1.6	Shot noise	76
5.1.7	Electrochemical potentials	76
5.2	Techniques for reducing measurement noise	76
5.2.1	Location and design of signal wires	76
5.2.2	Earthing	77
5.2.3	Shielding	77
5.2.4	Other techniques	77
5.3	Introduction to signal processing	78
5.4	Analogue signal filtering	78
5.4.1	Passive analogue filters	81
5.4.2	Active analogue filters	85
5.5	Other analogue signal processing operations	86
5.5.1	Signal amplification	87
5.5.2	Signal attenuation	88
5.5.3	Differential amplification	89
5.5.4	Signal linearization	90
5.5.5	Bias (zero drift) removal	91
5.5.6	Signal integration	92
5.5.7	Voltage follower (pre-amplifier)	92
5.5.8	Voltage comparator	92
5.5.9	Phase-sensitive detector	93
5.5.10	Lock-in amplifier	94
5.5.11	Signal addition	94
5.5.12	Signal multiplication	95
5.6	Digital signal processing	95
5.6.1	Signal sampling	95
5.6.2	Sample and hold circuit	97
5.6.3	Analogue-to-digital converters	97
5.6.4	Digital-to-analogue (D/A) conversion	99
5.6.5	Digital filtering	100
5.6.6	Autocorrelation	100
5.6.7	Other digital signal processing operations	101
	References and further reading	101
6	ELECTRICAL INDICATING AND TEST INSTRUMENTS	102
6.1	Digital meters	102
6.1.1	Voltage-to-time conversion digital voltmeter	103
6.1.2	Potentiometric digital voltmeter	103
6.1.3	Dual-slope integration digital voltmeter	103
6.1.4	Voltage-to-frequency conversion digital voltmeter	104
6.1.5	Digital multimeter	104
6.2	Analogue meters	104
6.2.1	Moving-coil meters	105
6.2.2	Moving-iron meter	106
6.2.3	Electrodynamic meters	107

6.2.4	Clamp-on meters	108
6.2.5	Analogue multimeter	108
6.2.6	Measuring high-frequency signals	109
6.2.7	Thermocouple meter	110
6.2.8	Electronic analogue voltmeters	111
6.2.9	Calculation of meter outputs for non-standard waveforms	112
6.3	Cathode ray oscilloscope	114
6.3.1	Cathode ray tube	115
6.3.2	Channel	116
6.3.3	Single-ended input	117
6.3.4	Differential input	117
6.3.5	Timebase circuit	117
6.3.6	Vertical sensitivity control	117
6.3.7	Display position control	118
6.4	Digital storage oscilloscopes	118
	References and further reading	118
7	VARIABLE CONVERSION ELEMENTS	119
7.1	Bridge circuits	119
7.1.1	Null-type, d.c. bridge (Wheatstone bridge)	120
7.1.2	Deflection-type d.c. bridge	121
7.1.3	Error analysis	128
7.1.4	A.c. bridges	130
7.2	Resistance measurement	134
7.2.1	D.c. bridge circuit	135
7.2.2	Voltmeter–ammeter method	135
7.2.3	Resistance-substitution method	135
7.2.4	Use of the digital voltmeter to measure resistance	136
7.2.5	The ohmmeter	136
7.2.6	Codes for resistor values	137
7.3	Inductance measurement	138
7.4	Capacitance measurement	138
7.4.1	Alphanumeric codes for capacitor values	139
7.5	Current measurement	140
7.6	Frequency measurement	141
7.6.1	Digital counter-timers	142
7.6.2	Phase-locked loop	142
7.6.3	Cathode ray oscilloscope	143
7.6.4	The Wien bridge	144
7.7	Phase measurement	145
7.7.1	Electronic counter-timer	145
7.7.2	X–Y plotter	145
7.7.3	Oscilloscope	147
7.7.4	Phase-sensitive detector	147
7.8	Self-test questions	147
	References and further reading	150

8 SIGNAL TRANSMISSION	151
8.1 Electrical transmission	151
8.1.1 Transmission as varying voltages	151
8.1.2 Current loop transmission	152
8.1.3 Transmission using an a.c. carrier	153
8.2 Pneumatic transmission	154
8.3 Fibre-optic transmission	155
8.3.1 Principles of fibre optics	156
8.3.2 Transmission characteristics	158
8.3.3 Multiplexing schemes	160
8.4 Optical wireless telemetry	160
8.5 Radio telemetry (radio wireless transmission)	161
8.6 Digital transmission protocols	163
References and further reading	164
9 DIGITAL COMPUTATION AND INTELLIGENT DEVICES	165
9.1 Principles of digital computation	165
9.1.1 Elements of a computer	165
9.1.2 Computer operation	168
9.1.3 Interfacing	174
9.1.4 Practical considerations in adding computers to measurement systems	176
9.2 Intelligent devices	177
9.2.1 Intelligent instruments	177
9.2.2 Smart sensors	179
9.2.3 Smart transmitters	180
9.2.4 Communication with intelligent devices	183
9.2.5 Computation in intelligent devices	184
9.2.6 Future trends in intelligent devices	185
9.3 Self-test questions	185
References and further reading	186
10 INSTRUMENTATION/COMPUTER NETWORKS	187
10.1 Introduction	187
10.2 Serial communication lines	188
10.2.1 Asynchronous transmission	189
10.3 Parallel data bus	190
10.4 Local area networks (LANs)	192
10.4.1 Star networks	193
10.4.2 Ring and bus networks	194
10.5 Gateways	195
10.6 HART	195
10.7 Digital fieldbuses	196
10.8 Communication protocols for very large systems	198
10.8.1 Protocol standardization	198
10.9 Future development of networks	199
References and further reading	199

11 DISPLAY, RECORDING AND PRESENTATION OF MEASUREMENT DATA	200
11.1 Display of measurement signals	200
11.1.1 Electronic output displays	200
11.1.2 Computer monitor displays	201
11.2 Recording of measurement data	202
11.2.1 Mechanical chart recorders	202
11.2.2 Ultra-violet recorders	208
11.2.3 Fibre-optic recorders (recording oscilloscopes)	209
11.2.4 Hybrid chart recorders	209
11.2.5 Magnetic tape recorders	209
11.2.6 Digital recorders	210
11.2.7 Storage oscilloscopes	211
11.3 Presentation of data	212
11.3.1 Tabular data presentation	212
11.3.2 Graphical presentation of data	213
11.4 Self-test questions	222
References and further reading	223
12 MEASUREMENT RELIABILITY AND SAFETY SYSTEMS	224
12.1 Reliability	224
12.1.1 Principles of reliability	224
12.1.2 Laws of reliability in complex systems	228
12.1.3 Improving measurement system reliability	229
12.1.4 Software reliability	232
12.2 Safety systems	236
12.2.1 Introduction to safety systems	236
12.2.2 Operation of safety systems	237
12.2.3 Design of a safety system	238
12.3 Self-test questions	241
References and further reading	242
Part 2: Measurement Sensors and Instruments	245
13 SENSOR TECHNOLOGIES	247
13.1 Capacitive and resistive sensors	247
13.2 Magnetic sensors	247
13.3 Hall-effect sensors	249
13.4 Piezoelectric transducers	250
13.5 Strain gauges	251
13.6 Piezoresistive sensors	252
13.7 Optical sensors (air path)	252
13.8 Optical sensors (fibre-optic)	253
13.8.1 Intrinsic sensors	254
13.8.2 Extrinsic sensors	258
13.8.3 Distributed sensors	259

13.9	Ultrasonic transducers	259
13.9.1	Transmission speed	260
13.9.2	Direction of travel of ultrasound waves	261
13.9.3	Directionality of ultrasound waves	261
13.9.4	Relationship between wavelength, frequency and directionality of ultrasound waves	262
13.9.5	Attenuation of ultrasound waves	262
13.9.6	Ultrasound as a range sensor	263
13.9.7	Use of ultrasound in tracking 3D object motion	264
13.9.8	Effect of noise in ultrasonic measurement systems	265
13.9.9	Exploiting Doppler shift in ultrasound transmission	265
13.9.10	Ultrasonic imaging	267
13.10	Nuclear sensors	267
13.11	Microsensors	268
	References and further reading	270
14	TEMPERATURE MEASUREMENT	271
14.1	Principles of temperature measurement	271
14.2	Thermoelectric effect sensors (thermocouples)	272
14.2.1	Thermocouple tables	276
14.2.2	Non-zero reference junction temperature	277
14.2.3	Thermocouple types	279
14.2.4	Thermocouple protection	280
14.2.5	Thermocouple manufacture	281
14.2.6	The thermopile	282
14.2.7	Digital thermometer	282
14.2.8	The continuous thermocouple	282
14.3	Varying resistance devices	283
14.3.1	Resistance thermometers (resistance temperature devices)	284
14.3.2	Thermistors	285
14.4	Semiconductor devices	286
14.5	Radiation thermometers	287
14.5.1	Optical pyrometers	289
14.5.2	Radiation pyrometers	290
14.6	Thermography (thermal imaging)	293
14.7	Thermal expansion methods	294
14.7.1	Liquid-in-glass thermometers	295
14.7.2	Bimetallic thermometer	296
14.7.3	Pressure thermometers	296
14.8	Quartz thermometers	297
14.9	Fibre-optic temperature sensors	297
14.10	Acoustic thermometers	298
14.11	Colour indicators	299
14.12	Change of state of materials	299
14.13	Intelligent temperature-measuring instruments	300
14.14	Choice between temperature transducers	300

14.15 Self-test questions	302
References and further reading	303
15 PRESSURE MEASUREMENT	304
15.1 Diaphragms	305
15.2 Capacitive pressure sensor	306
15.3 Fibre-optic pressure sensors	306
15.4 Bellows	307
15.5 Bourdon tube	308
15.6 Manometers	310
15.7 Resonant-wire devices	311
15.8 Dead-weight gauge	312
15.9 Special measurement devices for low pressures	312
15.10 High-pressure measurement (greater than 7000 bar)	315
15.11 Intelligent pressure transducers	316
15.12 Selection of pressure sensors	316
16 FLOW MEASUREMENT	319
16.1 Mass flow rate	319
16.1.1 Conveyor-based methods	319
16.1.2 Coriolis flowmeter	320
16.1.3 Thermal mass flow measurement	320
16.1.4 Joint measurement of volume flow rate and fluid density	321
16.2 Volume flow rate	321
16.2.1 Differential pressure (obstruction-type) meters	322
16.2.2 Variable area flowmeters (Rotameters)	327
16.2.3 Positive displacement flowmeters	328
16.2.4 Turbine meters	329
16.2.5 Electromagnetic flowmeters	330
16.2.6 Vortex-shedding flowmeters	332
16.2.7 Ultrasonic flowmeters	332
16.2.8 Other types of flowmeter for measuring volume flow rate	336
16.3 Intelligent flowmeters	338
16.4 Choice between flowmeters for particular applications	338
References and further reading	339
17 LEVEL MEASUREMENT	340
17.1 Dipsticks	340
17.2 Float systems	340
17.3 Pressure-measuring devices (hydrostatic systems)	341
17.4 Capacitive devices	343
17.5 Ultrasonic level gauge	344
17.6 Radar (microwave) methods	346

17.7	Radiation methods	346
17.8	Other techniques	348
17.8.1	Vibrating level sensor	348
17.8.2	Hot-wire elements/carbon resistor elements	348
17.8.3	Laser methods	349
17.8.4	Fibre-optic level sensors	349
17.8.5	Thermography	349
17.9	Intelligent level-measuring instruments	351
17.10	Choice between different level sensors	351
	References and further reading	351
18	MASS, FORCE AND TORQUE MEASUREMENT	352
18.1	Mass (weight) measurement	352
18.1.1	Electronic load cell (electronic balance)	352
18.1.2	Pneumatic/hydraulic load cells	354
18.1.3	Intelligent load cells	355
18.1.4	Mass-balance (weighing) instruments	356
18.1.5	Spring balance	359
18.2	Force measurement	359
18.2.1	Use of accelerometers	360
18.2.2	Vibrating wire sensor	360
18.3	Torque measurement	361
18.3.1	Reaction forces in shaft bearings	361
18.3.2	Prony brake	361
18.3.3	Measurement of induced strain	362
18.3.4	Optical torque measurement	364
19	TRANSLATIONAL MOTION TRANSDUCERS	365
19.1	Displacement	365
19.1.1	The resistive potentiometer	365
19.1.2	Linear variable differential transformer (LVDT)	368
19.1.3	Variable capacitance transducers	370
19.1.4	Variable inductance transducers	371
19.1.5	Strain gauges	371
19.1.6	Piezoelectric transducers	373
19.1.7	Nozzle flapper	373
19.1.8	Other methods of measuring small displacements	374
19.1.9	Measurement of large displacements (range sensors)	378
19.1.10	Proximity sensors	381
19.1.11	Selection of translational measurement transducers	382
19.2	Velocity	382
19.2.1	Differentiation of displacement measurements	382
19.2.2	Integration of the output of an accelerometer	383
19.2.3	Conversion to rotational velocity	383
19.3	Acceleration	383
19.3.1	Selection of accelerometers	385

19.4	Vibration	386
19.4.1	Nature of vibration	386
19.4.2	Vibration measurement	386
19.5	Shock	388
20	ROTATIONAL MOTION TRANSDUCERS	390
20.1	Rotational displacement	390
20.1.1	Circular and helical potentiometers	390
20.1.2	Rotational differential transformer	391
20.1.3	Incremental shaft encoders	392
20.1.4	Coded-disc shaft encoders	394
20.1.5	The resolver	398
20.1.6	The synchro	399
20.1.7	The induction potentiometer	402
20.1.8	The rotary inductosyn	402
20.1.9	Gyroscopes	402
20.1.10	Choice between rotational displacement transducers	406
20.2	Rotational velocity	407
20.2.1	Digital tachometers	407
20.2.2	Stroboscopic methods	410
20.2.3	Analogue tachometers	411
20.2.4	Mechanical flyball	413
20.2.5	The rate gyroscope	415
20.2.6	Fibre-optic gyroscope	416
20.2.7	Differentiation of angular displacement measurements	417
20.2.8	Integration of the output from an accelerometer	417
20.2.9	Choice between rotational velocity transducers	417
20.3	Measurement of rotational acceleration	417
	References and further reading	418
21	SUMMARY OF OTHER MEASUREMENTS	419
21.1	Dimension measurement	419
21.1.1	Rules and tapes	419
21.1.2	Callipers	421
21.1.3	Micrometers	422
21.1.4	Gauge blocks (slip gauges) and length bars	423
21.1.5	Height and depth measurement	425
21.2	Angle measurement	426
21.3	Flatness measurement	428
21.4	Volume measurement	428
21.5	Viscosity measurement	429
21.5.1	Capillary and tube viscometers	430
21.5.2	Falling body viscometer	431
21.5.3	Rotational viscometers	431
21.6	Moisture measurement	432
21.6.1	Industrial moisture measurement techniques	432
21.6.2	Laboratory techniques for moisture measurement	434

21.6.3	Humidity measurement	435
21.7	Sound measurement	436
21.8	pH measurement	437
21.8.1	The glass electrode	438
21.8.2	Other methods of pH measurement	439
21.9	Gas sensing and analysis	439
21.9.1	Catalytic (calorimetric) sensors	440
21.9.2	Paper tape sensors	441
21.9.3	Liquid electrolyte electrochemical cells	441
21.9.4	Solid-state electrochemical cells (zirconia sensor)	442
21.9.5	Catalytic gate FETs	442
21.9.6	Semiconductor (metal oxide) sensors	442
21.9.7	Organic sensors	442
21.9.8	Piezoelectric devices	443
21.9.9	Infra-red absorption	443
21.9.10	Mass spectrometers	443
21.9.11	Gas chromatography	443
	References and further reading	444
APPENDIX 1	Imperial–metric–SI conversion tables	445
APPENDIX 2	Thévenin’s theorem	452
APPENDIX 3	Thermocouple tables	458
APPENDIX 4	Solutions to self-test questions	464
INDEX		469

Index

- absolute pressure, 304, 305, 307, 310
a.c. carrier, 153–4
acceleration measurement, 254, 258, 269, 383–6, 417–8
accuracy, 16–17
acoustic thermometer, 298–9, 302
active filters, 85–6
active instruments, 12–13
address bus, 167
address decoding, 174–5
aggregation of measurement errors, 56–9
air-vane meter, 337
alarms, 241
aliasing, 96
amplification, 9, 87–8, 89, 101
amplifier *see* operational amplifier
amplitude modulation (AM), 153
analogue–digital conversion, 95–6, 97–8
analogue filters, 78–86
analogue instruments, 14–15
analogue meters, 104–113
angle measurement, 426–7
angular motion, 390–418
annubar, 322, 327
anti-ambiguity track, 396
antimony electrode, 439
apex bridge-circuit balancing, 129–30
ASIC (Application specific integrated circuit), 184
asynchronous transmission, 189–90
attenuation, 80, 82, 84, 88–9, 101
autocorrelation, 100–1

band pass filter, 80, 81, 83, 85
band stop filter, 80, 81, 83–4, 85
bandwidth, 114
bathtub reliability curve, 226

beam balance, 356
bell-shaped distribution, 48
bellows, 307–8, 317
bevel protractor, 426
bias, 21, 91, 101
bimetallic thermometer, 296, 302
bimetallic thermostat, 296
binary numbers, 168–73
Bourdon tube, 308–10, 317
box cube, 419
bridge circuits, 8, 119–135, 138, 144
 a.c., 130–4, 138, 144
 balancing, 129–30
 d.c., 119–30, 135
 error analysis, 128–9
British Calibration Service (BCS), 68
BS 5750, 66
bubbler unit, 342
bus network, 194–5

calibration, 21, 29–30, 41, 64–72, 179, 182
 calibration chain, 67–70
 calibration frequency, 65
 documentation, 69–72
calipers, 420–2
calorimetric sensors, 440
Cambridge ring, 195
capacitance measurement, 138–9
capacitive coupling, 74
capacitive sensors, 247, 260, 306, 343, 370–1, 432
catalytic gate FET, 442
catalytic sensors, 440
cathode ray oscilloscope, 114–8, 143–4, 147
centrifugal tachometer, 413
characteristic impedance, 82

- chart recorders, 202–11
 chi-squared test, 55
 choice of instrument *see* instrument choice
 chromatography, 443
 clamp-on meter, 108, 141
 coded disc shaft encoder *see* shaft encoders
 coefficient of viscosity, 429
 colour codes (resistors and capacitors), 137, 139
 colour temperature indicators, 299, 302
 common mode rejection, 88
 communications, 183–4, 187–99
 compensating leads, 275
 compensating resistance, 39
 computer data logging, 210–1
 computer networks, 187–99
 computing principles, 165–77
 confidence tests, 216, 220
 constant-k filter, 80, 83, 85
 contention protocol, 195
 continuous thermocouple, 282–3
 control bus, 167, 175
 conversion tables: imperial-SI units, 445–51
 Coriolis meter, 320, 338
 corona discharge, 75
 correlation test, 220–1
 counter-timer, 142, 145
 CPLD (Complex programmable logic device), 184
 crayon temperature indicators, 299
 creep, 352
 cross correlation flowmeter, 336
 cross sensitivity, 384
 cross talk sensor, 257, 349
 cumulative distribution function, 48
 current loop transmission, 152–3, 183
 current measurement, 140–1
 current to voltage conversion, 153
 current transformer, 140
 curve fitting, 214–21
 cut off frequency, 79
- Dall flow tube, 322, 325–6
 damping ratio, 29, 205–6
 data analysis, 43–56
 data bus, 167, 175
 data logging, 210–1
 data presentation, 212–21
 data transmission, 187–99
 dead space, 23
 dead weight gauge, 14, 312, 317
- decibel (dB), 114
 deflection instruments, 13–14
 depth gauge, 425
 design of instruments *see* instrument design
 dew point meter, 435
 dial gauge, 425
 diaphragm-type pressure transducer, 305–7, 317
 differential amplifier, 89–90
 differential pressure, 304, 305, 307, 310, 318
 differential transformers
 linear, 368
 rotational, 391
 digital-analog converter, 99
 digital filters, 100
 digital instruments, 14–15
 digital meters, 102–4, 136, 140, 141, 142
 digital recorder, 210–1
 digital (storage) oscilloscope, 118, 211
 digital thermometer, 270, 282
 digital voltmeter (DVM), 102–4, 136
 dimension measurement, 419–27
 diode temperature sensors, 287
 dipstick, 340
 discharge coefficient, 324
 displacement measurement
 rotational, 390–407
 translational, 255, 365–82
 display of signals, 200–1
 distributed control system, 187
 distributed sensors, 254, 259, 282, 298
 Doppler effect, 265–7, 333
 draft gauge, 311
 dual diverse temperature sensor, 301
 duplex communication, 188
 DVM *see* digital voltmeter
 dynamic characteristics of instruments, 23–9, 205–6
 dynamic viscosity, 429
 dynamometer, 107–8
- earthing, 77
 eddy current sensors, 248
 electrical signals:
 measurement, 34–7, 102–18, 119–47
 recording, 202–11
- electrochemical cells, 441–2
 electrochemical potential, 75
 electrodynamic meter, 107–8
 electromagnetic balance, 359

- electromagnetic flowmeter, 330–2, 339
 electronic balance, 352, 354
 electronic spirit level, 427
 electronic voltmeter, 111
 electrostatic coupling, 74
 emissivity, 288
 EN50170 fieldbus, 197
 encoders *see* shaft encoders
 environmentally-induced errors, 37
 environmental pollution, 440
 equal-arm balance *see* beam balance
 error frequency distribution, 49
 errors in measurement systems, 32–59, 91,
 125–8
 Ethernet, 195
 evanescent field effect displacement sensor,
 378
 extension leads, 274
- Farad, 138
 fault detection, 180, 182
 fibre optic principles, 156–60
 data networks, 193, 198
 recorder, 209
 sensors, 253–9, 296, 297–8, 302, 306,
 349, 406, 416
 signal transmission, 155–60
 Fieldbus, 196–9
 filters, 78–86, 100
 fire detection/prevention, 282, 293–4, 439
 first order type instruments, 25–8
 fixed points (temperature measurement), 271
 flatness measurement, 428
 float and tape gauge, 341
 float systems, 340–1
 floating point, 170
 flow measurement, 178, 258, 319–39
 mass flow rate, 319–21
 volume flow rate, 178, 321–39
 flow nozzle, 322, 325–6
 force measurement, 359–61
 fotonics sensor, 254, 377
 FPGA (Field programmable gate array), 184
 frequency attenuation, 82–5
 frequency distribution, 46–56
 frequency measurement, 141–5
 frequency modulation (FM), 153
 full duplex mode, 188
- gas chromatography, 443
 gas sensing and analysis, 258, 439–40
- gate-type meter, 336
 gateway, 195
 gauge block, 423–4
 gauge factor, 251
 gauge pressure, 304, 305, 307, 308, 310,
 311, 312
 Gaussian distribution, 48–56
 Gaussian tables, 50–1
 glass electrode, 438
 goodness of fit, 54–6
 graphical data analysis, 46–56
 graphical data presentation, 213–21
 Gray code, 396
 gyroscopes, 258, 402–6, 415–6
- half duplex mode, 188
 Hall-effect sensors, 249–50
 HART, 195–6
 Hay's bridge, 149
 heat detection, 282, 293–4
 heat-sensitive cable, 282
 height gauge, 425
 henry, 138
 hertz (Hz), 141
 hexadecimal numbers, 171–3
 high pass filter, 80, 81, 83, 85
 histogram, 46–7
 hot wire element level gauge, 348
 humidity measurement *see* moisture
 measurement
 hydrostatic systems, 341–3
 hygrometers, 435–6
 hysteresis, 22
- IEC bus (IEC625), 191
 IEC61158 fieldbus
 IEC61508, 237–8
 IEEE488 bus, 191–2
 Imaging, 267, 293–4
 imperial–SI units conversion tables,
 445–51
 imperial units, 5–6
 inaccuracy, 16–17
 incremental shaft encoder, 392
 indicating instruments, 15–16
 inductance measurement, 138
 induction potentiometer, 402
 induction tachometer, 408
 inductive coupling, 74
 inductive sensors, 247–50, 371, 408
 inductosyn, 374, 402

- inertial navigation systems, 403
 instrument choice, 9–11
 instrument design, 9–11, 39, 41, 43
 instrumentation amplifier, 87–8
 instrumentation networks, 187–99
 integrated circuit transistor sensors, 286
 intelligent devices, 42, 165–85
 - in acceleration measurement, 385
 - in dimension measurement, 422, 423
 - in displacement measurement, 399
 - in flow measurement, 178, 338
 - in force and mass measurement, 355
 - in level measurement, 351
 - in pressure measurement, 316
 - in temperature measurement, 300, 302
 interfacing, 167, 174–7, 187–99
 international practical temperature scale (ITPS), 271
 intrinsic safety, 236
 ionisation gauge, 315
 ISO-7 protocol, 197, 198–9
 ISO 9000, 66, 69
 kinematic viscosity, 429
 LAN *see* local area network
 laser Doppler flowmeter, 258, 337
 laser interferometer, 376
 law of intermediate metals, 275–6
 law of intermediate temperatures, 277–9
 least squares regression, 216–20
 length bar, 424
 level measurement, 12, 257, 340–51
 line-type heat detector, 282
 linear variable differential transformer (LVDT), 368
 linearization, 90–1
 linearity, 19
 liquid-in-glass thermometer, 26, 295, 302
 Lissajous patterns, 143–4
 load cell, 352–6
 local area network, 187, 190, 192–9
 lock-in amplifier, 78, 93–4
 low pass filter, 80, 81, 83, 85
 lower explosive level, 439
 LVDT *see* linear variable differential transformer
 magnetic sensors, 247–50, 410
 magnetic tape recorder, 209–10
 magnetostrictive tachometer, 410
 manometers, 310–1, 317
 manufacturing tolerances, 53–6
 MAP (manufacturing automation protocol), 199
 mass flow rate, *see* flow measurement
 mass measurement, 342–9
 mass spectrometer, 443
 Maxwell bridge, 131–2
 McLeod gauge, 314–5
 mean, 43–4
 mean-time-between-failures, 225
 mean-time-to-repair, 225
 measurement disturbance, 33–8, 125–8, 140
 measurement system design, 8, 37–9
 measurement uncertainty, 16–17
 measuring units, 3–6, 445–51
 mechanical flyball, 413
 median, 43–4
 metal oxide gas sensors, 442
 meters, 102–13
 metric units, 6
 metropolitan area network (MAN), 198
 microbend sensor, 307
 micrometers, 69–70, 422–3
 microprocessor, 166
 microsensors, 268–70, 306
 mirror galvanometer, 208
 modem, 193
 modifying inputs *see* environmentally induced errors
 moisture measurement, 432–6
 moving coil meters, 105, 140
 moving iron meters, 106, 140
 multimeters, 102, 104, 108–9, 136
 multiple earths, 74
 multiplexing, 155, 160
 multivariable transmitter, 180
 National Measurement Accreditation Service (NAMAS), 68
 National Standards Organisations, 67–70
 National Testing Laboratory Accreditation Scemem (NATLAS), 68
 natural frequency of instruments, 28–9
 networks, 192–9
 neutron moderation, 433
 noise, 73–8
 normal distribution, 48
 normal probability plot, 54–5
 notch filter *see* band pass filter

- nozzle flapper, 373
 nuclear magnetic resonance (NMR), 433
 nuclear sensors, 267–8, 319
 null type instruments, 13–4
 numerically controlled machine tools, 374, 377, 394, 400

 octal numbers, 170–3
 ohmmeter, 136
 one-out-of-two voting, 240
 one's complement, 168
 open systems interconnection seven layer model, 197, 198–9
 operational amplifier, 87–95
 optical fibres *see* fibre optics
 optical incremental shaft encoder, 392–4
 optical pyrometer, 289–90
 optical resonator, 258
 optical sensors, 252–9
 optical shaft encoder, 393–4
 optical tachometer, 408
 optical wireless telemetry, 160–1
 organic gas sensors, 442
 orifice plate, 322–5, 339
 oscilloscope *see* cathode ray oscilloscope

 paper-tape gas sensor, 441
 paperless recorder, 211
 parallax error, 102
 parallel communication/interface, 187–8, 190–2
 parity bit, 189, 190
 pass band, 79, 82
 passive filters, 81–5
 passive instruments, 12–13
 PCI (Peripheral component interconnect), 174, 184
 PCM *see* pulse code modulation
 pendulum scale, 358
 pH measurement, 437
 phase-locked loop, 77, 142–3
 phase measurement, 145–7
 phase-sensitive detector, 93–4, 147
 photon detector, 290, 292
 piezoelectric gas sensor, 443
 piezoelectric transducers, 250–1
 piezoresistive transducers, 252, 306
 Pirani gauge, 313–4
 Pitot tube, 322, 326–7
 platinum resistance thermometer, 284
 pneumatic signal transmission, 154

 pollution monitoring and control, 440
 positive displacement flowmeter, 328–9, 339
 potentiometers, 25, 365–8, 390, 402
 induction, 402
 rotational, 390
 translational, 365–8
 preamplifier, 92
 precession, 403
 precision, 17
 presentation of data *see* data presentation
 pressure measurement, 12–14, 304–18
 high pressures, 315–6
 low pressures, 312–5
 pressure thermometer, 296–7, 302
 primary fixed point (of temperature), 271
 primary reference standard, 69
 probability curve, 47
 probability density function, 47
 programming and program execution, 173–4
 Prony brake, 361
 protractors, 426–7
 proximity sensors, 381
 PRT *see* platinum resistance thermometer
 psychrometer, 435
 pulse code modulation (PCM), 163
 pulsed temperature sensor, 301
 pyrometers, 287–93, 301
 pyrometric cone, 299

 Q factor (quality factor), 131
 quantization, 97
 quartz thermometer, 297, 302

 radiation pyrometer/thermometer, *see*
 pyrometers
 radio telemetry, 161–3
 random access memory (RAM), 166
 random errors, 33, 42–56
 range (of instrument), 18–19
 range measurement, 263, 378–81
 ratio pyrometer, 292–3
 read only memory (ROM), 166–7
 recorders *see* signal recorders
 recording oscilloscopes, 209
 redundancy, 230
 reference standards, 67–70
 refractive index measurement, 257
 refractometer, 433
 regression techniques, 215–220

- relative humidity, 432
 reliability, 224–35
 components in parallel, 229
 components in series, 228
 manufacturing systems, 224–31
 measurement systems, 224–31
 safety systems, 236–41
 software, 232–5
 repeatability/reproducibility, 17
 resistance measurement, 119–30, 134–7
 resistance temperature device (RTD),
 283–5, 301
 resistance thermometer, 283–5, 301
 resistive sensors, 247
 resolution, 20
 resolver, 398–9
 resonant-wire pressure sensor, 311–2, 317
 Reynolds number, 324
 ring laser gyroscope, 405
 ring network, 194–5
 rise time, 114
 risk analysis, 237
 rogue data points, 55–6
 rotameter, 327
 rotary differential transformer, 391
 rotary piston flowmeter, 328–9
 rotational acceleration, 417–8
 RS232 interface, 190
 RTD *see* resistance thermometers
 rules (measuring), 419–20
- safety systems, 235–41
 safety integrity level (SIL), 237
 sample and hold circuit, 97
 sampling of signals, 95–7
 scale factor drift, 21–2
 second order type instruments, 28–9, 205
 secondary fixed point (of temperature), 271
 secondary reference standard, 67
 Seger cone, 299
 selected waveband pyrometer, 293
 selection of instruments *see* instrument
 choice
 self-calibration, 179, 182
 self-diagnosis, 180, 182
 semiconductor gas sensors, 442
 semiconductor strain gauge, 251–2
 semiconductor temperature sensor, 286–7,
 301
 sensitivity drift, 21–2, 37
 sensitivity of measurement, 19–20, 25
 sensitivity to disturbance, 20–22
 sensor, 8
 serial communication/interface, 187–90
 shaft encoders, 392–7
 shielding, 77, 152
 shock measurement, 388–9
 shot noise, 75
 SI units, 6, 445–51
 sigma-delta technique, 268
 signal display, 200–1
 signal measurement, 102–18
 signal processing, 8, 78–101
 analog, 78–95
 digital, 95–101
 signal recording, 202–11
 signal sampling, 95–7
 signal-to-noise ratio, 73
 signal transmission, 9, 151–64, 188–99
 simplex communication, 188
 sing-around flowmeter, 336
 slip gauge, 423–4
 smart microsensor, 185
 smart sensor, 165, 177, 179–80
 smart transmitter, 165, 177, 179, 180–4
 smoke detector, 254
 solid-state electrochemical cells, 442
 solid-state gas sensors, 442
 sound measurement, 436
 span, 18–19
 specific humidity, 432
 spirit level (angle-measuring), 426–7
 spring balance, 359
 standard deviation, 44–6
 standard error of the mean, 52–3
 standard measurement units, 4–6, 445–51
 Standards Laboratories, 67–9
 standby systems, 240–1
 star network, 193–4
 static characteristics of instruments, 16–23
 static sensitivity of instruments, 26
 statistical analysis of data, 42–56
 steel rule/tape, 419–20
 stop band, 79, 82
 storage oscilloscope, 118, 211
 strain gauge, 251–2, 258, 305, 371–2
 stroboscopic velocity measurement, 410
 student-t distribution, 56
 synchro, 399–402
 synchro-resolver, 398–9
 synchro transformer/transmitter, 401
 systematic errors, 32–42, 91

- tabular data presentation, 212–3
 tachometric generators (tachometers), 407–10
 tank gauge, 341
 target meter, 337
 telemetry, 160–3
 temperature coefficient, 38, 39, 285, 366
 temperature measurement, 255–9, 270, 271–303
 thermal detector, 290
 thermal e.m.f., 75, 272
 thermal imaging, 293–4, 349
 thermal mass flow meter, 320–1
 thermistor, 285–6, 301
 thermistor gauge, 314
 thermocouple, 272–83, 300–1
 thermocouple gauge, 313
 thermocouple meter, 110
 thermocouple tables, 276–7, 458–63
 thermoelectric effect, 75, 272–83
 thermography, 293–4, 349
 thermometer (liquid-in-glass type), 26, 295, 302
 thermopile, 282
 Thevenin's theorem, 34–7, 125–8, 452–7
 threshold, 20
 time base circuit, 117
 time constant, 27
 tolerance, 17–18, 53–6
 torque measurement, 361–4
 total measurement error, 56–9
 touch screens, 201
 traceability, 67–70
 transducer, 8
 transmitter, 9
 triggering, 117
 turbine meters, 329–30, 339
 twisted pair, 76
 two-colour pyrometer, 292–3
 two-out-of-three voting, 239
 two's complement, 168
- UART interface, 174
 U-tube manometer, 310–1
 ultrasonic flowmeters, 332–6, 339
 ultrasonic imaging, 267
 ultrasonic level gauge, 344
- ultrasonic principles, 260–7
 ultrasonic rule, 420
 ultrasonic thermometer, 299
 ultrasonic transducers, 259–67
 ultraviolet (UV) recorder, 208–9
 uncertainty, 16–17
 units of measurement, 3–6, 445–51
 USB (universal serial bus), 174
- V24 interface, 190
 vacuum pressures, 312–5
 variable area flowmeter, 327–8, 339
 variable reluctance sensors, 248, 408, 413
 variance, 44–6
 variation gauge, 428
 vee block, 419
 velocity measurement:
 rotational, 407–17
 translational, 382–3
 venturi, 322, 323, 325
 vibrating level sensor, 348
 vibrating wire force sensor, 360
 vibration measurement, 386–8
 viscosity measurement (viscometers), 429–31
 voltage comparator, 92–3
 voltage follower, 92
 voltage to current conversion, 152
 voltage to frequency conversion, 153–4
 volume flow rate measurement- *see* flow measurement
 volume measurement, 428–9
 vortex shedding flowmeter, 332, 339
- weigh beam, 357
 weighing *see* mass measurement
 Wein bridge, 144–5
 wet and dry bulb hygrometer, 435
 Wheatstone bridge, 120–1
 Wide area network, 198
 wringing (gauge blocks), 424
- x-y plotter, 145–6
- zero drift, 21, 37, 91
 zero order type instruments, 25
 zirconia gas sensor, 442