

Seedling Ecology and Evolution

Editors

Mary Allesio Leck

Emeritus Professor of Biology, Rider University, USA

V. Thomas Parker

Professor of Biology, San Francisco State University, USA

Robert L. Simpson

Professor of Biology and Environmental Science, University of Michigan - Dearborn, USA



CAMBRIDGE
UNIVERSITY PRESS

Contents

Contributors	page xi
Foreword by Peter J. Grubb	xiii
Preface	xvii
Acknowledgments	xix

Part I | Introduction

Chapter 1 Why seedlings?	3
<i>Mary Allesio Leck, Robert L. Simpson, and V. Thomas Parker</i>	
1.1 Seedlings as part of a plant's life cycle	3
1.2 Vulnerabilities and bottlenecks	6
1.3 Making it: filters, safe sites, and establishment	7
1.4 Seedlings: a primer	8
1.5 What seedlings can tell us	10
1.6 The scope of <i>Seedling Ecology and Evolution</i>	12

Part II | Seedling diversity

Chapter 2 Seedling natural history	17
<i>Mary Allesio Leck and Heather A. Outred</i>	
2.1 Introduction	17
2.2 The seedling stage and fate of seedlings	17
2.3 Seedling types	20
2.4 Seedling diversity – morphology	24
2.5 Seedling diversity – ecophysiology	31
2.6 Vivipary and seedling equivalents	33
2.7 Longevity	36
2.8 Dispersal	37
2.9 Environmental filters and safe sites	38
2.10 Summary	41
2.11 Acknowledgments	41
Appendixes	42

Chapter 3 Specialized seedling strategies I: seedlings in stressful environments	56
---	----

<i>José M. Facelli</i>	
3.1 Introduction	56
3.2 Seedling establishment in dense shade	60
3.3 Effects of litter on seedling establishment	64
3.4 Seedling establishment in dry environments	65
3.5 Seedling establishment in saline environments	68

3.6	Seedling establishment in cold environments	70
3.7	Physical damage to seedlings	73
3.8	Interactive effects of stress agents and biological interactions	75
3.9	Overview: adaptations of seedlings to stressful environments	76
3.10	Acknowledgments	78

Chapter 4	Specialized seedling strategies II: orchids, bromeliads, carnivorous plants, and parasites	79
------------------	---	----

*Dennis F. Whigham, Melissa K. McCormick,
and John P. O'Neill*

4.1	Introduction	79
4.2	Epiphytic and terrestrial orchids	80
4.3	Bromeliads	85
4.4	Carnivorous plants	88
4.5	Parasitic plants	91
4.6	Summary and future needs	99
4.7	Acknowledgments	100

Part III	Seedling morphology, evolution, and physiology	
-----------------	---	--

Chapter 5	Embryo morphology and seedling evolution	103
------------------	---	-----

Karl J. Niklas

5.1	Introduction	103
5.2	Embryophyte phylogeny	106
5.3	Embryo structure	108
5.4	Embryophyte embryogenesis	112
5.5	Phylogenetic patterns	122
5.6	Concluding remarks	128

Chapter 6	Regeneration ecology of early angiosperm seeds and seedlings: integrating inferences from extant basal lineages and fossils	130
------------------	--	-----

Taylor S. Feild

6.1	Introduction	130
6.2	Previous views of ancestral angiosperm ecology and seed/seedling morphology	132
6.3	The phylogenetic revolution: inferences on early angiosperm regeneration ecology from extant basal angiosperms	135
6.4	Functional biology of basal angiosperm seeds	136
6.5	Functional biology of basal angiosperm seedlings	142
6.6	Outlook and recommendations for future research	146
6.7	Acknowledgments	149

Chapter 7	Physiological and morphological changes during early seedling growth: roles of phytohormones	150
	<i>Elizabeth J. Farnsworth</i>	
7.1	Introduction: phytohormones, molecular biology, and the “real world” of early seedling ecology	150
7.2	Seedling responses to light	156
7.3	Seedling responses to temperature	159
7.4	Seedling responses to water	161
7.5	Seedling responses to nutrients	163
7.6	Insights and common themes	166
7.7	Summary	170
7.8	Acknowledgments	171

Chapter 8	Seedling ecophysiology: strategies toward achievement of positive net carbon balance	172
	<i>Kaoru Kitajima and Jonathan A. Myers</i>	
8.1	Introduction	172
8.2	Seed reserve utilization	173
8.3	Ontogenetic trajectories of seedling carbon balance	175
8.4	Species differences in inherent relative growth rate (RGR)	177
8.5	Opportunistic versus conservative strategies	178
8.6	Carbohydrate reserves	182
8.7	Phenotypic plasticity	185
8.8	Concluding remarks	187
8.9	Acknowledgments	188

Chapter 9	The role of symbioses in seedling establishment and survival	189
	<i>Thomas R. Horton and Marcel G. A. van der Heijden</i>	
9.1	Introduction	189
9.2	Ectomycorrhizal fungi and seedling establishment	199
9.3	Arbuscular mycorrhizal fungi and seedling establishment	207
9.4	Other plant symbionts and seedling establishment	209
9.5	Conclusions	212
9.6	Acknowledgments	213

Part IV | Life history implications

Chapter 10	The seedling as part of a plant's life history strategy	217
	<i>Angela T. Moles and Michelle R. Leishman</i>	
10.1	Introduction	217

10.2	The trade-off between offspring production and seedling survival	218
10.3	Understanding seed and seedling ecology as parts of a plant's life history strategy	227
10.4	Correlations between seed and seedling strategy and other aspects of plant ecology	229
10.5	Seed and seedling strategies within species	232
10.6	Implications of a holistic understanding of plant life history strategies	235
10.7	Conclusions	237
<hr/>		
Chapter 11	Seedling recruitment and population ecology	239
	<i>Ove Eriksson and Johan Ehrlén</i>	
11.1	Introduction	239
11.2	The causes of seedling mortality	241
11.3	Recruitment limitation	245
11.4	Seedling recruitment and population dynamics	248
11.5	Genetic structure and selection in seedling populations	251
11.6	Concluding remarks	254
11.7	Acknowledgments	254
<hr/>		
Chapter 12	Seedling communities	255
	<i>Jon E. Keeley and Phillip J. van Mantgem</i>	
12.1	Introduction	255
12.2	Internal drivers	255
12.3	External drivers affecting seedling communities	265
12.4	Seedling community assembly rules	269
12.5	Conclusions	273
<hr/>		
Chapter 13	Spatial variation in seedling emergence and establishment – functional groups among and within habitats?	274
	<i>Johannes Kollmann</i>	
13.1	Introduction	274
13.2	Description of the seedling stage	276
13.3	Definition of spatial scales	279
13.4	Microhabitat effects on seedling dynamics	280
13.5	Habitat effects on seedling dynamics	282
13.6	Landscape effects on seedling dynamics	285
13.7	Region effects on seedling dynamics	286
13.8	Biome effects on seedling dynamics: seed size and seedling survival	287
13.9	Synthesis	289
13.10	Acknowledgments	292

Part V | Applications

Chapter 14	Does seedling ecology matter for biological invasions?	295
	<i>Laura A. Hyatt</i>	
14.1	Introduction	295
14.2	Invasive seedlings	296
14.3	Invasive effects on native seedlings	303
14.4	Conclusions	305
14.5	Acknowledgments	306
Chapter 15	The role of seedlings in the dynamics of dryland ecosystems – their response to and involvement in dryland heterogeneity, degradation, and restoration	307
	<i>Bertrand Boeken</i>	
15.1	Introduction	307
15.2	Importance of the seedling stage	308
15.3	Seedlings and spatial heterogeneity of drylands	312
15.4	Seedlings and dryland system degradation	322
15.5	Conclusions	330
Chapter 16	Anthropogenic disturbance in tropical forests: toward a functional understanding of seedling responses	332
	<i>James W. Dalling and David F. R. P. Burslem</i>	
16.1	Introduction	332
16.2	Significance of the seedling stage for forest management	334
16.3	Effects of human disturbances on seedling regeneration	335
16.4	Application of seedling functional ecology to tropical forest management and restoration	341
16.5	Future directions	349
16.6	Acknowledgments	351
Chapter 17	Seedling establishment in restored ecosystems	352
	<i>Susan Galatowitsch</i>	
17.1	Introduction	352
17.2	Selecting initial community composition for restoration	353
17.3	Creating safe sites to promote seedling establishment	359
17.4	Managing biotic interactions that affect seedling survival and growth	364

17.5	Mimicking the effects of disturbances in restoration	368
17.6	Conclusions	369

Part VI | Synthesis

Chapter 18	The seedling in an ecological and evolutionary context	373
	<i>V. Thomas Parker, Robert L. Simpson, and Mary Alessio Leck</i>	
18.1	Introduction	373
18.2	Dispersal, seed bank dynamics, and seedling banks	374
18.3	Dynamics of individual seedlings	376
18.4	Seedlings in heterogeneous environments	378
18.5	Alternative strategies	381
18.6	Conclusions	385
	<i>References</i>	391
	<i>Index</i>	501

Index

- ABA, see abscisic acid
- Abies*, 36, 119, 265
- A. alba*, 152
 - A. amabilis*, 202
 - A. concolor*, 257–9, 268
 - A. lasiocarpa*, 383
- Abrotanella linearis* var. *apiculata*, 53
- abscisic acid (ABA), 35, 153, 155, 156, 159, 160–4, 167, 168, 169
- Abutilon theophrastii*, 7
- Acacia*, 46, 187, 212
- A. mangium*, 298
 - A. oraria*, 26
 - A. papyrocarpa*, as patch formers, 67, 319
 - A. tortillis*, 328
 - A. verticillata*, 36
- Acanthaceae, 318
- Acaulasporea*, and facilitating restoration, 366
- acclimation, 186
- Acer*, 7, 39, 198, 201, 204, 206
- A. platanoides*, 297
 - A. pseudoplatanus*, 42
 - A. rubrum*, 201, 257, 305
 - A. saccharinum*, 257
 - A. saccharum*, 151, 256, 257, 258, 263, 305, 383
- Aceraceae, 7, 39, 42, 151, 198, 257, 297, 305, 383
- Acetobacter*, 211
- achlorophyllous plants, 82, 84, 100, 192, 193, 196, 198
- Acoraceae, 21
- Acorus*, 20, 21, 137, 144
- Acremonium*, 211
- Actaea spicata*, 246
- Actinidia deliciosa*, 151
- Actinidiaceae, 151
- Actinostachys*, 108
- Actinostrobilus pyramidalis*, 42
- adaptations, patterns of adaptations in deserts, 309
- Adenanthera*, 46
- Adenostoma fasciculatum*, 200, 262, 271
- adult size, and seed production, 228
- advanced regeneration, 256
- Aegialitis*, 51
- A. annulata*, 152
- Aegiceras*, 51
- A. corniculatum*, 69, 151
- Aegilops triuncialis*, 304
- Aegle marmelos*, 26
- aerenchyma, 37, 162
- Aesculus hippocastanum*, 151
- Aetanthus*, 92, 94
- Agathis dammara*, 49
- Agavaceae, 19, 316, 320
- Agave, 316
- Aglaodorum griffithii*, 55
- Agrimonia*
- A. eupatoria*, 277
 - A. procera*, 277
- Agropyron
- A. cristatum*, 302
 - A. desertorum*, and restoration, 356, 366
 - A. smithii*, 366
- Ailanthus altissima*, 297, 304
- Aizoaceae, 301, 309, 310, 318
- Aizoon hispanicum*, 318
- Albizia*, 46
- A. lophantha*, 49
- Albica fastigiata*, 11
- Alchornea latifolia*, 350
- Aldrovanda*, 88
- A. vesiculosa*, 50, 89
- Aleurites moluccana*, 45
- Alisma plantago-aquatica*, 20, 46
- Alismataceae, 18, 20, 36, 38, 46, 47, 48, 127
- allelopathy, 19, 64, 209, 297, 302, 304
- Alliaria petiolata*, 209, 299, 305
- Allium*
- A. ascolonium*, 35
 - A. cepa*, 151
 - A. porrum*, 151
- allocation patterns, 24, 233, 297
- trade-offs, 179, 180, 217
 - to roots, 66
- Alnus*, 44, 45, 196
- Aloe*, 31, 50
- A. arborescens*, 151
- alpine zone
- and facilitating restoration, 365
 - and restoration, 360
- Alseis blackiana*, 185
- Alstonia*, 49
- A. angustiloba*, 50
- Alstromeriaceae, 11, 127
- AM, see arbuscular mycorrhizae
- Amaranthaceae, 44, 384
- Amaranthus*
- A. cannabinus*, 383, 384
 - A. hypochondriacus*, 44
- Amaryllidaceae, 53
- Amborella*, 135, 141, 143, 146
- A. trichopoda*, 142, 143
- Ambrosia trifida*, 5, 7, 383, 384
- Ammophila*
- A. arenaria*, 73
 - A. breviligulata*, 77
- Amorphophallus albus*, 151
- amphibious plants, 37
- Amphibolis antarctica*, 38, 43, 55
- Amphicarpum purshii*, 29
- amphicarpy, 29
- Amsinckia intermedia*, 42
- Amyema preisii*, 54
- Anacardiaceae, 6, 32, 49, 51, 151, 271
- Anacharis occidentalis*, 48
- Anastatica hierochuntica*, 66, 318
- anchorage, 85
- Andropogon virginicus*, 152
- Androsace rotundifolia*, 45
- angiosperm, 37, 49, 62, 81, 91, 103–5, 111, 120, 121, 125, 126, 129, 130–49, 192, 193, 196, 204, 385, 386
- angiosperm phylogeny, 135
- Angraecum maculatum*, 44
- Annonaceae, 49, 132
- anoxia, 144, 146, 162
- Anthericaceae, 28
- Anthoceros*, 108, 112, 123
- A. erectus*, 110, 112
- Anthocerotaceae, 110
- anthropogenic disturbances
- nitrate deposition, 345
 - types of disturbance in forests, 333
- Antirrhinum majus*, 152
- and phytohormones, 169
- Anthurium scandens*, 21
- Apiaceae, 32, 42, 47, 151, 284, 286
- apical hook, 157
- Apocynaceae, 49, 50, 151
- Aponogeton distachyon*, 47
- Aponogetonaceae, 47
- Aquifoliaceae, 244, 301

- Arabidopsis*, 10, 124, 153, 155, 157, 169
A. thaliana, 46, 50, 151, 304
 and phytohormones, 168
 mutants and phytohormone function, 168
- Arabis hirsuta*, 208
- Araceae, 11, 20, 21, 28, 32, 47, 52, 55, 88, 127, 384
- Arachis hypogaea*, 25, 151
- Araliaceae, 29, 53, 347
- Araucaria*, 32
A. araucana, 47
- Araucariaceae, 32, 42, 47, 49
- arbuscular mycorrhizae (AM) (See mycorrhizae), 193, 195
- Arbutioideae, 193
- Archaeofructus, 136
- archegonium, 103
- Archontophoenix cunninghamiana*, 44
- arctic zone, and restoration, 360
- Archostaphylos*, 204
A. glandulosa, 200
- Ardisia*
A. crenulata, 48
A. elliptica, 299
A. escallonioides, 151
A. polycephala, 49
- Arecaceae (See Palmae), 151
- arid zone, and restoration, 360
- Arion*
A. fasciatus, 242
A. lusitanicus, 286
- Arisaema*, 20
A. triphyllum, 32, 47
- Artemisia*
A. annua, 151
A. californica, 271
A. halodendron, 319, 328
A. monosperma, 319
A. tridentata, 269, 357, 366
- Artocarpus*, 49
A. altilis, 52
A. incise, 52
- Ascarina*, 146
A. lucida, 141, 145
- Asclepiadaceae, 27, 42, 43, 233
- Asclepias*
A. incarnata, 233
A. tuberosa, 27
- Ascomycota, 193, 211
- Asparagus madagascarensis*, 47
- Asphodelaceae, 9, 151
Asphodelus
A. lusitanicus, 9
A. tenuifolius, 9
 assembly rules, 255, 269
- Asteraceae, and genetic structure, 253
- Asteraceae, 4, 5, 6, 7, 19, 28, 29, 30, 31, 36, 39, 43, 45, 47, 48, 49, 50, 52, 53, 66, 77, 151, 250, 269, 271, 272, 284, 286, 302, 317, 318, 319, 328, 357, 366, 384
- Asteriscus pygmaeus*, 66
- Astrocaryum standleyanum*, 339
- Atkinsonia*, 92
- Atriplex*, 69
A. halimus, 69
A. hortensis, 36, 43
A. nummularia, 70
A. patula, 70
- Atropa belladonna*, 152
- Attractylis serratuloides*, 319, 322, 327
- Augea capensis*, 318
- Austrobaileya*, 141, 146
A. scandens, 136, 140
- Austrobaileyaceae, 135
- autotrophic mistletoes, 95
- auxin IAA, 153, 156, 157, 158, 159, 160, 161, 163, 164, 167
 and mycorrhizae, 165
 and nodulation, 165
- Avena sativa*, 151
- Avicennia*, 34, 35, 48, 49, 51
A. marina, 68, 69
A. maritima, 70
- Avicenniaceae, 34, 35, 48, 49, 51, 68
- Azoarcus*, 211
- Baldellia ranunculoides*, 38
- Balsaminaceae, 6, 30, 44, 49, 303, 384
- Banksia*, 363, 368
B. australis, 48
B. spinulosa, 233
- Barclaya longifolia*, 146
- Barringtonia*, 42
B. racemosa, 51
- Basidiomycota, 193
- Bennettitales, 141
- Berberidaceae, 47
- Bertholletia excelsa*, 42
- Beta vulgaris*, 151
- bet-hedging, 309
- Betula*, 205, 297, 362
B. alleghaniensis, 201, 202
B. ermanii, 203, 204, 207
B. lenta, 201, 202
B. maximowicziana, 72
B. papyrifera, 383
B. pendula, 151, 198
B. pubescens, 362
- Betulaceae, 44, 72, 151, 193, 196, 198, 202, 204, 297, 362, 383
- Bidens*
B. dioica, 28
B. laevis, 7, 29, 383, 384
B. pilosus, 28
- Bignoniaceae, 30, 174
- biological crusts, 313, 317, 324, 360
 and seedling recruitment, 326
- biome, 279, 287
- Blepharis*, 318
- Bomaria edulis*, 11
- Bombacaceae, 23, 45
- Boraginaceae, 32, 42, 151, 318
 and genetic structure, 253
- Botrychium*, 108, 115, 124
B. dissectum, 115
B. virginianum, 111, 115, 116
- Bouteloua gracilis*, 366
- Bowiea volubilis*, 42, 47
- Brasenia*, 146
- Brassica
B. balearica, 36, 44
B. campestris, 151
B. napus, 151
B. nigra, 42
B. oleracea, 151
B. rapa, 151, 302
- Brassicaceae, 10, 26, 27, 29, 36, 43, 44, 46, 49, 50, 66, 120, 121, 151, 153, 190, 204, 208, 209, 284, 299, 302, 304, 317, 318
- brassinosteroids, 155, 156, 157, 167, 377
- Bromeliaceae, 11, 48, 79
- bromeliads, 79, 85
- Bromus*
B. inermis, 151
B. tectorum, 364
- Bruguiera*, 4, 51, 151
- bryophytes, 103–6, 108, 109, 110, 112, 113, 123–6
- Bupleurum falcatum*, 151
- burial, 73
- Burseraceae, 32, 49
- Butomaceae, 55
- Byttneria aculeata*, 26

- Cabombaceae, 135
Camptotheca acuminata, 151
 Cactaceae, 39, 42, 43, 48, 67, 151, 316
 Caesalpinaceae, 23, 200
Caladenia arenicola, 84
Calla, 21
Callichlamys latifolia, 174
Calligonum, 328
Callistemon rigidus, 48
 Callitrichaceae, 49
Callitriche, 49
 C. stagnalis, 49
Calocedrus decurrens, 257, 268
Calotropis gigantea, 43
 Calycanthaceae, 29, 42, 43
Calystegia macrostegia, 271
Campanula rotundifolia, 151
 Campanulaceae, 32, 43, 151
Camptotheca, 151
Cananga odorata, 49
Canavalia ensiformis, 151
Canistrum lindenii, 85, 89
 Cannabaceae, 30, 47
Cannabis sativa, 30
 Caprifoliaceae, 278, 298
Capsella bursa-pastoris, 120, 121
Capsicum annuum, 152, 155, 315
Caragana microphylla, 328
Carapa guianensis, 52
 carbohydrate reserves, 182, 184,
 185
 carbon balance, 188
 Carboniferous, 106, 114, 120, 126
 Cardamine
 C. bulbifera, 36
 C. chenopodifolia, 29
Carex, 18, 365, 383, 384
 C. curvula, 72
 C. flacca, 209
 C. lacustris, 358, 359
 C. stricta, 39, 358, 359
Carica papaya, 51, 151
 Caricaceae, 51, 151
Carnegiea gigantea, 67
 carnivorous plants, 79, 88
 carotenoids, 160
Carpinus, 45
Carpobrotus edulis, 301
Carrichtera annua, 66, 317, 318
Carya tomentosa, 7, 39
 Caryophyllaceae, 52, 151, 244, 284,
 286, 317
 and genetic structure, 253
Cassipourea elliptica, 151
Cassytha, 97
Castanea, 204
 C. dentata, 202, 204
Catasetum, 80
Catharanthus roseus, 151
Caytonia, 141
Cecropia, 343
 C. insignis, 343
 C. schrebiana, 347
 Cecropiaceae, 343
 Celastraceae, 53
 Celtidaceae, 342
Centaurea
 C. clementei, 45
 C. cyanus, 286
 C. diffusa, 302, 304
 C. maculosa, 304
Cephaelis ipecacuanha, 151
 Cephalotaceae, 46, 88
 Cephalotaxaceae, 42
Cephalotus follicularis, 46, 88, 89
Ceratobasidium, 193
Ceratonia siliqua, 50
Ceratozamia, 118
Cereus emoryi, 48
Ceriops, 51, 151
Chaerophyllum procumbens, 32
Chamaecrista fasciculata, 233
Chamaecyparis
 C. lawsoniana, 26
 C. thyoides, 39
Chamaecytisus proliferus, 151
 chaperone proteins, 153, 155,
 167
 charophycean algae, 123, 124
 chasmogamy, 29
 Chenopodiaceae, 4, 36, 43, 49, 55, 67,
 69, 151, 208, 317, 328, 366
Chenopodium
 C. album, 208
 C. ambrosioides, 49
 C. rubrum, 4
Chimonanthus fragrans, 43
Chloraea membranacea, 27
 Chloranthaceae, 135, 137, 142, 143,
 145
Chloranthus, 138, 141, 146
 C. erectus, 143
 C. japonicus, 144
Chlorophytum, 54
 C. arundinaceum, 151
Chrysophyllum, 37
Cicer arietinum, 151
 circadian rhythm, in seedlings, 151
Circium
 C. acaule, 39
 C. vulgare, 250
 Citrus
 C. aurantifolia, 23, 30, 152
 C. aurantium, 42, 49
 C. reticulata, 152
 C. sinensis, 152
Cladium jamaicense, 358
 Clavicipitaceae, 210
Claytonia virginica, 120
 cleistogamy, 29
Clidemia hirta, 299
 climate change, 377
 and dryland systems, 329
 and forest lianas, 336
 and plant distribution, 265
 clonal offspring, 239, 252
 cloud forests, and facilitating
 restoration, 365
 Clusiaceae, 88, 347
 coastal scrub, and invasives
 inhibiting restoration, 362
Cobaea scandens, 47
Cocos nucifera, 53
Coffea arabica, 42
Colchicum autumnale, 27
 cold tolerance, 70
Coleochaete, 124
 coleoptile, 20, 122
 coleorhiza, 20, 122
Coleus, 46
 collar, 20
 Combretaceae, 42, 49, 51
 community dynamics, 12, 131, 310
 competition, 244, 298, 310, 311, 342,
 346, 358, 364
 and seed size, 236
 among seedlings, 237
 and structuring communities, 259
 competition/colonization models,
 236, 237, 247, 298
 Connaraceae, 51
Connarus grandis, 51
Convallaria majalis, 246
 Convallariaceae, 20, 246
 Convolvulaceae, 4, 42, 43, 45, 46, 47,
 53, 92, 97, 151, 271, 384
Convolvulus sepium, 43, 47
Coprosma robusta, 52
Corallorhiza, 80, 82, 84
 C. odontorhiza, 81, 83
Cordia africana, and genetic structure,
 253

- Cordylina australis*, 19
Coriandrum sativum, 151
 Cornaceae, 52, 151, 278, 298
Cornus, 298
 C. sanguinea, 278
Corokia macrocarpa, 52
Cortaderia jubata, 300
 cotyledon, 18, 20
 cotyledonary axis
 adjacent, 20
 remote, 20
 cotyledons, 8, 24–5, 126
 burial, 25
 food storing, 25
 function, 127
 functional morphologies, 173
 haustorial, 25
 photoperiod sensitive, 4
 photosynthetic, 25
 storage, 132
 thickness, 231
 types, 10, 24, 25
Crassula quadrifida, 43, 44, 49
 Crassulaceae, 43, 44, 49, 317
 Cretaceous, 130, 131, 136, 138, 139,
 146
Crinum
 C. capense syn *bulbispermum*, 53
 C. longifolium, 54
Croton, 52
 cryptochromes, 158
Cryptocoryne, 55
 cryptocotylar, 23, 94, 96
Cryptomeria, 26
 C. japonica, 42
 cryptovivipary, see also vivipary, 25,
 34, 169
 cryptocotyl, 94, 96
Cucumis
 C. humifructus, and directed
 dispersal by aardvarks, 315
 C. melo, 151
 C. sativus, 151
Cucurbita, 36
 C. pepo, 151
 C. texana, 151
 Cucurbitaceae, 28, 36, 43, 44, 45, 53,
 151, 315
 Cupressaceae, 26, 33, 39, 42, 46, 72,
 111, 198, 257, 269, 319, 328, 341,
 363
Cuscuta, 92, 97, 151
 C. europaea, 45
 C. gronovii, 92, 383, 384
Cyclamen, 42
 C. persicum, 47, 50
Cymodocea ciliata, 55
 Cymodoceaceae, 43, 55
 Cyperaceae, 10, 18, 44, 48, 72, 209,
 358, 384
Cyperus, 18
Cyripedium reginae, 84
Cyrophonectria parasitica, 204
Cytisus scoparius, 212, 299
 cytokinins, 153, 157, 158, 161, 164
 and nodulation, 165
Dactylis
 D. glomerata, 28
 D. polygama, 28
Dactylorhiza lapponica, 83
Dalechampia capensis, 48
 damp, dark and disturbed hypothesis
 (3-D), 134, 144, 145
Darlingtonia, 50, 88
 Dasypogonaceae, 27
Dasyprocta punctata, 339
Daucus carota, 151, 286
 defenses, 6
 DELLA, 153, 162
Delphinium
 D. elatum, 42
 D. staphysagria, 42
Dendrobium moschatum, 151
Deroceras reticulatum, 286
 desert patch formation, and a model
 of dynamics, 320
 deserts, and facilitating restoration,
 365
 development, niche shifts during,
 358
 Devonian, 106, 107, 114, 120, 126
Dianthus caryophyllus, 151
 Diapensiaceae, 43
Dichopogon strictus, 28
 dicot (See dicotyledon), 8–11, 23, 26,
 30, 42–4, 111, 120–2, 127, 128,
 129, 135, 137, 138, 139, 145, 149,
 157, 283, 379, 384–6
 dicotyledon (See dicot), 23, 283
Dicraeia stylosa, 47
Dicranopteris
 D. linaeris, and seedling inhibition,
 347
 D. pectinata, and seedling
 inhibition, 347
Dieffenbachia longispatha, 52
Digitalis purpurea, 72
Dimerandra emarginata, 84
Dinochola, 53
 dioecy, 30
Dionaea, 88
 D. muscipula, 46, 49, 50, 88, 89, 90,
 91
Dioscorea batatas, 47
 Dioscoreaceae, 47
Diospyros embryopteris, 45
 diplobiontic life cycle, 103, 106
Dipterix panamensis, 348
 Dipterocarpaceae, 37, 46, 51, 151,
 193, 341
 dispersal, 8, 11, 36, 37, 86, 90, 94, 97,
 140, 256, 285, 352, 363
 and forest fragmentation, 348
 and perches in restoration, 347
 and seed size, 229
 by birds, 281
 directed, 315
 fleshy-fruits, 285
 low-cost in deserts, 309
 passive transport, 318
 rare long-distance, 90
 secondary, 315
 and spatial patterns, 374
 topochory, 318
 variation within communities, 236
 dispersal limitation, 245, 247, 374
Distichlis spicata, and sex-biased
 survival, 252
 disturbance, 332, 368
 effects on soils, 337
 effects on soils and growth rates,
 345
 regimes, 378
 disturbance-adaptation, 132, 147
 disturbed xeric shrub hypothesis,
 133, 134
 DMBQ, 96
 dodder, 97
Dolichos lablab, 151
 dormancy, 5, 8, 141, 155, 160, 162,
 168, 170, 256, 310, 332, 357,
 375
 and biomes, 287
 and persistence in seed banks, 230
 and restoration, 368
 in seedlings, 31, 381
 morphological, 141
 seedling, 85
Downingia pulchella, 32, 43
Dracaena, 20, 52
 Dracaenaceae, 20, 127

- Drosera*, 88, 89, 90, 91
D. anglica, 89
D. binata, 44, 46, 49
D. capensis, 49
D. capillaris, 90
D. intermedia, 89, 90
D. pygmaea, 36
D. rotundifolia, 36, 89, 91
- Droseraceae, 36, 44, 46, 49, 50, 88
- Drosophyllum lusitanicum*, 49
- drought, 65, 156, 162, 243, 252, 263
- Dryobalanops*, 46
D. camphora, 51
- Dulichium arundinaceum*, 383, 384
- Durio zibethinus*, 23, 45
- dust seeds, 81
- Dyckia floribunda*, 48
- Dysoxylum*, 37
- Ebenaceae, 45
- Echinocactus viridescens*, 48
- Echinocystis lobata*, 45
- ecosystem engineers, 311, 314, 321
- ecosystem functions, 307
- ectomycorrhizae (EM), also see
 mycorrhizae, 165, 192, 193, 363
 size of genets, 194
- Eichhornia crassipes*, 28, 48
- elasticity, 249, 250, 299, 300, 308
- Elatinaceae, 48
- Elatine, 48
- Elkinsia polymorpha*, 120
- Elymus smithii*, 366
- Elyna myosuroides*, 20
- Embelia*
E. ribes, 48
E. viridiflora, 31
- Embothrium coccineum*, 33
- embryo
 development, 112, 120, 122
 endoscopic, 108, 111, 114, 115, 123, 124
 exoscopic, 108, 111, 115, 123
 foot, 108, 109, 124
 haustoria, 109, 111, 118, 125
 polarity, 104, 123
 suspensors, 103, 125
 transfer cells, 124
- embryo:seed ratio (E:S), 141
- emergence, definition, 276
- Emex spinosa*, 29
- Encelia californica*, 271
- Enchylaena tomentosa*, 67
- Encyclia tampensis*, 83
- Endertia spectabilis*, 46
- Endogone*, 193
- endophytic fungi and bacteria, 209
- Enhalus acaroides*, 55
- environmental stress, 38, 57, 59, 86
 and phytohormones, 156
- Ephedra*, 115, 118
E. trifurca, 117, 119
- Epichloe*, 211
- epicotyl, dormancy, 32
- epicotyl, 9, 85, 122, 143
- epigeal germination, 8, 18, 23, 143
- Epidendrum*, 80
- Epifagus virginiana*, 97
- epiphytes, 79, 87
- Equisetum*, 108, 115
E. arvense, 111, 115, 116
- Eremolepidaceae, 92, 93
- Ericaceae, 88, 98, 193, 204, 240, 291
 and mycorrhizae, 192
- Eriocaulaceae, 20
- Eriogonum fasciculatum*, 271
- Eriophyllum confertiflorum*, 272
- Erodiophyllum elderi*, 66
- Erodium*, 318, 319
- Erythronium americanum*, 198
- Eschweilera tenuifolia*, 33
- establishment, definition, 276
- establishment growth, 22
- ethylene, 153, 154, 157, 162, 163, 164
 and nodulation, 165
 and triple response, 157
- etiolation, 10, 155, 157, 158
- Eucalyptus*, 205, 226
E. albens, 301
E. globulus, 49, 151, 253
E. marginata, 359
E. obliqua, 64, 253
E. pauciflora, 72
E. saligna, 151
E. tereticornis, 49
- Eupatorium perfoliatum*, 28
- Euphorbia*
E. esula, 45
E. splendens, 49
- Euphorbiaceae, 45, 48, 49, 52, 128, 151, 297, 350
- Euphrasia disperma*, 53
- euphyllophytes, 106
- Euryops multifidus*, 318
- Eusideroxylon zwageri*, 26
- Evolution of increased competitive ability EICA, 302
- Fabaceae, see Leguminosae
- facilitation, 67, 244, 280, 298, 310
 and mycorrhizae, 199
 and restoration, 365, 366
- facultative seeding, and fire, 270
- Fagaceae, 25, 43, 45, 46, 52, 72, 151, 187, 193, 204, 233, 243, 244, 257, 281, 298, 357, 367, 383
- Fagopyrum esculentum*, 53
- Fagus*
F. grandifolia, 43, 201, 202, 383
F. sylvatica, 43, 151
- ferns, 115
- Festuca ovina*, 208
- Ficus*, 226
- Filago*, 317
- fires, 268, 338, 368
- flooding tolerance, and restoration, 162, 167, 358
- flowering, precocious, 4
- Foeniculum vulgare*, 42
- forests, and restoration, 357, 363, 364
- Forsythia suspensa*, 36, 43, 44
- fragmentation, 340, 352
 in forests, 335
- Frankeniaceae, 49
- Fraxinus americana*, 305
- Freyinetia banksii*, 19
- frost heaving, 74
- frost resistance, 33, 161
- frugivory, and anthropogenic disturbance, 340
- fruit, dimorphic, 29
- Fucus*, 124
- Fumariaceae, 44
- Funaria*, 112, 123
F. hygrometrica, 110, 112
- functional traits, 132, 178–80
- functional types, 20, 23, 24, 274
 and life forms, 290
- fungus specificity, 99
- Gaiadendron*, 92, 94
- Gaillardia pulchella*, 302
- Galearis*, 80
- Galium*
G. angustifolium, 271
G. aparine, 303
G. nuttallii, 272
G. saccharatum, 44
- Galphimia glauca*, 151
- game-theory of coexistence, 236
- gametophyte, 103, 109, 111
- gamocotyl, 94

- gaps, 61, 180, 184, 186, 245, 256, 257, 260, 269, 281, 282
 dependency, 276
 detection, 8
 and seed limitation, 247
 and seed size, 248
- Garcinia*, 42
- Gaura coccinea*, 46
- Gazella*, soil disturbance and
 facilitation, 319
- genetic structure
 differentiation among
 communities, 281
 in seedling populations, 251
- genetically modified organisms GM,
 302
- Gentiana lutea*, 39
- Gentianaceae, 39, 98, 233
- Geraniaceae, 29, 39, 151, 277, 318
- Geranium*
G. columbinum, 277
G. dissectum, 277
G. maculatum, 39
G. sessifolium, 29
- germination, 3, 230
 cryptocotylar, 231
 definition, 276
 epigeal, 127, 128, 252, 290
 and fungi, 81
 hypogeal, 127, 128, 231, 252, 290
 timing, 56, 317
- Gesnera macrantha*, 47
- Gesneriaceae, 30, 42, 47
- gibberellins GA, 153, 157, 158
- Ginkgo*, 111, 118
G. biloba, 27, 31, 50, 103, 115, 117, 126
- Ginkgoaceae, 27, 50, 117
- gland, mistletoe haustoria, 93
- Gleicheniaceae, 347
- Gliricidia sepium*, 347
- Glomeromycota, 190, 192, 193
- Glomus*
 changes during restoration, 366
G. intraradices, 196
- Glycine max*, 151
- Gnetales, 117, 118
- Gnetum*, 118
- Gonatopus*, 21
- Goodyera*, 80
G. pubescens, 81, 83, 84
- Gossypium hirsutum*, 151
- grasslands, and restoration, 356, 360, 364
- grazing, and landscape degradation,
 323–5
- grazing optimization hypothesis, 323
- Grevillea*, 152
- Grossulariaceae, 271
- growth curves, 173, 174, 176
- Guara neomexicana*, seedling
 performance and differences in
 seed source, 357
- Gunnera*, 211
- Gunneraceae, 211
- Gustavia superba*, 29
- Gymnarrhena micrantha*, 29
- Gymnogramme*, 108, 116
- gymnosperm, 8, 9, 11, 24, 26, 36, 62,
 105, 111, 115, 117, 120, 125–7,
 129, 131, 132, 136, 139–41, 147,
 149, 193, 196, 204, 385
- Gymnosporangium juniperi-virginianae*,
 33
- habitat, 279, 282
 specialization, 342
- Halophila stipulacea*, 39
- Haloragidaceae, 5
- Haloxylon*
H. aphylla, 319
H. persicum, 319, 328
- Harpagophytum*
H. procumbens, 151
H. zeyheri, 151
- haustoria, 10, 11, 21, 92, 93, 96, 97,
 99, 164, 165
- Hazardia squarrosa*, 271
- heat shock proteins, 161
- Hedeoma pulegioides*, 49
- Hedera helix*, 29, 53
- Hedysmum*, 146
H. cuatrecazanum, 139
H. goudotianum, 142, 143, 145
H. maximum, 142, 143
H. peruvianum, 139
H. translucidum, 142, 143
- Hedysarum laeve*, 319, 328
- Helianthus annuus*, 50, 127, 151
- Helminthostachys*, 111, 116
- hemiparasitism, 92, 95, 97, 291
- Hepatica nobilis*, 240
- herbivory, 3, 6, 8, 19, 26, 33, 37, 59,
 60, 65, 74–6, 138, 154, 161, 162,
 167, 169, 172, 180–2, 184, 188,
 205, 211, 237, 241–5, 252, 253,
 262, 267, 268, 276, 280, 282,
 286–8, 291, 301, 309, 311, 329,
 340, 345, 348, 365, 367, 368,
 373, 376, 379, 387, 389
 and chemical defense, 242, 291
 and restoration, 367
- Heterosperma pinnatum*, 30
- heterosporous, 104
- heterotrophic, 81, 95
- Hibiscus*
H. diversifolius, 53
H. moscheutos, 42
H. trionum, 42
- Hippocastanaceae, 151
- Hodgsonia macrocarpa*, 43, 44
- Holcus lanatus*, 301
- holoparasitic, 92, 95, 97
- Honckenya peploides*, 244
- Hopea*
H. nervosa, 341
H. odorata, 151
- Hordeum*
H. spontaneum, and genetic
 structure, 253
H. vulgare, 151
- hornworts, 106
- host specificity, 97, 98
- host suitability, 94
- Hottonia palustris*, 38
- Humulus japonicus*, 47
- hunting, 339, 340
- Hyacinthaceae, 11, 42, 47
- Hyacinthus orientalis*, 151
- Hydatella filamentosa*, 136
- Hydatellaceae, 135, 136, 141, 143,
 144, 146
- hydathode, 25, 143
- Hydrocharitaceae, 4, 39, 44, 46, 48,
 55, 121, 151
- hydrophilic polymers, and
 restoration, 362
- Hydrophyllaceae, 32, 48, 233
- Hydrophyllum*, 32, 233
- Hymenocallis occidentalis*, 54
- Hymenoscyphus ericae*, 193
- Hypocoum procumbens*, 36, 44
- hyperphyll, 20
- hyphal networks, 189, 191, 197, 207
 and carbon dynamics, 198
 and seedling establishment, 199
- hypocotyl, 9, 18, 20, 43–5, 47, 85, 92,
 122, 142, 157, 158, 160
 hypogeal germination, 9, 121, 122,
 127, 128, 144
 and light, 186
- Hypoxidaceae, 11

- Hypoxis hygrometrica*, 11
Hystrix indica, soil disturbance and facilitation, 319
- IAA, see auxin
- Ibex*, soil disturbance and facilitation, 319
- Idiospermum australiense*, 29, 42
- Ifloga*, 317
I. spicata, 317
- Ilex aquifolium*, 244, 301
- Illiciaceae, 135
- Illicium*, 137, 142
I. floridanum, 144, 145, 146
I. griffithii, 148
I. parviflorum, 142
I. verum, 148
- Impatiens*
I. capensis, 6, 7, 30, 44, 383, 384
I. fruticosa, 49
I. pallida, 303
I. parviflora, 44
- imprinting soils, and restoration, 360, 361
- Inga*, 34, 51
I. fagifolia, 350
- intermediate disturbance hypothesis, 323
- invasion, 244
- invasive species, 212, 244, 277, 278, 280, 281, 295, 296–306, 362, 369, 370
- Ipomoea*, 7
I. batatas, 151
I. dissecta, 47
I. glaberrima, 53
I. leptophylla, 45
I. peltata, 53
I. quamoclit, 42
- Iriartea*, 43
- Iridaceae, 54, 151
- Iris*
I. ensata, 151
I. hexagona, 151, 162
- Isoetales, 106, 113
- Isoetes*, 111, 114
I. lithophila, 111, 113
- iteroparous, 249
- Iva imbricata*, 77
- JABOWA, 256
- Jacquinia ruscifolia*, 31
- Janzen-Connell hypothesis, 204, 242, 264, 267, 280
- jasmonic acid JA, 154, 162, 169
- Juglandaceae, 7, 39, 120
- Juglans nigra*, 120
- Juncaceae, 38, 384
- Juncus*, 38
Juncus effusus, 383, 384
- Juniperus*, 26, 33, 46, 269
J. sabina, 72
J. virginiana, 126
juvenile, definition, 218
- Kadsura*
K. coccinea, 140, 144
K. scandens, 140
- Kandelia candel*, 51
- Kennedia rubicunda*, 46
- Khaya*, 348
- Kingia australis*, 27
- KNOX homeobox genes, 158, 167
- Kosteletzkya virginica*, 70
- Krameria*, 97
- Krameriaceae*, 97
- Labiatae, 46, 49
- Laburnum vulgare*, 42
- Laccaria*, 206
- Lactuca sativa*, 151, 253
- Laguncularia*, 49
L. racemosa, 51
- Lamiaceae, 151, 271, 272, 284, 365
- landscape, 279, 285
- landscape patches, 307, 311, 312
transformation, 323
- Laportea canadensis*, 50
- LAR, see leaf area ratio
- Larix*, 297
L. kaempferi, 203, 204, 207
L. x eurolepis, 152
- Lathraea clandestina*, 92
- Lathyrus*, 23
L. articulatus, 47
L. nissolia, 47
L. vernus, 241, 249, 250
- Lauraceae, 26, 39, 97, 151
- Lavandula stoechas*, 151
- leaf-area ratio (LAR), 63, 177, 178, 181, 291
- leaf nitrogen mass ratio (LNMR), 275
- Lecythidaceae, 29, 42, 51
- Lecythis zabucajo*, 42
- Leguminosae, 23, 25, 26, 27, 32, 33, 34, 35, 36, 42, 43, 44, 46, 47, 49, 50, 52, 67, 69, 74, 151, 187, 212, 233, 241, 249, 271, 284, 291, 298, 299, 301, 319, 328, 348, 350
- Lemna*, 20, 21, 55
L. minor, 30, 44, 151
- Lemnaceae, 20, 21, 30, 44, 55, 151
- Lennoa*, 97
- Lennoaceae, 97
- Lens culinaris*, 151
- Lentibulariaceae, 42, 50, 54, 88
- Lepidium*, 27, 318
- Lepidocarpon*, 114
- Lepidoceras*, 92
- Lessingia filaginifolia*, 272
- Leucanthemum vulgare*, 286
- Leucospermum glabrum*, 152
- Leymus mollis*, 244
- life cycle, 5, 11
- life form, and light environments, 285
- life history traits, correlations among, 178, 227, 228
- life span, 239
- life table response experiment LTRE, 249, 250
- light responsiveness, 159, 186
- lignotubers, 27, 31
- Liliaceae, 27, 31, 32, 35, 47, 50, 52, 54, 152, 198
- Lilium superbum*, 32
- Limnanthaceae, 44
- Limnanthes douglasii*, 44
- Limnocharis*, 55
- Limonia acidissima*, 42
- Limonium peregrinum*, 151
- Limosella australis*, 5
- Linaceae, 151
- Linaria*, 45
L. cymbalaria, 43
- Lindernia dubia*, 4
- Linum usitatissimum*, 151
- Liparis*
L. liliifolia, 84
L. loeselii, 84
- Lithospermum erythrorhizon*, 151
- litter, 64, 282, 365
and seedling mortality, 243
- Lodoicea maldivica*, 22, 42, 240
- logging, 334, 337
- Lolium arundinaceum*, 211
- Lonas inodora*, 43
- Lonicera*, 303
L. japonica, 303
L. maackii, 303
L. morrowii, 303

- Lonicera* (cont.)
L. tartarica, 298, 303
L. x bella, 303
 Loranthaceae, 54, 92, 94, 95
Lotus
L. corniculatus, 212
L. japonicus, 151
L. scoparius, 271
Lucuma, 25, 43
Lupinus
L. albus, 151
L. sulphureus, 42
 Luzuriagaceae, 20
Lychnis flos-cuculi, and genetic structure, 253
Lycium afrum, 43
Lycopersicon esculentum, 28
 lycophytes, 113
 Lycopodiales, 106, 113
Lycopodium, 111, 114
L. cernuum, 125
L. clavatum, 113, 114
 Lythraceae, 38, 298
Lythrum salicaria, 38, 298

Macfadyena unguis-cati, 30
Macrolobium acaciifolium, 33
Macrozamia riedeli, 44
Magnolia, 132
 Magnoliaceae, 132
Malacothamnus fasciculatus, 271
Malosma laurina, 271
 Malphiaceae, 48, 151
Malus x domestica, 151
 Malvaceae, 7, 31, 43, 51, 53, 70, 151, 271, 342
Mammillaria gaumeri, 39
Mangifera indica, 31, 51, 151
 mangroves, 4, 19, 25, 33, 34, 68, 169
Manihot, 128
M. esculenta, 128, 151
Manilkara kauki, 49
 Marah, 28
Marchantia, 112
M. domingensis, 112
M. polymorpha, 110
 Marchantiaceae, 110
 masting, 258, 263, 266
 maternal investment, 11, 56
Matricaria globifera, 36, 43
 matrix models, 299
Medicago, 34, 74
M. lupulina, 52, 212
M. sativa, 151
M. truncatula, 151

 megasporangium, 103
Melastoma beccarianum, 298
 Melastomataceae, 298, 299, 343, 347
 Meliaceae, 37, 49, 52, 348
Melicia excelsa, 348
Melilotus officinalis, 44
 Melinis, and seedling inhibition, 347
Melocalamus compactiflorus, 53
Melocanna
M. baccifera, 53
M. bambusoides, 53
 Menispermaceae, 42
Menispermum canadense, 42
 Menyanthaceae, 37
 meristems, loss, 31
Mertensia virginiana, 32
Mesembryanthemum nodiflorum, 318
 Mesozoic, 113, 131, 147
 boundary with Cenozoic, 138
 Messor, and seed predation, 318
Metrosideros polymorpha, 300
Miconia, 343
M. argentea, 343
 microbial communities, and disturbance, 341
 microhabitat, 279
 and seedling dynamics, 280
Microloma, 42
 microsites (See safe sites), 245, 247, 248, 278, 280, 334, 341, 344, 347, 352, 361, 367, 369, 370, 378
 limitation, 245
Mimosa
M. pigra, 301
M. pudica, 50, 151
 Mimosaceae, 319
 and genetic structure, 253
Mimulus
M. aurantiacus, 271
M. lutea, 28
Mimulus balata, 45
Mirabilis
M. californica, 271
M. dichotoma, 44, 47
M. linearis, 47
 Misodendraceae, 92
 mistletoes, 92
Mitella breweri, 47
Momordica charantia, 151
 monilophytes, 107, 114
 monocot (See monocotyledon), 8–11, 19, 20–4, 26, 42, 49, 80, 84, 107, 111, 120–2, 127–9, 135, 137, 138, 142, 144, 149, 379, 383–6
 monocotyledon (See monocot), 20, 22, 23, 80, 111, 120
 functional aspects of seedlings, 20, 22, 80, 112, 120
 woody, 22
 monopodial growth habit, 132, 143
Monotropa, and mycorrhizae, 192
M. uniflora, 98
 Monotropeidae, 46, 92, 98, 192, 193
Montezuma speciosissima, 51
Mora
M. megistoperma, 27, 32, 33, 36
M. oleifera, 51
 Moraceae, 44, 49, 52, 348
 mortality, causes, 19, 241, 280, 282, 283, 288, 289
 of invasive seedlings by natives, 300
Morus latifolia, 52
Moscharia rosea, 48
Musa acuminata, 151
 Musaceae, 151
 myco-heterotrophic plants, 84, 92, 98, 100, 193, 198, 240
 mycorrhizae (See arbuscular mycorrhizae, ectomycorrhizae), 39, 80, 84, 87, 91, 98, 99, 164, 165, 170, 188, 191–3, 194, 244, 264, 305, 316, 333, 336, 341, 355, 363, 366, 367
 arbuscular AM, 191, 193, 194, 366
 arbutoid, 192, 193
 and carnivorous plants, 91
 chlorophyllous orchid, 193
 dependency, 291
 and disturbance, 341
 ectomycorrhizae (EM), 191, 192, 195
 and epiphytes, 87
 ericoid, 192, 193
 and facilitation, 264
 fungal specificity, 83
 interactions with protocorms, 83
 monotropoid, 192, 193
 of achlorophyllous orchid, 193
 and recruitment, 244
 types, 191, 193
 mycorrhizal fungal communities, 197, 366
 of AM fungi, 208
 differences between seedlings and adults, 197
 mycorrhizal fungi, 19, 81, 83, 98, 189, 190, 367

- and carbon costs to hosts, 195
and colonization of land, 190
and continuum of
 mutualism/parasitism, 190,
 210
and drought, 189
and host specificity, 189, 196
and mineral uptake, 189, 190
and nurse logs, 363
and patchy distribution, 378
and pathogens, 189
and restoration, 363, 366
and seedling growth, 197, 208
shifts in composition, 83
mycorrhizal mutants, and
 phytohormones, 165
Myoporaceae, 67
Myoporum platycarpum, 67
Myrica, 212
 M. californica, 44
Myricaceae, 44
Myriophyllum variifolium, 5
Myristica hollrungii, 52
Myristicaceae, 52, 132
Myrmecoidia, 53
Myrsinaceae, 23, 31, 48, 49, 51, 69,
 151, 299
Myrtaceae, 48, 49, 64, 151, 193, 205,
 300, 301, 359
 and genetic structure, 253
 and tropical pastures, 347
NAC genes, 159
Najadaceae, 48
Najas marina, 48
NAR, 176, 178
Neolitsea sericea, 39
Neomarca gracilis, 54
Neophytum, 211
Nepenthaceae, 46, 49, 88
Nepenthes, 49, 88, 90
 N. khasiana, 46, 49
Nerine, 54
net assimilation rate NAR, 176,
 291
net primary production, and
 mycorrhizae, 195
neutral theory, 386
niche-construction, 263
Nicotiana
 N. attenuata, 152
 N. tabacum, 152
Nierembergia caerulea, 152
nitrate, interaction with hormones,
 163
nitrate reductase, induction, 86
nitrogen content, and growth rate,
 275
nitrogen-fixing bacteria, 209, 211
Noaea mucronata, 322, 323, 327
nodulation, and phytohormones, 164
nonmycorrhizal species, and
 disruption of mycorrhizal
 infection, 209
Nothofagus, 243
Nuphar, 141, 146
nurse plants, 39, 244, 280, 315, 319,
 322, 362, 378
nutrient acquisition, 90, 99
Nuytsia, 92
Nyctaginaceae, 44, 47, 52, 271
Nymphaea, 141, 146
 N. lotus, 47
Nymphaeaceae, 46, 47, 135
Nymphaeales, 135, 141, 144, 146,
 149
Nymphoides, 37
Nypa fruticans, 25, 53, 151

obligate seeding, and fire, 270
Ochroma pyramidale, 342
Odocoileus virginianus, 6
Oenothera, 305
Oidiodendron, 193
Oldenlandia affinis, 151
Olea europaea, 151
Oleaceae, 36, 43, 44, 151, 305
Onagraceae, 46, 305, 357
Ondatra zibethicus, 268
Ononis repens, 212
Ophioglossum, 115
 O. vulgatum, 116
optimality theory, 153
Opuntia labouretiana, 43
Orchidaceae, 27, 42, 44, 79, 80, 98,
 151, 240
 and mycorrhizae, 193
 and seed size, 240
Orchis simia, 84
Orobanchaceae, 27, 46, 92, 95, 151
Orobanche
 O. cumana, 151
 O. ramosa, 27, 151
Orontium aquaticum, 11
Orycteropus afer, and seed dispersal,
 315
Oryza sativa, 151, 211
 and genetic structure, 253
 and phytohormones, 168
Ostrya virginiana, 202
Ottelia alismoides, 121
Oxalidaceae, 50
Oxalis hirta, 50
Oxybaphus ovatus, 47

Pachystegia insignis var. *minor*, 52
Paeonia, 120
Palaquium amboinense, 49
Paleocene, 139
Paleozoic, 104, 107, 130, 131
Palmae (See *Arecaceae*), 22, 37, 39, 42,
 43, 44, 53, 75, 240
Pandanaaceae, 19
Papaveraceae, 36
Papilionaceae, 23, 48
parasitic fungi, 190
parasitic plants, 27, 79, 91, 383
 and phytohormones, 165
Passiflora macrocarpa, 47
Passifloraceae, 47
pathogenic microbes, 209
pathogens, 65, 75, 242
Pectocarya recurvata, 318
Pedaliaceae, 45, 151
Pedicularis furbishiae, 250
Pelargonium peltatum, 151
Pellia, 109
 P. epiphylla, 110–12
Pelliciera, 34
 P. rhizophorae, 51
Pellicieraceae, 34, 51
pelotons, 83, 193
Peltandra virginica, 21, 28, 384
Pennisetum, and seedling inhibition,
 347
 P. glaucum, 151
Pentaclethra macroloba, 33
Pentoxylon, 141
Peperomia, 25
performance trade-offs, 342
perisperm, 141, 149
Permian, 106
Persea americana, 151
Petunia hybrida, 152
Peucedanum sativum, 42
Phacelia tanacetifolia, 48
Phalaris arundinacea, 28, 365,
 369
 and genetic structure, 253
Phanerozoic, 104
Pharbitis nil, 4, 151
Phaseolus, 127
 P. lunatus, 33, 151
 P. vulgaris, 35, 46, 151
phenotypic plasticity, 185
Philesiaceae, 20

- Philodendron*, 21
Phlox
P. paniculata, 151
P. setacea, 151
Phoenix
P. dactylifera, 44
P. reclinata, 151
Pholisma, 97
Phorodendron densum, 92
 photoinhibition, 67, 71, 344
 phototrophic, 157, 158
 phototropins, 158
Phragmites australis, 151
Phyllocactus stenopetalus, 48
 phylломorph, 30
 phylogeny, 7
 of embryophytes, 106
 and light environments, 285
 physical damage, 73, 75, 179
Physoplexus comosa, 151
 phytochrome, 156–8
 five forms, 157
 phytohormones, 150, 153, 156, 161,
 164, 376
 classes, 153
 and herbivory, 167
 and mycorrhizae, 165
 and niche partitioning, 167
 and phenotypic range, 166
 and phytochrome, 156
 receptors, 153
 and restoration, 363
 and root growth, 163
 second messengers, 153
 and signal transduction, 154
 and symbioses, 164
 synergy and antagonism, 166
 photosynthesis, 26, 34, 60, 127, 144,
 145, 158, 160–2, 173, 184, 186,
 240, 290, 344, 377
Picea, 119
P. abies, 39
P. engelmannii, 383
P. glauca, 259
P. omorika, and genetic structure,
 253
P. sitchensis, 26, 202
Pilea pumila, 27, 303, 383, 384
 Pinaceae, 26, 28, 36, 39, 42, 49,
 50, 117, 151, 192, 193, 196,
 197, 199, 202, 204, 207, 252,
 256, 257, 292, 297, 341, 350,
 357, 383
 and genetic structure, 253
Pinguicula, 88, 91
P. alpina, 91
P. villosa, 91
P. vulgaris, 91
Pinus, 111, 115, 117, 119, 120, 195,
 205, 265, 269, 305, 365
P. banksiana, 383
 and genetic structure, 252, 253
P. caribaea, and forest restoration,
 350
P. contorta, 126, 202, 206, 357
P. densiflora, 197
P. echinata, 28
P. halepensis, 49
P. koraiensis, 126
P. lambertiana, 268
P. merkusii, 49
P. muricata, 205
P. palustris, 269
P. pinaster, and genetic structure,
 253
P. pinea, 42, 151
P. ponderosa, 257, 268
P. radiata, 151
P. rigida, 3, 27, 28
P. serotina, 50
P. strobus, 42, 201, 202, 256
P. taeda, 50, 151, 169
Piper, 149, 343
 Piperaceae, 25, 88, 343
 Piperales, 120
Pisonia
P. brunoniana, 52
P. longirostris, 52
Pistia, 20
Pisum, 23, 127
P. sativum, 43, 127, 151
 and phytohormones, 168
Pitcairnia, 87
P. corallina, 11
P. flammula, 85, 89
Pithecellobium
P. pedicellare, and genetic structure,
 253
P. racemosum, 51
Pitheoctenium crucigerum, 174
 Pittosporaceae, 42, 49
Pittosporum
P. crassifolium, 42
P. erioluma, 42
P. ferrugineum, 49
 planerocotylar, 23
 Plantaginaceae, 43, 194, 280, 317, 318
Plantago, 280
P. callosa, 43
P. coronopus, 317, 318
P. lanceolata, 194
P. patagonica, 318
 plasticity, 28, 153, 158
Platysace cirrosa, 47
Plectilospermum, 120
Pleurophyllum hookeri, 19
 Plumbaginaceae, 49, 51, 151
Plumeria alba, 49
Poa bulbosa, 319, 320
 Poaceae, 20, 26, 28, 29, 44, 45, 50, 53,
 55, 73, 122, 151, 208, 211, 244,
 252, 254, 300, 301, 302, 304, 317,
 318, 319, 347, 356, 364, 365, 366,
 369
 and genetic structure, 253
 Podocarpaceae, 42, 111
Podophyllum emodi, 47
 Podostemaceae, 30, 44, 47, 48
Podostemum subulatum, 48
 Polemoniaceae, 47
 pollination, and seed size, 233
 pollutants, and restoration, 362
 polyamines, as phytohormones, 156
 polyembryony, 30, 118, 119, 120
 Polygonaceae, 5, 29, 30, 43, 47, 53,
 151, 271, 300, 328, 384
Polygonum, 7
P. arifolium, 7, 383, 384
P. bistorta, 25, 43, 47
P. bistortoides, 25, 43
P. hydropiper, 30
P. perfoliatum, 300
P. punctatum, 5, 383, 384
P. sphaerostachyum, 43
P. viviparum, 35
 polymorphism, 29
 polypeptide hormones, 154, 155
Polypleurum stylosum, 48
 Polyradicion, 80
 Pontederiaceae, 28, 48
Populus, 18, 285
 and phytohormones, 168
P. deltoides, 152, 298
P. nigra, 152
P. simonii, 328
P. tremuloides, 254, 383
Porella, 109
P. bolanderi, 110, 112
 Portulacaceae, 112, 120
Posidonia australis, 18
 Posidoniaceae, 18
Potentilla reptans, 47

- Pothos, 20
- Primula
- P. denticulata*, 42
 - P. glaucescens*, 151
 - P. sinensis*, 48
 - P. veris*, 250
- Primulaceae, 38, 42, 45, 47, 48, 50, 151, 250
- Proboscidea louisianica*, 45
- Proechimys semispinosus*, and seed predation, 340
- Prosopis, 320
- P. alpacato*, 70
 - P. argentina*, 70
 - P. flexuosa*, 69
 - P. glandulosa*, 319
 - P. juliflora*, 328
- Proteaceae, 33, 48, 151, 190, 233, 363 and herbivory, 242
- proteoid roots, 163, 170
- Protium javanicum*, 49
- protocorm, 80, 81, 83, 85, 100, 114
- Prunus, 23
- P. americana*, 9, 23
 - P. laurocerasus*, 301
 - P. persica*, 151
 - P. serotina*, 243, 281
 - P. virginiana*, 9, 23
- pseudorhizomatous growth, 142, 145
- Pseudotsuga*, 198, 205
- P. menziesii*, 39, 151, 195, 196, 198–202, 204, 205
- pseudovivipary, see also vivipary, 33, 35
- Psilotum*, 107, 108
- Psittacanthus*, 92, 94
- Ptelea trifoliata*, 36, 43
- pteridophytes, 111
- Pterospora*, and mycorrhizae, 192
- Pyracantha angustifolia*, 244
- Pyrus communis*, 151
- Pyxidantha barbulata*, 43
- Quercus*, 25, 41, 45, 46, 187, 205, 206, 244
- Q. alba*, 6, 202, 261, 298
 - Q. berberidifolia*, and transient seed banks, 262
 - Q. ellipsoides*, 201
 - Q. ilex*, 25, 33, 233
 - Q. kelloggii*, 257
 - Q. lobata*, 357
 - Q. macrocarpa*, 201
 - Q. montana*, 201
 - Q. oleoides*, 27
 - Q. petraea*, 281
 - Q. prinus*, and restoration, 261, 367
 - Q. robur*, 151
 - Q. rubra*, 72, 201, 202, 204, 260, 261, 367
 - Q. suber*, 51
 - Q. turbinata*, 46
- radicle, 5, 8, 18, 32, 85, 92, 118
- Ranunculaceae, 36, 42–4, 112, 240, 246, 280
- Ranunculus*, 280
- R. arvensis*, 44
 - R. fiscaria*, 36
 - R. hederaceus*, 43
- Raphanus sativus*, 151
- Rapistrum rugosum*, 302
- Rauvolfia serpentina*, 151
- Ravenea musicalis*, 25, 53
- recruitment, 239, 273, 342
- among annuals, 240
 - and landscape patchiness, 312
 - and population dynamics, 248
 - among parasitic plants, 95
 - failure, 349, 374
 - coexistence among multiple strategies, 236
 - strategies, 255
- recruitment limitation, 241, 245, 251, 260, 264, 334, 373
- regeneration, from detached cotyledons, 29
- regeneration dynamics, 259–60
- regeneration niche, 131, 237, 255, 260, 274, 379
- region scale, 279
- relative growth rate (RGR), 18, 63, 86, 128, 174, 176, 177, 220, 275, 283, 284, 291, 305
- decline, 176
 - and herbivory, 242
 - and seed size, 177–8, 231
 - and seedling defense, 179, 181
 - and tissue density, 231
- reproductive lifespan, definition, 218
- resource allocation theory, 62
- resource use, limitations related to size, 6
- resprouting, 231, 270
- restoration, 10, 326, 352
- RGR, see relative growth rate
- Rhamnaceae, 272, 281
- Rhamnus*
- R. cathartica*, 281
 - R. crocea*, 262, 272
- Rheum officinale*, 43, 47
- Rhipsalidopsis*, 151
- Rhizobiaceae, 211
- Rhizobium*, 244
- rhizoids, 18, 81
- Rhizophora*, 34, 51, 69, 151
- R. mangle*, 35, 162
- Rhizophoraceae, 4, 34, 45, 51, 69, 151
- Rhizopogon*, 195, 197, 202, 205, 206
- rhizosphere, 27, 199
- Rhodomyrtus tomentosa*, 48
- Rhopalostylis sapida*, 37
- Rhus integrifolia*, 271
- Rhyncholacis macrocarpa*, 44
- Ribes*, 271
- Riccia*, 108
- Ricinus communis*, 49, 151
- Ripogonum scandens*, 19, 53
- risk reduction, 309
- r-K spectrum, 235, 309
- Robinia pseudoacacia*, 151
- roots
- types, 26
 - contractile, 27
 - dropper roots, 28
 - exudates, 26
 - proteoid (cluster), 163, 170
- Rosa*
- Rosa canina*, 278
 - R. rugosa*, 280–2
- Rosaceae, 9, 23, 47, 151, 243, 244, 277, 278, 280–2, 284, 299, 301, 330
- Rostraria*, 317
- Rubia cordifolia*, 44
- Rubiaceae, 42, 44, 48, 52, 151, 185, 271, 272, 303, 347
- Rubus*, 299
- R. fruticosus*, 151
- ruderal paleoherb hypothesis, 133, 134
- Rumex*
- R. acetosa*, 151
 - R. palustris*, 151
- Ruschia spinosa*, 309
- Rutaceae, 23, 26, 30, 36, 42, 43, 49, 152
- Sabina vulgaris*, 319, 328
- Saccharum*, and seedling inhibition, 347
- S. officinarum*, 211
 - S. spontaneum*, 347

- safe sites, see also microsites, 6, 7, 38, 40, 245, 255, 280, 360, 379
 filters, 7, 8
 and restoration, 359
- Sagittaria*
S. latifolia, 36, 47
S. sagittifolia, 47
- Salaciopsis ingifera*, 53
- Salicaceae, 4, 18, 152, 193, 195, 204, 205, 254, 263, 285, 298, 319, 328, 383
- Salicornia*
S. dolichostachya, 55
S. europaea, 55
- salicylic acid SA, 154, 169
- salinity, 68
- Salix*, 4, 195, 285
S. nigra, 263
S. psammophila, 319, 328
S. reinii, 201, 203, 204, 207
- Salsola*, 317
S. kali, 366
S. paletzkiana, 328
- salt deserts, 68
- salt marshes, 68
- Salvia*
S. apiana, 272
S. lavandulifolia, and facilitating restoration, 365
S. leucophylla, 272
S. mellifera, 271
S. miltiorrhiza, 151
- Samanea saman*, 50
- Sambucus nigra*, 278
- Sansiveria*, 20
- Santalaceae, 92
- Sapium sebiferum*, 297, 302
- Sapotaceae, 25, 37, 42, 43, 45, 49
- Sarcandra*, 141
S. glabra, 143
- Sarcodes*, and mycorrhizae, 192
- Sarcopoterium spinosum*, 330
- Sarracenia*, 88, 90
S. alata, 90
S. purpurea, 88, 90
- Sarraceniaceae, 49, 88
- Saxifraga cernua*, 35
- Saxifragaceae, 35, 47
- Schefflera morototoni*, 347
- Scheidea diffusa*, 52
- Schisandra*, 144
S. chinensis, 143, 144
S. glabra, 144
- Schisandraceae*, 135, 142
- Schismus*, 317
S. barbatus, 318
- Schlumbergera*, 151
- Sciurus carolinensis*, 6
- Scrophularia aquatica*, 38
- Scrophulariaceae, 4, 5, 27, 28, 38, 43, 45, 53, 72, 92, 152, 250, 271, 282, 284
- Scutellospora*, and facilitating restoration, 366
- seagrasses, 4, 35, 39
- Sebacina*, 193
- Sebacinaceae, 84
- Secale cereale*, 151
- Secchium edule*, 53
- sedges, 10, 36
- seed
 dimorphic, 29
 heteromorphism, 30
 maternal reserves, 18, 24, 175, 332
 reserve utilization, 173
- seed banks, 3, 142, 360, 364
 in deserts, 315
 dormant, 270
 dynamics, 5
 and forest lianas, 336
 persistent, 5, 230, 256
 and restoration, 359, 369
 and seed size, 5, 229
 and seedling banks, 382
 and soil disturbance, 337
 transient, 5, 262, 375
- seed dormancy, 66, 118, 123, 125
 mechanisms, 125
 morphological, 118
 morphophysiological, 118
 physiological, 119
- seed habit, selective advantages, 126
- seed limitation, see also recruitment
 limitation and dispersal
 limitation, 246, 247, 349, 352, 381
 and disturbance, 334
 as a part of recruitment
 limitation, 245
 on large scales, 247
- seed mass, see seed size
- seed number/seedling survival
 tradeoff, see also seed size/seed number trade-off, 219, 233
- seed predation, and restoration see also herbivory, 367
- seed production, lifetime
 reproduction and seed number, 223
- seed reserves, energy and nitrogen, 173, 176
- seed size, 8, 20, 61, 65, 72, 76, 99, 132, 135, 136, 139, 145, 146, 217, 218, 275, 283, 288, 377
 across all species, 217
 and allocation patterns, 172, 177, 179, 181
 in basal angiosperms, 136
 and biomes, 287
 and cotyledon photosynthesis, 230
 evolution, 138–41
 and gap pioneers, 343
 and growth rates, 177, 231
 heritability, 233
 and initial seedling size, 234
 and life history traits, 227
 and lifetime reproduction, 223
 and nitrogen addition, 63
 and plant size, 223
 relationship to seedling mass, 176
 and RGR, 174, 176–8, 180
 and reserve dependency, 173–5, 179–82, 184, 187, 188
 and survival, including later stage, 220, 221, 222, 225, 234, 283
 variation within species, 233, 234
- seed size/number trade-off, 220, 224, 247, 248
 within species, 234
- seedling
 conservative, 7, 178, 179
 definition, 6, 17–18, 142, 218, 276
 and desert patch formation, 320
 development, 18
 dispersal by water, 37
 end of stage, 18
 epigeal, 8, 9, 18, 19, 23
 first leaves, 26
 fugitive, 7
 functional types, 9, 20, 23, 24
 generalists, 7
 growth patterns, 31
 herbivore defense, 26
 hypogean, 9, 18, 19, 23
 interrupted growth, 31
 morphology, 23, 24
 opportunistic, 7, 178–81, 184, 186–8
 palatability, 33
 roots, 26–7

- specialists, 7
 storage, 20, 21, 27, 28, 36, 39, 40
 stress tolerator, 7
 surface features, 25
 vulnerabilities, 12
 dependence on mineral elements, 173
 dependence on reserves, 173, 174
 trade-off among defenses, 182
 variation in morphology, 276
 variation in size, 276
- seedling banks, 36, 297, 375
 types, 282, 381
- seedling dormancy, 32, 160
 and dehydrin proteins, 160
 and phytohormones, 160
- seedling equivalents, 33, 35, 181
- seedling establishment, 5
 and specialized seed beds, 363
- seedling organs, longevity, 36
- seedling size
 and herbivory, 241
 and light environments, 283
- seedling stage, 17, 18, 38, 40
 length under selection, 297
- seedling survival (*See* mortality causes), 84, 86, 90, 92, 172, 178, 179, 181–5, 188, 209, 211
 of orchids, 84
 sources of mortality, 19
 and growth rates, 178
 and microhabitats, 290
 and seed dormancy, 230
 and seed size, 226
 to reproductive maturity, 225, 227
 turnover, 266
- seedling traits, and adult traits, 232
- seed-seedling conflicts, 40
- Selaginella*, 114
S. kraussiana, 114
S. martensii, 113, 114
- Selaginellales, 106, 113
- semelparous, 249
- Senecio*
S. johnstonii, 31
S. pulcher, 45
S. vulgaris, 48
- shade adaptation, small seeds
 as, 140
- shade tolerance, 185
- Sherardia arvensis*, 44
- Shorea*, 46
S. leprosula, 37
- shrublands
 and facilitating restoration, 364, 365
 restoring Mediterranean scrub, 368
- Sida carpinifolia*, 31
- Sideroxylon tomentosum*, 43
- Silene alba*, 286
- Silurian, 106, 107, 114
- Simaroubaceae, 297
- Simmondsia chinensis*, 152
- Simmondsiaceae, 152
- skototropic movement, 158
- SLA, *see also* specific leaf area, 178, 181, 184
- Smilacaceae, 19, 53
- Smith and Fretwell model, 218, 219, 233
- Socratea, 43
S. exorrhiza, 75
- soils, infertile, 175
- Solanaceae, 28, 43, 152, 155, 272, 315
- Solanum*, 272
S. khasianum, 152
S. lycopersicum, 152, 155, 168
S. tuberosum, 152, 155
- Sorghum bicolor*, 26, 50, 151, 253
- Spartina*
S. alterniflora, 254, 300
S. versicolor, 55
- spatial scale, 278
- species richness, 310
- specific leaf area SLA, 63, 178, 275, 285, 290, 291, 377
 and herbivory, 242
- specific leaf mass, 63
- specific root length, 63
- spermatophytes, 107
- Sphagnaceae, 110
- Sphagnum*, 112, 362
S. subsecundum, 110, 112
- Spirodela*, 151
- spores
 dispersal, 206, 341
 dispersal facilitating restoration, 367
 dormant fungal spore bank, 205
 of mycorrhizal fungi, 205
- Stachys sieboldii*, 151
- Stellaria longipes*, 151
- stems, modified, 27
- Sterculiaceae, 26, 152
- Stipa*, 319
S. capensis, 318
- Stipagrostis*, 319, 320
- Stirlingia latifolia*, 33
- strategies, *see also* r-K continuum, successional species
 conservative, 179, 180, 187
 opportunistic, 179, 180, 186
- stratification, 71, 368
- Stratiotes*, 46
S. aloides, 44
- Streblus asper*, 44, 49
- Streptocarpus*, 30, 47
S. dunnii, 42
S. rexii, 42
- stresses, habitat, 6
- Striga*, 27, 95, 96
S. asiatica, 96
- Stryphnodendron microstachyum*, 348
- Stylidiaceae, 36, 44
- Stylidium adnatum*, 36, 44
- Suaeda*, 317
S. maritima, 69
S. monoica, 151
- succession, and restoration, 353, 357, 364
- successional species, *see also* r-K continuum, strategies, 61
- sugars, as phytohormone signals, 164
- Suillus*, 197, 202, 206
- survival, *see* seedling survival
- Sweetia perennis*, 233
- Swietenia*, 348
- symbiotic fungus, 81
- sympodial growth habit, 135, 142
- Tabebuia rosea*, 174
- Tamaricaceae, 49, 298
- Tamarix ramosissima*, 298
- Taraxacum hamatifforme*, 29
- Taxaceae, 9, 36, 42, 244
- Taxodiaceae, 26, 28, 42
- Taxodium distichum*, 28
- Taxus*, 36
T. baccata, 9, 244
- temperature stress (*See* thermal extremes), 308, 316, 329, 344, 365
- Terminalia megalocarpa*, 42
- Tertiary, 113
- Thalassia*, 4
T. hemprichii, 55
- Thalassodendron*
T. ciliatum, 55
T. pachyrhizum, 55
- Theobroma cacao*, 152
- Theophrastaceae, 31

- thermal extremes (See temperature stress), 161, 308
- thigmotropism, 93, 97
- Thuja*
T. occidentalis, 341, 363
T. plicata, 198, 199, 202
- Thymelaea hirsuta*, 323, 327, 330
- Thymelaeaceae, 323
- Tillandsia*
T. circinnata, 87
T. dasylirifolia, 87
T. paucifolia, 86, 87
- Tillandsioideae, 85
- Tipularia*, 80
T. discolor, 81, 84, 89
- Tmesipteris*, 107, 108
- Tolumnia variegata*, 84
- Toona sinensis*, 49
- Torreya myristica*, 9
- Toxicodendron pubescens*, 6
- Tozzia*, 96
- tracheophytes, 106, 108, 109
- trade-offs, 12
 between growth and survival, 178, 179, 181
- Trapa natans*, 29, 42
- Trapaceae, 29, 42
- Trema*, 342
T. micrantha, 343
- Tricholoma matsutake*, 197
- Trifolium repens*, 151, 212
- Trillium grandiflorum*, 32
- Trimenia*, 137, 142
T. moorei, 143
T. papuana, 142, 145
- Trimeniaceae, 135
- Triphysaria versicolor*, 96, 152
- Tristerix*, 94
- Tristichaceae, 30
- Trithuria*, 143
- Triticum*, 26, 50
T. aestivum, 122, 151, 253
- Triuridaceae, 98
- Trollius ledebouri*, 44
- tropical forests, 172, 178, 179, 185
- Tsuga*, 205
 and advanced regeneration, 262
T. canadensis, 201, 202, 257, 341
T. heterophylla, 199, 201, 202
- Tuber*, 205
- Tulasnella*, 193
- Tulipa*, 27, 47
- Tussilago farfara*, 47
- Typha*, 37
T. domingensis, 69, 70
T. latifolia, 5, 152, 384
- Typhaceae, 5, 37, 69, 152, 384
- Ulmaceae, 31, 152
- Ulmus*
U. effusa, 31
U. glabra, 152
- Ulocladium atrum*, 304
- unit leaf ratio ULR, 291
- Urtica dioica*, 50
- Urticaceae, 27, 50, 303, 347, 384
- Utricularia*, 50, 88, 89, 90
U. geminiscapa, 42
U. nelumbifolia, 54
U. reniformis, 54
U. radiata, 92
U. striatula, 89
U. subulata, 90
- Valeriana glechomifolia*, 152
- Valerianaceae, 152
- Vallisneria*, 48
V. americana, 151
- Verbascum*, 4
- Verbena officinalis*, 43
- Verbenaceae, 26, 43
- Veronica peregrina*, 282
- Vicia*, 23
V. faba, 151
- Vigna radiata*, 151
- Viola palustris*, 47
- Violaceae, 47
- Viscaceae, 92, 95
- viscin, 94
- Vismia*, and tropical pastures, 347
- Vitaceae, 152
- Vitellaria paradoxa*, 42
- Vitex pubescens*, 26
- Vitis vinifera*, 152
- vivipary, see also cryptovivipary, 4, 25, 33, 34, 68, 69, 169
- Vriesea*
V. geniculata, 87
V. hieroglyphica, 86
V. sanguinolenta, 86, 87
V. scalaris, 85
- Washingtonia filifera*, 44
- waterlogging, 252
- Welwitschia*, 118
W. mirabilis, 31, 36, 152
- Welwitschiaceae, 31, 152
- wetlands, and restoration, 358
- Winteraceae, 132
- Wolffia*, 31
- woody magnoliid hypothesis, 132, 134
- wound response, 162
- Xanthium strumarium*, 4, 6
- Xanthorrhoea*, and excluding grazers during restoration, 367
X. australis, 27
X. gracilis, 367
X. preisii, 367
- Xanthorrhoeaceae, 27, 367
- Xanthosoma*, 21
X. sagittifolium, 151
- Yucca*, 316, 320
- Zamia*, 108, 115, 118
Z. pumila, 117
- Zamiaceae, 44
- Zannichelliaceae, 38
- Zantedeschia aethiopica*, 151
- Zanthoxylum stenophyllum*, 152
- Zea mays*, 151, 168
 and phytohormones, 168
 mutants and phytohormone function, 168
- Zilla myagroides*, 42
- Zinnia elegans*, 151
- Zizania*, 28
- zonation, 70
- Zostera*, 35
- Zosteraceae, 20, 35
- zosterophyllophytes, 106
- Zygomycota, 193
- Zygophyllaceae, 318