

Tim A. Osswald
Juan P. Hernández-Ortiz

Polymer Processing

Modeling and Simulation

HANSER

Hanser Publishers, Munich • Hanser Gardner Publications, Cincinnati

TABLE OF CONTENTS

Preface	vii
INTRODUCTION	xvii
I.1 Modeling and Simulation	xvii
I.2 Modeling Philosophy	xx
I.3 Notation	xxiv
I.4 Concluding Remarks	xxvi
References	xxvii
PART I BACKGROUND	
1 POLYMER MATERIALS SCIENCE	1
1.1 Chemical Structure	1
1.2 Molecular Weight	4
1.3 Conformation and Configuration of Polymer Molecules	9
1.4 Morphological Structure	12
1.4.1 Copolymers and Polymer Blends	16
1.5 Thermal Transitions	18
1.6 Viscoelastic Behavior of Polymers	24
1.6.1 Stress Relaxation	24
1.6.2 Time-Temperature Superposition (WLF-Equation)	26

1.7	Examples of Common Polymers	29
1.7.1	Thermoplastics	29
1.7.2	Thermosetting Polymers	31
1.7.3	Elastomers	32
	Problems	33
	References	36
2	PROCESSING PROPERTIES	37
2.1	Thermal Properties	37
2.1.1	Thermal Conductivity	38
2.1.2	Specific Heat	43
2.1.3	Density	45
2.1.4	Thermal Diffusivity	51
2.1.5	Linear Coefficient of Thermal Expansion	51
2.1.6	Thermal Penetration	53
2.1.7	Measuring Thermal Data	53
2.2	Curing Properties	59
2.3	Rheological Properties	63
2.3.1	Flow Phenomena	63
2.3.2	Viscous Flow Models	68
2.3.3	Viscoelastic Constitutive Models	75
2.3.4	Rheometry	85
2.3.5	Surface Tension	90
2.4	Permeability properties	93
2.4.1	Sorption	94
2.4.2	Diffusion and Permeation	96
2.4.3	Measuring S , D , and P	100
2.4.4	Diffusion of Polymer Molecules and Self-Diffusion	102
2.5	Friction properties	102
	Problems	104
	References	108
3	POLYMER PROCESSES	111
3.1	Extrusion	112
3.1.1	The Plasticating Extruder	113
3.1.2	Extrusion Dies	122
3.2	Mixing Processes	125
3.2.1	Distributive Mixing	128
3.2.2	Dispersive Mixing	129
3.2.3	Mixing Devices	131
3.3	Injection Molding	140

3.3.1 The Injection Molding Cycle	141
3.3.2 The Injection Molding Machine	144
3.3.3 Related Injection Molding Processes	149
3.4 Secondary Shaping	150
3.4.1 Fiber Spinning	151
3.4.2 Film Production	151
3.4.3 Thermoforming	157
3.5 Calendering	158
3.6 Coating	160
3.7 Compression Molding	163
3.8 Foaming	164
3.9 Rotational Molding	166
References	167

PART II PROCESSING FUNDAMENTALS

4 DIMENSIONAL ANALYSIS AND SCALING	171
4.1 Dimensional Analysis	172
4.2 Dimensional Analysis by Matrix Transformation	174
4.3 Problems with non-Linear Material Properties	192
4.4 Scaling and Similarity	192
Problems	203
References	206
5 TRANSPORT PHENOMENA IN POLYMER PROCESSING	207
5.1 Balance Equations	207
5.1.1 The Mass Balance or Continuity Equation	208
5.1.2 The Material or Substantial Derivative	209
5.1.3 The Momentum Balance or Equation of Motion	210
5.1.4 The Energy Balance or Equation of Energy	217
5.2 Model Simplification	220
5.2.1 Reduction in Dimensionality	222
5.2.2 Lubrication Approximation	223
5.3 Simple Models in Polymer Processing	225
5.3.1 Pressure Driven Flow of a Newtonian Fluid Through a Slit	225
5.3.2 Flow of a Power Law Fluid in a Straight Circular Tube (Hagen-Poiseuille Equation)	227
5.3.3 Flow of a Power Law Fluid in a Slightly Tapered Tube	228
5.3.4 Volumetric Flow Rate of a Power Law Fluid in Axial Annular Flow	229
5.3.5 Radial Flow Between two Parallel Discs – Newtonian Model	230
5.3.6 The Hele-Shaw model	232

5.3.7 Cooling or Heating in Polymer Processing	239
Problems	243
References	245
6 ANALYSES BASED ON ANALYTICAL SOLUTIONS	247
6.1 Single Screw Extrusion—Isothermal Flow Problems	248
6.1.1 Newtonian Flow in the Metering Section of a Single Screw Extruder	249
6.1.2 Cross Channel Flow in a Single Screw Extruder	251
6.1.3 Newtonian Isothermal Screw and Die Characteristic Curves	255
6.2 Extrusion Dies—Isothermal Flow Problems	258
6.2.1 End-Fed Sheet Die	258
6.2.2 Coat Hanger Die	261
6.2.3 Extrusion Die with Variable Die Land Thicknesses	263
6.2.4 Pressure Flow of Two Immiscible Fluids with Different Viscosities	264
6.2.5 Fiber Spinning	266
6.2.6 Viscoelastic Fiber Spinning Model	269
6.3 Processes that Involve Membrane Stretching	271
6.3.1 Film Blowing	271
6.3.2 Thermoforming	277
6.4 Calendering – Isothermal Flow Problems	278
6.4.1 Newtonian Model of Calendering	278
6.4.2 Shear Thinning Model of Calendering	285
6.4.3 Calender Fed with a Finite Sheet Thickness	287
6.5 Coating Processes	289
6.5.1 Wire Coating Die	289
6.5.2 Roll Coating	291
6.6 Mixing – Isothermal Flow Problems	295
6.6.1 Effect of Orientation on Distributive Mixing – Erwin’s Ideal Mixer	295
6.6.2 Predicting the Striation Thickness in a Couette Flow System – Shear Thinning Model	296
6.6.3 Residence Time Distribution of a Fluid Inside a Tube	300
6.6.4 Residence Time Distribution Inside the Ideal Mixer	301
6.7 Injection Molding – Isothermal Flow Problems	303
6.7.1 Balancing the Runner System in Multi-Cavity Injection Molds	303
6.7.2 Radial Flow Between Two Parallel discs	306
6.8 Non-Isothermal Flows	309
6.8.1 Non-Isothermal Shear Flow	309
6.8.2 Non-Isothermal Pressure Flow Through a Slit	311
6.9 Melting and Solidification	312
6.9.1 Melting with Pressure Flow Melt Removal	317
6.9.2 Melting with Drag Flow Melt Removal	319
6.9.3 Melting Zone in a Plasticating Single Screw Extruder	324

6.10 Curing Reactions During Processing	330
6.11 Concluding Remarks	331
Problems	331
References	339

PART III NUMERICAL TECHNIQUES

7 INTRODUCTION TO NUMERICAL ANALYSIS	343
7.1 Discretization and Error	344
7.2 Interpolation	344
7.2.1 Polynomial and Lagrange Interpolation	345
7.2.2 Hermite Interpolations	352
7.2.3 Cubic Splines	354
7.2.4 Global and Radial Interpolation	357
7.3 Numerical Integration	360
7.3.1 Classical Integration Methods	362
7.3.2 Gaussian Quadratures	364
7.4 Data Fitting	367
7.4.1 Least Squares Method	368
7.4.2 The Levenberg-Marquardt Method	369
7.5 Method of Weighted Residuals	376
Problems	381
References	383
8 FINITE DIFFERENCE METHOD	385
8.1 Taylor-Series Expansions	387
8.2 Numerical Issues	392
8.3 The Info-Travel Concept	393
8.4 Steady-State Problems	395
8.5 Transient Problems	409
8.5.1 Higher Order Approximation Techniques	422
8.6 The Radial Flow Method	428
8.7 Flow Analysis Network	439
8.8 Predicting Fiber Orientation – The Folgar-Tucker Model	443
8.9 Concluding Remarks	445
Problems	448
References	450
9 FINITE ELEMENT METHOD	453
9.1 One-Dimensional Problems	453
9.1.1 One-Dimensional Finite Element Formulation	454

9.1.2 Numerical Implementation of a One-Dimensional Finite Element Formulation	458
9.1.3 Matrix Storage Schemes	464
9.1.4 Transient Problems	466
9.2 Two-Dimensional Problems	470
9.2.1 Solution of Poisson's equation Using a Constant Strain Triangle	470
9.2.2 Transient Heat Conduction Problem Using Constant Strain Triangle	474
9.2.3 Solution of Field Problems Using Isoparametric Quadrilateral Elements	474
9.2.4 Two Dimensional Penalty Formulation for Creeping Flow Problems	479
9.3 Three-Dimensional Problems	487
9.3.1 Three-dimensional Elements	487
9.3.2 Three-Dimensional Transient Heat Conduction Problem With Convection	489
9.3.3 Three-Dimensional Mixed Formulation for Creeping Flow Problems	491
9.4 Mold Filling Simulations Using the Control Volume Approach	493
9.4.1 Two-Dimensional Mold Filling Simulation of Non-Planar Parts (2.5D Model)	493
9.4.2 Full Three-Dimensional Mold Filling Simulation	497
9.5 Viscoelastic Fluid Flow Problems	502
References	507
	508
10 BOUNDARY ELEMENT METHOD	511
10.1 Scalar Fields	512
10.1.1 Green's Identities	512
10.1.2 Green's Function or Fundamental Solution	515
10.1.3 Integral Formulation of Poisson's Equation	516
10.1.4 BEM Numerical Implementation of the 2D Laplace Equation	518
10.1.5 2D Linear Elements	522
10.1.6 2D Quadratic Elements	525
10.1.7 Three-Dimensional Problems	528
10.2 Momentum Equations	533
10.2.1 Green's Identities for the Momentum Equations	534
10.2.2 Integral Formulation for the Momentum Equations	534
10.2.3 BEM Numerical Implementation of the Momentum Balance Equations	536
10.2.4 Numerical Treatment of the Weakly Singular Integrals	539
10.2.5 Solids in Suspension	544
10.3 Comments of non-Linear Problems	553
10.4 Other Boundary Element Applications	554
Problems	560
References	563

11 RADIAL FUNCTIONS METHOD	567
11.1 The Kansa Collocation Method	568
11.2 Applying RFM to Balance Equations in Polymer Processing	570
11.2.1 Energy Balance	570
11.2.2 Flow problems	577
Problems	594
References	596
INDEX	597

INDEX

A

abscissas, 364
accurate solution, 344
activation energy, 62, 65, 74
Adams-Bashforth, 422
Adams-Moulton, 411, 422
Adams-Predictor-Corrector, 422
adsorption, 94
affinity coefficient, 96
agglomerate, 129
analytical solutions, 220, 247
annular flow, 229, 258
approximation, 344
area moment of inertia, 180
Arquimedes number, 205
Arrhenius equation, 372
Arrhenius rate, 62
Arrhenius relation, 198
Arrhenius shift, 65
Arrhenius, 97
aspect ratio, 222
assumption, xx
atactic, 9
autocatalytic cure, 62
axial annular flow, 289
axial screw force, 186
axial screw length, 187

B

backbone, 9

backward difference, 386
baffles, 185
balance equations, 207
balance
 mass, 208
Banbury type mixer, 131, 133
banded matrices, 460
barrel diameter, 187
barrel surface, 324
barrel, 113
 grooved, 113
basis function
 global, 358
 radial, 358
basis functions, 345
 radial, 567
BEM
 3D, 528
 boundary-only, 553
 coefficients, 525
 constant element, 521
 direct method, 512
 domain decomposition, 553
 element, 520
 Green's identities, 512
 linear element, 522
 mesh, 520
 momentum equation, 533
 non-linear, 553
 numerical implementation, 536

- numerical interpretation, 518
 - Poisson's equation, 516
 - quadratic elements, 525
 - residence time distribution, 556
 - scalar field, 512
 - suspensions, 544
 - Bingham fluid, 70, 264, 301
 - Biot number, 221, 243
 - bipolymer, 2, 16
 - Bird-Carreau model, 70, 371
 - Bird-Carreau-Yasuda model, 70
 - blend, 16
 - homogeneous, 184
 - type, 126
 - blow molding, 111
 - BMC, 163-164
 - bond angle, 9
 - bottle threads, 154
 - boundary element method, xix
 - boundary elements, 511
 - Brinkman number, xxiii
 - Brinkman Number, 180, 188
 - Brinkman number, 196, 202, 223, 248, 322-323, 427, 432, 583
 - bubble removal, 167
 - bulk molding compound, 163-164
- C**
- calender, 160
 - calendering, 158, 278
 - floating roll, 285
 - Newtonian model, 278
 - shear thinning, 285
 - capillary die, 255
 - capillary number, 195
 - capillary viscometer, 86
 - cast film extrusion, 151
 - Cauchy momentum equations, 213
 - Cauchy strain tensor, 82
 - cell integration, 554
 - cell nucleation, 164
 - central difference, 386
 - channel depth, 187
 - channel length, 257
 - channel, 249
 - char, 62
 - characteristic curve, 117
 - characteristic values, 220
 - Chebyshev polynomials, 378
 - Chebyshev-collocation, 378
 - check valve, 146
 - chemical foaming, 165
 - chemical structure, 1
 - clamping force, 144
 - clamping unit, 140, 146
 - hydraulic, 146
 - closed cell, 164
 - closed discharge, 117, 250
 - co-extrusion, 112, 264
 - coat-hanger sheeting die, 123
 - coating, 160, 289
 - normal stresses, 161
 - roll, 291
 - coefficient of friction, 102
 - cokneader, 137
 - collocation, 567
 - balance equations, 570
 - Kansa's method, 568
 - column buckling, 180
 - compressibility factor, 482
 - compression molding, 163
 - compressive stresses, 212
 - computation time, 464
 - conditionally stable, 411
 - conduction, 199, 217, 222
 - conductivity, 37-38
 - composite, 42
 - cone-plate, 87
 - configuration, 9
 - conformation, 9
 - connectivity matrix, 459, 528
 - consistency index, 69, 533
 - consistency, 392
 - constant strain triangle, 470
 - constitutive equation, xx, xxii, 310, 502
 - constitutive models, 207
 - contact angle, 91
 - continuity equation, 208
 - continuous mixers, 131
 - control volume, 493
 - convected Jeffreys model, 77
 - convected Maxwell model, 77
 - convected time derivative, 75
 - convection, 199, 217, 222
 - convergence, 401
 - conveying zone, 117, 324
 - copolymer, 2
 - alternating, 16
 - block, 16
 - graft, 16
 - random, 16
 - copolymerization, 18
 - copolymers, 16
 - core matrix, 182
 - Couette device, 296
 - Couette flow, 207
 - Couette, 87
 - striation thickness, 296
 - Coulomb's law of friction, 102
 - Crank-Nicholson, 411, 468, 571
 - creep, 25
 - critical buckling load, 180
 - cross channel, 252
 - cross-link, 4
 - cross-linkage, 18
 - cross-linked, 2, 24
 - crystal, 20
 - crystalline structures, 14
 - crystallinity, 11, 20
 - degree of, 263
 - degree, 20, 43
 - crystallization, 412, 418

heat of, 314
 cubic splines, 354
 cumulative residence time distribution function, 556
 cure, 59
 Castro-Macosko model, 63
 degree of, 59
 diffusion controlled, 62
 heat activated, 59
 mixing activated, 59
 model, 62
 phase, 60
 curing, 59, 197, 418
 heat released, 364
 processing, 330
 rheology, 72
 curtain coating, 160

D

Damköhler number, 199
 data fitting, 367
 Deborah number, 67
 deformation dependent tensor, 82
 degradation, 5
 degree of crystallinity, 55
 degree of cure, 74, 364
 delay zone, 324
 delta functions, 376
 density, 37, 45, 187
 measurement, 57
 desorption, 94
 deviatoric stress, 212–213
 deviatoric stresses, 64
 DiBenedetto's equation, 63, 331
 die land, 261
 die restriction, 252
 die
 characteristic curve, 117, 255
 coat hanger, 261
 cross-head tubing, 124, 262
 design, 258
 end-fed sheeting, 260
 land thickness, 263
 land, 258, 263
 lip, 123
 restriction, 250
 spider, 124
 spiral, 125
 tubular, 124
 wire coating, 289
 dieseling, 493
 differential scanning calorimeter, 54
 differential thermal analysis, 54
 diffusion, 51, 94
 diffusivity, 38, 51
 dimension analysis, 171
 dimensional matrix, 178
 dimensionless numbers, 172
 dip coating, 160
 Dirac delta function, 515
 Dirac delta functions, 378
 Dirichlet boundary condition, 454

Dirichlet boundary conditions, 378, 477
 discrete points, 345
 discretization, 344
 dispersion, xxi, 133, 138, 196
 dispersive mixing, 129
 displacement gradient tensors, 82
 displacement vector, 458
 divergence theorem, 512
 divergence, xxv, 209
 double-layer potential, 512
 down channel, 252
 drag flow, 249
 drain diameter, 200
 draw down ratio, 269
 draw force, 274
 drop oscillation, 182
 droplets, 129
 DSC, 54, 364
 DTA, 54
 dual reciprocity, 553
 dynamic similarity, 201

E

Einstein's formula, 551
 Einstein's model, 75
 elastic effects, 63
 elastic modulus, 71
 elastic shear modulus, 270
 elastomer, 4, 24, 32
 electron microscopic, 13
 electron microscopy, 138
 electronegativity, 12
 element stiffness matrix, 458
 element, 344
 3D, 487
 isoparametric, 474
 prism, 487
 serendipity family, 487
 tetrahedral, 487
 triangular, 471
 elements, 454
 elongation rate, 71
 elongational deformation, 63
 elongational viscosity, 71
 end-fed-sheeting die, 258
 energy balance, 217
 energy equation, 248
 enthalpy of fusion, 55
 enthalpy of sorption, 97
 equation of motion, 210, 213
 equation
 conservation, 207
 error function, 239
 error, 344
 gross, 344
 minimization, 368
 truncation, 344
 essential boundary condition, 457
 Euclidean distance, 539
 Euler number, 174
 Euler's column buckling formula, 182

- Euler's equation, 180
 exothermic energy, 59
 exothermic heat, 418
 exothermic reaction, 56
 explicit Euler, 410, 468
 extrapolation, 345
 extrudate swell, 67
 extrudate, 186
 extruder, xviii
 - channel flow, 251
 - co-rotating, 113
 - counter-rotating, 113
 - flow, 424
 - grooved feed, 118
 - mixing, 133
 - operating curve, 192
 - operating curves, 186
 - plasticating, 113
 - scaling, 195
 - tasks, 115
 - three-zone, 113
- extrusion die, 67, 122
 extrusion, 112
 - blow molding, 154
 - metering section, 249
 - profiles, 263
 - single screw, 248
- F**
- FAN, 439
 FAN, 493
 FEM
 - 2D, 470
 - 3D, 487
 - b-matrix, 457
 - connectivity, 459
 - constant strain triangle, 470
 - control volume, 493
 - creeping flow, 479, 491
 - global system, 458
 - isoparametric element, 474
 - Maxwell fluid, 504
 - mixed formulation, 491
 - numerical implementation, 458
 - penalty formulation, 479
 - shear thinning, 484
 - viscoelastic, 502
- fiber density continuity, 444
 fiber orientation, 443
 fiber spinning, 151, 266
 - viscoelastic, 269
- fiber-matrix separation, 485
 fibrillic structures, 13
 Fick's first law, 94
 filler, 45
 filling pattern, 500
 film blowing, 152, 271
 film production, 151
 fn, 395
 Finger strain tensor, 82
 finite differences, 385
 - numerical issues, 392
- finite elements, 453
 finite strain tensors, 82
 fitting parameter, 62
 fitting, 367
 - Levenberg-Marquardt method, 369
- five P's, xvii
 flash, 141
 flex lip, 123
 flow analysis network, 439
 flow conductance, 236
 flow density meter, 58
 flow number, 556
 flow parameter, 204
 foaming, 164
 Folgar-Tucker model, 443
 force balance, 211
 force vector, 458, 460
 force, 12
 - dipole-dipole, 12
 - dispersion, 12
 - Van der Waals, 12
 - van der Waals, 94
- forward difference, 386
 Fourier number, 241, 412
 Fourier transform, 516
 Fourier's law, 37, 217
 Fourier-Galerkin, 377
 free volume, 13, 18
 - equilibrium fractional, 62
- freeze-line, 274
 friction properties, 102
 friction, 102
 Froude number, 200
 fundamental solution, 515
 - traction, 535
- G**
- Galerkin method, 376
 Galerkin's weighted residual, 483
 Galerkin-Bubnov, 377
 Galerkin-weighted residual, 503
 Galerkin's method, 456
 Galerkin's method, 467
 Galerkin's weighted residual, 467
 gate, 141, 149, 307
 Gaus-Seidel iteration, 401
 Gauss integration, 484
 Gauss points, 477
 Gauss quadrature, 475
 Gauss theorem, 512
 gaussian quadratures, 364
 Gaussian quadratures, 528
 gear pump, 112
 gel point, 62, 74
 generalized Newtonian fluid, 235
 generalized Newtonian fluids, 213
 geometric variables, 172
 Giesekus model, 77
 glass fiber, 45
 glass fibers, 163

glass mat reinforced thermoplastic, 163
 global basis functions, 358
 global interpolations, 357
 global stiffness matrix, 460
 globular regions, 14
 GMT, 163
 governing equation, xx
 gradient, xxiv
 vector, xxiv
 Gram matrix, 357
 Green's identities
 momentum equations, 534
 Green's first identity, 514, 534
 Green's function, 515
 common operators, 516
 Green's identities, 512
 Green's second identity, 515, 534
 Green-Gauss transformation, 456
 grid diffusivity, 413
 grid Peclet number, 407
 grid, 344, 348, 385
 grooved feed, 118

H

Hagen Poiseuille flow, 305
 Hagen Poiseuille flow, 258
 Hagen-Poiseuille equation, 227, 258
 Hagen-Poiseuille flow, 261, 300
 Hagen-Poiseuille flow, 207
 heat of fusion, 43, 58, 314
 heat penetration thickness, 239
 heat
 released during cure, 59
 heated die, 197
 heating bands, 146
 Hele-Shaw approximation, 399, 473, 477
 Hele-Shaw model, 225, 232, 440, 494
 helical geometry, 249
 helix angle, 257
 Henry's law, 94
 Henry-Langmuir model, 96
 holding cycle, 141
 holding pressure, 141
 Hookean solid, 68
 hopper, 146
 hydrodynamic potentials, 536
 hydrostatic stress, 212

I

ideal mixer, 301
 immiscible fluid, 129
 immiscible fluids, 264
 implicit Euler, 410, 468
 incompressibility, 208
 induction time, 167
 infinite-shear-rate viscosity, 70
 info-travel, 393
 injection molding, 140
 cycle, 141
 machine, 144
 variations, 149

injection unit, 144
 injection
 blow molding, 154
 co-injection, 150
 gas-assisted, 150
 isothermal problems, 303
 multi-color, 150
 multi-component, 150
 thin-wall, 202
 integration
 Simpson's rule, 364
 trapezoidal rule, 364
 internal batch mixers, 131
 internal batch, 133
 interpolating functions, 347
 interpolation, 344
 cubic spline, 354
 global, 357
 Hermite, 352-353
 Lagrange, 345, 350
 linear, 344-345
 order, 347
 polynomial, 345
 radial, 357
 isochronous curves, 495
 isomers, 11
 isoparametric element, 474, 482, 488
 isoparametric interpolation, 522
 isotactic, 9
 isothermal assumption, 248
 isotropic material, 217

J

Jacobi iteration, 401
 Jacobian, 370, 476, 526, 532
 determinant of, 477
 Jeffery orbits, 544

K

Kamal-Sourour model, 372
 Kamal-Sourour, 62
 Kissinger model, 372
 kneading blocks, 131
 knife coating, 160
 knitlines, 493
 Kronecker delta, 212, 352, 502

L

lag time, 100
 Lagrange interpolation, 455
 Lagrange, 347
 interpolation, 347
 laminar mixing, 128
 land, 123
 Laplace equation, 514
 integral representation, 515
 Laplace's equation, 494
 Laplacian, xxv
 leakage flow, 250
 least squares method, 368
 Levenberg-Marquardt method, 369

LFT, 163
 linear viscoelastic models, 75
 liquid crystal, 20
 liquid, 18
 Lodge rubber-liquid, 83
 long fiber reinforced thermoplastics, 163
 lubrication approximation, 223, 319
 lubrication
 dynamic, 225
 geometric, 224
 lumped mass method, 222
 lumped model, 221
 Lyapunov-type, 512

M

macromolecules, 1
 Mallefer screw, 121
 mandrel, 154
 manifold, 123, 258, 262
 angle, 261
 Mark-Houwink relation, 6
 mass matrix, 468
 master curve, 26
 material degradation, 197
 material derivative, 210
 material displacements, 82
 matrix storage, 464
 bandwidth, 465
 matrix transformation, 174
 mean residence time, 198
 mechanical foaming, 165
 Meissner's extensional rheometer, 89
 melt flow index, 7, 86
 melt flow indexer, 86
 melt fracture, 67
 melt removal, 314
 drag, 319
 pressure, 317
 melt, 249
 melting point, 43, 157
 melting zone, 118
 melting, 312
 extruder, 324
 Newtonian, 321
 Power law fluid, 323
 solid bed saturation, 324
 membrane stretching, 271
 memory effects, 66
 memory function, 82
 mesh, 385
 mesomorphic, 20
 metering zone, 121
 MFI, 86
 mid point rule, 351, 363
 midpoint rule, 346
 MINPACK, 371
 mixers
 static, 131
 mixing time, 184, 205
 mixing vessel, 200
 mixing, 125, 252

 devices, 131
 dispersive, 126
 distributive, 126
 head, 131
 interruption, 296
 isothermal, 295
 Maddock, 137
 twin screw extruder, 138
 model simplification, 220
 model, xvii
 mathematical, xix
 physical, xvii
 modeling of data, 367
 modeling, 207
 mold filling, 147, 485, 491
 2.5 model, 493
 3D, 497
 mold, 140, 146
 molding diagram, 141
 molding
 compression, 111
 injection, 111, 140
 injection-compression, 150
 rotational, 166
 molecular architecture, 11
 molecular structure, 1
 molecular weight, 4-5
 number average, 5
 viscosity average, 5
 weight average, 5
 molecule
 non-polar, 12
 polar, 12
 momentum balance, 210, 213
 momentum equations
 integral formulation, 534
 monomer, 2
 morphology, 12
 moving substrate, 161
 multi-component injection, 112
 multi-layered film, 96

N

Nahme-Griffith Number, 188
 Nahme-Griffith number, 309
 natural boundary condition, 457
 natural boundary conditions, 442
 Navier-Stokes equations, 213
 Neumann boundary condition, 454, 473
 Newton's interpolation, 347
 Newton's method, 554
 Newtonian fluid, 68, 218, 262
 Newtonian plateau, 69
 Newtonian viscosity, 64
 nip dimension, 162
 node
 fictitious, 397
 nodes, 396, 454
 non-isothermal flows, 309
 non-isothermal, 247
 non-linear viscoelastic models, 75

non-Newtonian material, 218
 non-Newtonian viscosity, 63
 non-Newtonian, 247
 normal stress differences, 66
 normal stress
 coefficients, 66
 differences, 270
 normal stresses, 63, 65
 notation, xxiv
 Einstein, xxiv
 expanded differential, xxiv
 tensor, xxiv
 nozzle, 146
 nucleation rate, 314
 numerical diffusion, 408
 numerical integration, 360
 Nusselt Number, 180

O

Oldroyd's B-fluid, 77
 open cell, 164
 open discharge, 117
 operating point, 255
 order of magnitude, 220
 over-relaxation technique, 403
 overheating, xxi

P

parison, 111
 parison, 154
 particular integrals technique, 553
 Pawlowski's matrix transformation, 178
 Peclet number, 406, 485, 490, 574
 penalty formulation, 479
 perfect mixer, 301
 period of oscillation, 184
 permeability, 93, 100
 permeation, 96
 Petrov-Galerkin, 377, 489
 Petrov-Garlerkin, 505
 Phan-Thien-Tanner model, 77, 270
 phase, 23
 crystalline, 23
 glassy, 23
 isotropic, 23
 nematic, 23
 smectic, 23
 physical foaming, 164
 physical properties, 172
 Pi-theorem, 172
 pilot operation, xix
 pilot plant, 171
 pipe, 124
 Pipkin diagram, 68
 plasticating unit, 140
 plug flow, 301
 plug-assist, 158
 point collocation, 376
 Poisson's equation, 400, 470, 474, 512
 integral formulation, 516
 Poisson's ratio, 71

polydispersity index, 7
 polymer, 1
 amorphous, 12
 blend, 126
 crystalline, 20
 filled, 41
 mesogenic, 20
 monodisperse, 6
 processes, 111
 reactive, 59
 reinforced, 74
 semi-crystalline, 13
 semi-organic, 2
 structure, 12
 polymerization, 1
 addition, 1
 chain, 2
 classification, 3
 condensation, 2
 degree, 5
 step, 2
 tank, 200
 polynomial
 second order, 346
 porous structure, 164
 power consumption, 186
 power law index, 69, 533
 power law model, 69
 power-law viscosity, 263
 Prandtl Number, 180, 188
 Prandtl number, 202
 preferential flow, 487
 pressure driven flow, 227
 pressure drop, 195
 pressure flow, 249
 non-isothermal, 311
 pressure, 213
 process variables, 172
 prolate spheroid, 544
 pultrusion, 197
 pumping pressure, 186
 pumping zone, 115
 pvT-diagram, 20, 45, 141

Q

quadratures, 360
 quadratures
 gaussian, 364

R

radial basis function collocation, 567
 radial basis functions, 358
 radial flow method, 428
 radial flow, 230
 non-Newtonian, 306
 radiative heaters, 158, 312
 Raleigh disturbances, 204
 ram extruder, 112
 Rayleigh disturbances, 151
 Rayleigh number, 553
 RBF

- 1D, 574
 - calendering, 586
 - energy equation, 570
 - flow problems, 577
 - reaction order, 62
 - recirculating flow, 252
 - relaxation time, 66, 77, 270, 507
 - relaxation, 24
 - time, 25
 - repeat unit, 9
 - residence time, 198
 - cumulative distribution, 301
 - distribution functions, 300
 - ideal mixer, 301
 - tube, 300
 - residual matrix, 182
 - residual stress, 166
 - residual stresses, 197
 - residual, 376
 - retardation time, 77
 - Reynolds number, 171, 174
 - Reynolds Number, 180, 185
 - Reynolds number, 195, 199–200, 202, 234, 553
 - RFM, 567
 - rheology, 63
 - rheometer, 86
 - cone-plate, 87
 - Couette, 87
 - extensional, 87
 - rheometry, 85
 - roll coating, 160
 - rollers, 158
 - rolls, 279
 - rotational molding, 166
 - rotational speed, 184
 - RTD functions, 300
 - external, 300
 - Runge-Kutta, 422
 - runner system, 147
 - multi-cavity, 303
 - runner
 - cold, 147
 - hot, 147
- S**
- saturation capacity constant, 96
 - scale-down, 172
 - scale-up, 171, 195
 - scaling factor, 196
 - scaling, 172, 192, 220
 - Schmidt Number, 185
 - scope, xx
 - screw channel, 121
 - screw flight, 187
 - screw speed, 187
 - screw, xviii
 - characteristic curve, 117
 - extruder, xviii
 - mixer, xxi
 - pump, xxii
 - second invariant, 64
 - secondary shaping operations, 150
 - self-diffusion, 102
 - series resistances, 222
 - shape functions, 455, 467, 475, 503, 522
 - shaping die, 112
 - shark skin, 67
 - shear flow
 - isothermal, 309
 - oscillatory, 78
 - shear modulus, 18, 20, 71
 - shear stress, xxii
 - shear thinning, 63, 192, 266, 301, 484
 - shear-thinning, 14
 - shearfree flow, 78
 - shearing flow, 78
 - sheet molding compound, 163
 - shift factor, 26
 - shrinkage, 141, 263, 305
 - similarity, 192, 195
 - types, 195
 - simple shear flow, 258
 - Simpson's rule, 364
 - single-layer potential, 512
 - sink marks, 144
 - sketch, xx
 - slenderness ratio, 180
 - slide coating, 160
 - slit flow, 225, 258
 - SMC, 163, 420, 445
 - smooth surface, 521
 - solid agglomerate, xxi
 - solid pellets, 324
 - solid, 18
 - solidification, 18, 312
 - solids conveying zone, 113
 - sorption constant, 100
 - sorption, 94
 - equilibrium parameter, 94
 - sparse matrices, 461
 - specific heat, 37, 43, 55, 102, 187
 - specific volume, 48
 - spectral methods, 377
 - spherulite, 20
 - spinnerette, 266
 - spring-dashpot, 27
 - sprue bushing, 146
 - spurt flow, 67
 - square pitch screw, 249
 - stability, 392, 411, 424
 - Staudinger's rule, 6
 - steady shear flow, 78
 - Stefan condition, 320
 - stick-slip effect, 67
 - stirrer, 184
 - stirring, 252
 - Stokes doublet, 535
 - Stokes flow, 482
 - Stokes' equations, 534
 - Stokeslet, 535, 539
 - strain rate tensor, 64
 - strain rate, xxvi, 64

stress relaxation, 24
 Stresslet, 535
 striation thickness, 296
 striations, 133
 structure
 deformed crystal, 14
 shish-kebab, 14
 single crystal, 14
 spherulite, 14
 substantial derivative, 210
 successive over-relaxation, 401
 surface tension, 90, 184, 268
 surface
 Kellog type, 524
 Lyapunov type, 524
 suspended particles, 544
 suspension
 rheology, 74, 545
 suspensions, 544
 swell, 67
 symmetry, 222
 syndiotactic, 9

T

tacticity, 9
 Tait equation, 48
 target quantity, 172
 Taylor table, 388
 Taylor-series, 387
 Telles' transformation, 539
 temperature, 18
 crystallization, 58
 glass transition, 18, 20, 55, 58, 97, 157
 melting, 18, 20, 58
 solidification, 18
 tensile stresses, 211
 tensiometer, 92
 terpolymer, 2, 16
 tetrahedral geometry, 9
 TGA, 57
 thermal conductivity, xxii, 102, 187, 239, 248
 thermal diffusivity, 314, 412
 thermal equilibrium condition, 221
 thermal expansion, 47, 51, 56
 thermal penetration, 53
 thermal transition, 18
 thermoforming, 111, 157, 271, 277
 vacuum, 158
 thermogravimetry, 57
 thermomechanical, 56
 thermoplastics, 2, 29
 thermoset, 2, 24, 31
 thermosetting resin, 197
 thin plate splines, 569
 threads, 131
 time scale, 24
 time to gelation, 330
 time-temperature superposition, 5, 24
 time-temperature-transformation, 61
 TMA, 56
 toggle mechanism, 146

total stress, 212
 transition zone, 113
 transport phenomena, 207
 trapezoidal rule, 364
 tribology, 224
 Trouton viscosity, 71
 truncation error, 392
 TTT diagram, 331
 TTT, 61
 tube flow, 227
 tubular film, 124
 twin screw extruder, 113
 twin screw
 co-rotating, 139
 counter-rotating, 140

U

uncross-linked, 2
 under-relaxation technique, 403
 unidirectional flow, 225
 up-winding, 408, 485
 upper convective model, 77
 upper-convective derivative, 503
 upwinding, 489

V

velocity gradient, xxvi
 viscoelastic stress, 503
 viscoelastic, 24, 63, 247
 behavior, 24
 viscoelasticity, 66, 75
 differential model, 75
 integral model, 75
 viscometer, 68
 capillary, 86
 viscosity
 elongational, 71
 flow model, 68
 kinematic, 184
 reacting polymer, 74
 viscous dissipation, 196, 217–218, 239, 248, 309, 426,
 454, 502, 583
 viscous friction, xxi
 viscous heating, xxii
 vitrification line, 62
 volumetric throughput, 186
 vorticity, xxvi
 vulcanization, 59

W

warpage, 144
 warpage, 166, 197, 263
 wear, 104
 weighted average total strain, 556
 weighted residuals, 376
 Weissenberg numbers, 505
 wetting angle, 91
 projector, 91
 White-Metzner model, 77–78, 270
 Williams-Landel-Ferry, 26
 wire coating, 112, 160, 289

WLF equation, 26, 70, 500

Y

yield stress, 70

yield stress, 75

Young's modulus, 180

Z

zero-shear-rate viscosity, 69