

PHYSIOLOGICAL ASPECTS OF SPORT TRAINING AND PERFORMANCE

Jay Hoffman, PhD
College of New Jersey



Human Kinetics



CONTENTS

Introduction	vii	
PART I	PHYSIOLOGICAL ADAPTATIONS TO EXERCISE	1
Chapter 1	Neuromuscular System and Exercise	3
Chapter 2	Endocrine System and Exercise	15
Chapter 3	Metabolic System and Exercise	27
Chapter 4	Cardiovascular System and Exercise	39
Chapter 5	Immunological System and Exercise	57
PART II	EXERCISE TRAINING PRINCIPLES AND PRESCRIPTIONS	69
Chapter 6	Principles of Training	71
Chapter 7	Resistance Training	77
Chapter 8	Anaerobic Conditioning and the Development of Speed and Agility	93
Chapter 9	Endurance Training	109
Chapter 10	Concurrent Training	121
Chapter 11	Periodization	131

Chapter 12	Plyometrics	143
Chapter 13	Warm-Up and Flexibility	155
Chapter 14	Athletic Performance Testing	169
PART III	NUTRITION, FLUID REGULATION, AND ERGOGENIC AIDS	185
Chapter 15	Sports Nutrition	187
Chapter 16	Hydration	201
Chapter 17	Ergogenic Aids	211
PART IV	ENVIRONMENTAL FACTORS	225
Chapter 18	Exercise in the Heat	227
Chapter 19	Exercise in the Cold	237
Chapter 20	Exercise at Altitude	247
PART V	MEDICAL AND HEALTH CONDITIONS	259
Chapter 21	Overtraining	261
Chapter 22	Diabetes Mellitus	273
Chapter 23	Exercise-Induced Asthma	283
References		291
Index		329
About the Author		343

INDEX

Note: Page numbers followed by *t* or *f* refer to the table or figure on that page.

A

- A band 4
- absolute training stimulus 72
- acceleration 101, 144
- acclimation 231
- acclimatization 228, 231, 248
 - to cold 240-241
- acetylcholine 6, 42
- acetyl coenzyme A 30
- achilles tendon exercises, posterior lower leg and 163
- acid/base balance 36
- acidosis 245
- ACTH. *See* adrenocorticotrophic hormone
- actin 4
 - interaction with myosin 6*f*
- action potential 5-6, 40
 - sequence of events 9*f*
- active rest 133
- active sites 5
- acute exercise, cardiac output during 46-49
- acute hypothermia 244
- acute mountain sickness (AMS) 256-257
- acute phase proteins 62
 - exercise and 65
- acute program variables 72
- adaptations 132, 262
- adaptive immune system 58
- adductor exercises 164
- adenosine diphosphate (ADP) 5, 28
- adenosine triphosphate (ATP) 5, 28, 110, 122
- ADH. *See* antidiuretic hormone
- adherence 64
- adhesions 159
- adipocyte hypertrophy 275
- adipose 188
 - tissue 28
- ADP. *See* adenosine diphosphate
- adrenal
 - cortex 22
 - glands 216
- adrenocorticotrophic hormone (ACTH) 22
- aerobic capacity ($\dot{V}O_2$ max) 72, 110
 - comparison of sedentary individuals to elite runners 111*f*
 - maximal 111*f*, 175-178
- aerobic endurance 141
 - maximal 175-178
- aerobic exercise, in cold 241
- aerobic metabolism 7
- aerobic performance 205-206
- aerobic power 229
- aerobic training 28
- afterload 50
- agility 78, 94, 180
 - development of 102-108
 - standards for 180*t*
 - T and side shuffle drills 105*f*
- agonist 10
 - muscle groups 79, 144
- airway drying 286
- alarm phase 132
- albumin 196
- aldosterone 24-25
- allergens 284-285
- all-or-none law 6

- allosteric modulation 16
- altitude
- acclimatization to 252-255
 - acute exposure and 257-258
 - anaerobic performance and 252
 - athletic performance and 251-252
 - cardiovascular and hematological changes 254
 - cardiovascular response to 251
 - endurance performance and 251-252
 - maximal aerobic power changes 252*f*
 - metabolic and neuromuscular changes 254-255
 - metabolic response 251
 - physiological response to 249-251
 - respiratory changes 253-254
 - respiratory response to 250-251
 - sudden exposure to 249*f*
 - training and 256
 - $\dot{V}O_2$ max 252
- alveoli 44
- ambient temperature 248
- amino acids 18, 212
- essential and nonessential 189, 189*t*
- amphetamines 212
- AMS. *See* acute mountain sickness
- anabolic exercise 18
- anabolic hormones 128
- anabolic precursors 213
- anabolic steroids 212, 215-220
- androgenic 216
 - cycling of 217
 - dose response curve 217*f*
 - health risks 218
 - oral and parenteral 216*t*
 - short-term effect 218*f*
 - side effects 218-220
 - strength and size gains from 217-218
- anaerobic activity 7
- anaerobic conditioning 94-100
- exercises for 100-101
- anaerobic exercise 230
- aerobic fitness and fatigue rates 118*f*
 - in cold 243
- anaerobic fitness 174-175
- anaerobic performance 206-208
- in hot, dry conditions 231*f*
- anaerobic power 86, 174-175, 206
- anaerobic sports 94, 118
- individual 98-100
- anaerobic threshold 112
- anaerobic training 28
- physiological adaptations to high intensity 94*t*
- anaphylatoxins 62
- androgens 18
- administration of 216
- androstenedione 213, 220
- anemia 192
- angiotensin II 24-25
- antagonists 10
- muscle groups 79, 144
- anticholinergics 288
- antidiuretic hormone (ADH) 24
- antigens 58
- antioxidants 191, 212
- A_1 -antitrypsin 62
- aorta 40
- arginine vasopressin (AVP) 24
- arterial saturation (SaO_2) 250
- arterial system 43
- arteries 43
- arterioles 43
- arteriovenous oxygen difference 49
- asthma
- exercising with 288-289
 - factors modifying response to 286-288
 - nonpharmacological therapy 288-289
- asthmogenic activities, high and low 289*t*
- asthmogenicity 289
- Astrand cycle ergometer protocol 177*f*
- athletic profile 170
- atmosphere model 248*f*
- ATP. *See* adenosine triphosphate
- ATP-PC. *See* phosphagen energy system
- atrial 40
- atria synctium 41
- atrioventricular node (AV node) 41
- atrium 40
- atrophy 127
- autonomic nervous system 43
- AV node. *See* atrioventricular node
- AVP. *See* arginine vasopressin
- axons 6
- B**
- ballistic movement 156
- stretching 157-158
 - training 146, 147*f*
- barometric pressure 248
- oxygen pressure and 248*t*
- basal metabolic rate 128
- effect of concurrent training on 128-129
- basketball 94-95
- anaerobic program 96*t*
 - speed and agility changes 108*f*
- basophils 58
- B cells 58, 60
- behind neck stretch 167
- β -adrenergic receptors 267
- β_2 -adrenergic receptors 288

- β_2 -agonists 220-221, 288
 - β -blockers 224
 - β -carotene 191
 - β -cells 22, 274
 - β -hydroxy- β -methylbutyrate (HMB) 213, 222
 - β -oxidation 30
 - BIA. *See* bioelectrical impedance analysis
 - bicarbonate
 - buffers 36
 - ions 46
 - loading 222
 - bicuspid valve 40
 - bi-cycle periodized training program 140*f*
 - bioelectrical impedance analysis (BIA) 182-184
 - bioenergetics 28
 - biomechanical analysis 78
 - blood doping 212, 223
 - run time effect 223*f*
 - blood lactate
 - changes after detraining 75*f*
 - concentrations 37*f*
 - response in endurance athletes 113*f*
 - blood pressure 43-44, 53
 - response 49-50, 50*f*
 - systolic 43
 - blood volume 55, 55*f*
 - BMR. *See* basal metabolic rate
 - body composition 72, 128, 180-184
 - men and women 181*t*
 - body density, conversion to % body fat 183*t*
 - body fat
 - computing percentage with regression equations 182-183*t*
 - male and female descriptive data 181*f*
 - body fluid losses, partitioning of 203*f*
 - body size 170
 - Bohr effect 45
 - Boyle's law 248
 - bradycardia 42
 - bronchi 44
 - bronchioles 44
 - bronchoconstriction 28
 - bronchospasm 284
 - Bruce treadmill protocol 176*f*
 - buffering capacity 250
 - bundle branches 42
 - bundle of His 41
 - butterfly stretch 164
 - buttocks exercises 165-166
- C**
- Ca^{2+} 7*f*
 - caffeine 213, 221-222
 - calcium 192
 - capillaries 43
 - capillary density 31-32, 255
 - carbaminohemoglobin 46
 - carbohydrates 22, 188
 - metabolism 274
 - metabolism and exercise 277
 - oxidation and temperature 241*f*
 - supplementation exhaustion effect 199*f*
 - utilization 33-34, 194-196, 194*f*
 - carbon dioxide 30
 - release 47*f*
 - transport 45-46
 - carbonic acid 46
 - cardiac cycle 40-41, 42*f*
 - cardiac drift 49
 - cardiac morphology 53-54
 - cardiac output 42-43
 - altitude effect 251
 - distribution 44*f*, 49-50
 - exercise intensity and 47*f*
 - heat effect 229
 - hypohydration effect 203
 - males 43*t*
 - training effect on 52-53
 - cardiovascular adaptations 52*t*
 - cardiovascular response 46-50, 52-54
 - cardiovascular system 40-44
 - carotid body 253
 - carryover 72
 - catabolic effect 18
 - catabolic hormones 128
 - catabolic pathways 213
 - catecholamines 22-24, 267, 277, 284
 - CD. *See* clusters of differentiation
 - ceruloplasmin 62
 - Charles' law 248
 - chemotactic 58
 - chemotaxis 62
 - chest exercises 166
 - chilblain 243, 246
 - cholesterol 216
 - chronic hypothermia 244
 - chronotropy 42
 - circulation, systemic 40
 - citrate synthase reaction 30
 - clenbuterol 220-221
 - clusters of differentiation (CD) 60
 - CMJ. *See* countermovement jump
 - cold
 - anesthesia 245
 - environment exercise recommendations 246*t*
 - exercise performance in 241-243
 - immersion effect on peak torque 243*f*
 - medical concerns regarding injuries from 243-246

- cold (*continued*)
 metabolic rate during exposure to 239*f*
 physiological responses to 238-240
 stress, heat loss, and 238
- collagen 159
- competitive phase 132
- complement
 exercise and 65
 system 58, 61-62
- compound setting 79
- concentric hypertrophy 54
- concentric muscle action 78
- concentric training 144
- concurrent strength, effect on $\dot{V}O_2$ max 122
- concurrent training 122
 effects on trained subjects 124*f*
 effects on untrained subjects 124*f*
 hormonal and muscle fiber response 129*f*
- conditioning 98
- conduction 41-42, 228
- conductive mechanisms 238
- connective tissue 4, 156
- contraction
 phase 40
 velocity 170
- convection 228
- convective mechanisms 238
- core body temperature 228, 238
- cortisol 17, 22-23, 128, 266
- Costill and Fox treadmill protocol 176*f*
- countermovement jump (CMJ) 145*f*, 146
- C-reactive protein 62
- creatine 28, 212
 kinase 28
 supplementation 213-214
 body mass changes from 215
 muscle mass effect 215*f*
 muscle strength gains from 214*f*
 performance and 214-215
 side effects of 215
- cross-bridges 4
- cross-country runners
 Division I training 117*t*
 volume 118*f*
- cross-reactivity 17
- cross-training 113, 116-117
- cyclic AMP 18
- cycling, of anabolic steroids 217
- cytokines 59-61
 exercise and 65
 functions 61*t*
 proinflammatory 65
- cytotoxicity 59
- D**
- Dalton's law 248
- deamination 197
- deep frostbite 245
- degranulation 62
- dehydration 24, 202
 anaerobic power outputs and 206*f*
 basketball performance and 208*f*
 fluid regulatory response to 25*f*
 physiological effects of and warning signs 204*t*
 running times and 206*f*
- dehydroepiandrosterone (DHEA) 220
- dendrites 6
- depolarization 5
- desmosomes 40
- DHEA. *See* dehydroepiandrosterone
- diabetes
 exercise and 277-281
 effect on type 1 277
 effect on type 2 279-281
 treatment and management of 276-277
- diabetes mellitus
 overview 274-277
 statistics on 274
 type 1 274
 type 2 274-276
- diaphragm 44
- diastasis 40
- diastole 40
- diastolic blood pressure 43
- diffusion capacity 253
- disaccharides 188
- dissipation 228
- distance runners training methods 117*f*
- diuresis 251
- dosing 216-217
- double-leg lower-back stretch 166
- down-regulation 17
 of insulin 275
- drag 252
- duration 78
- dynamic constant resistance 171
 testing 172-173
 training 82-83
- dynorphins 26
- dysplasia 12
- E**
- eccentric contraction 144
- eccentric hypertrophy 53
- eccentric muscle action 78
- eccentric training 83
- edema 246
- Edgren side-step test 180*f*

- EDV. *See* end-diastolic volume
- EF. *See* ejection fraction
- EIA. *See* exercise-induced asthma
- ejection fraction (EF) 41
- elastic energy 144
- elasticity 156
- elastic tissue 159
- electrolytes
- balance 24, 204-205
 - concentrations 205*t*
 - losses 232
 - replacement drinks 209-210
- electrons
- transport chain 30, 32*f*
- end-diastolic volume (EDV) 41, 48
- endocrine glands 16, 17*t*
- endocrine system 16-18
- endomysium 4
- endorphins 26
- endothelial cells 43
- end-systolic volume (ESV) 41
- endurance 262
- athletes, compared to strength/power athletes 263-264
 - exercise prescription 113-116
 - performance factors of 110-113
 - training 28, 122
 - for anaerobic athletes 118
 - periodized program 141, 141*f*
 - physiological adaptations to 110-113
 - programs 116-118
 - strength sequence 125-126
- energy 28
- energy sources
- ATP-PC 28-29
 - glycolytic 29-30
 - interaction of 30
 - oxidative 30
- enkephalins 26
- eosinophils 58
- ephedrine 213, 221-222
- epimysium 4
- epinephrine 16, 267
- ergogenic effect 248
- ergolytic effect 224
- erogenic aids 74, 212
- side effects of 212
- erogenic drug use, college athletes 212*f*
- erythropoietin 212, 223
- ESV. *See* end-systolic volume
- euhydration 202
- evaporation 228
- cooling 202
 - heat loss 238
- exercise
- acute response 18-19, 21
 - duration of 113-14
 - economy in 110, 113, 122
 - enhanced insult sensitivity after 277*f*
 - long-term adaptations to 21
 - long-term response to 20
 - prescriptions 94, 112, 132, 150
 - specific types
 - achilles tendon 163
 - acute 46-49
 - adductor 164
 - aerobic 110, 241
 - anabolic 18
 - anaerobic 35-37, 100-101, 118*f*, 230, 243
 - buttocks 165-166
 - chest 166
 - endurance. *See* endurance
 - external rotator stretch 167
 - flexibility 163-167
 - gastrocnemius 163-164
 - hamstring 158*f*, 163-164
 - high-intensity 36-37
 - hip flexor 165
 - lower back 165-166
 - neck 167
 - pectoralis stretch 166
 - plyometrics 151-154
 - quadriceps 165
 - semistraddle 163-164
 - shoulder 166-167
 - sitting toe touch 164
 - slow static stretching 156-157
 - straddle 164
 - stretch-shortening 144
 - triceps 167
 - exercise hyperpnea 51*f*
 - exercise-induced asthma (EIA) 284-285
 - diagnosis of 286
 - mechanisms 287*f*
 - pathophysiology of 285-286
 - treatment of 288
 - exhaustion 132
 - external intercostal 44
 - external rotator stretch 167
 - extracellular fluid 202
- F**
- fartlek 100
 - fascia 159
 - fasciculus 4
 - fast glycolytic 7
 - oxidative 7

- fast-twitch fibers 7
 - muscle 108
 - type II 111
- fatigue 95
 - exercise duration and 114
 - dehydration and 205
 - free radicals and 191
 - heat and 230
 - index 174
 - overtraining and 262
 - rates 170
- fats 188-189
 - utilization of 34-35, 196-197
- fatty acids 188
- FEV. *See* forced expiratory volume, in first second
- FEV%. *See* forced expiratory volume, percent
- fibers 4, 188
 - composition 170
 - type I 112*f*
 - type of 110
- fibroblasts 60
- fibrous cartilage 159
- Fick equation 49
- fitness components 78
- flexibility 78, 156
 - assessment of 160-161
 - exercises for 163-167
 - factors affecting 158-159
 - kinesiological 159
 - physiological 159
 - strength/power production and 161-163
- flight phase 101
- fluids
 - consumption of 208
 - and gastric emptying 209*f*
 - palatability of 208
 - regulatory hormones for 24-26
 - replacement of 208-210
 - temperature of 208
- flying starts 100
- food supplements, 199
- football 95-98
 - drive charts 97*f*
 - NCAA Division III series and plays 98*t*
- foot contacts 150
- force 144
 - capability 83
 - development 156
 - production 170
 - velocity curve 83*f*
- forced expiratory volume
 - in first second (FEV) 284
 - percent (FEV%) 284
- four corner drill 105
 - agility 106*f*
- Frank-Starling mechanism 48
- free fatty acids 30, 274
- free radicals 191
- frequency 72
 - of training 150-151
- frostbite 243-245
- frostnip 244
- G**
- gangrene 246
- gap junctions 40
- GAS. *See* General Adaptation Syndrome
- gases, pressure differentials in 45
- gastric emptying 202
- gastrocnemius exercise 163-164
- General Adaptation Syndrome (GAS) 132, 132*f*
- general preparation 132
- genetic ceiling 74
- GH. *See* growth hormones
- globin molecule 46
- glucagon 277
- glucocorticoids 288
- gluconeogenesis 22, 29, 196, 274
- glucose 16, 188
 - alanine cycle 197
 - levels 274
 - 1-phosphate 29
 - polymers 209*f*
 - 6-phosphate 29
- glucosuria 274
- GLUT 4 transporter protein 280
- glycemic control 277
- glycemic index 199
- glycerol 30, 188
- glycogen 22, 28, 188
 - depletion 202
 - hypohydration effect on resynthesis 204*f*
 - levels 269
 - loading 196
 - phosphorylase activity 277
 - synthesis 274
 - synthetase 195
- glycogenolysis 274
- glycolysis 29, 95
 - ATP from 32*t*
- glycolytic energy
 - pathway 29*f*
 - system 28
- glycolytic enzymes 33
 - capacity 122
- glycoproteins 60
- golgi tendon organs 8, 144, 156

granulocytes 58
 growth hormones (GH) 18, 20-21

H

HACE. *See* high altitude edema, cerebral
 hamstring exercises 163-164

adductors and 164
 stretch 158*f*

HAPE. *See* high altitude edema, pulmonary
 heart 41*f*

morphology of 40
 heart rate 53, 115-116
 cardiac output and 251
 conduction and 41-42
 during acute exercise 46-48
 exercise intensity and 47*f*, 48*f*
 oxygen consumption and 115*f*
 reserve (HRR) 115

heat

acclimatization 231-233, 232*t*
 aerobic exercise and 229-230
 anaerobic exercise in 231
 blood distribution in 230*f*
 cardiovascular response to 229
 cramps 233
 dissipation 228
 exchange 229*f*
 illnesses 233-235
 performance and 229-231
 physiological response to 228-229
 syncope 234-235

heat exhaustion 234

risk of 235*f*
 warning signs 235*t*

heat stress 228

monitoring 235-236

heatstroke

exertional 234
 risk of 235*f*
 warning signs 235*t*

hematocrit 55

heme molecule 46

hemoglobin 189

high altitude edema

cerebral (HACE) 258
 pulmonary (HAPE) 258

high-intensity exercise

buffering capacity 36-37
 oxidative enzymes 36

high-intensity training

ATP-PC adaptations 35
 glycolytic system adaptations 35-36

hip flexor exercises 165

histamine release 286

HMB. *See* β -hydroxy- β -methylbutyrate

homeostasis 16, 228

thermal 238

hormonal adaptations, concurrent training 128

hormonal concentrations, circulation changes
 16-17

hormone-receptors

complex 18
 interaction 19*f*

hormones 17*t*, 18

secretions 16, 16*f*
 types of 17-18

HRR. *See* heart rate reserve

hurdler's stretch 165

hydration 228

hydrostatic weighting 182

hyperemia 240, 286

hyperglycemia 274

hyperinsulinemia 275

hyperosmolarity theory 285

hyperthermia 228

subacute 244

hypertrophy 80, 127

phase 133

hyperventilation 250, 285

hypervolemia 55

hypobaric environment 248-249

hypoglycemia 277

hypohydration 202

performance and 205-208

physiological effects 203-204

hyponatremia 210

hypothalamic-pituitary-adrenal/gonadal axes,
 overtraining and 268*f*

hypothalamic-pituitary dysfunction 268

hypothalamus 268

hypothermia 239, 244

clinical features 245*t*

hypoxia 245, 249

symptoms of 250*t*

H zone 4

I

I band 4

iceberg profile 269

IDDM. *See* insulin-dependent diabetes mellitus

IFN. *See* interferons

IGFs. *See* insulin-like growth factors

IL. *See* interleukins

immersion foot 243, 246

immune response

to exercise 62-68

exercise-induced suppression 67*f*

- immune system, cells of 58-59
immunoglobulins
 classes of 60
 exercise and 65-66
 functions 61*f*
impulse 144
individuality principle 73-74
inferior vena cava 43
innate immune system 58
inorganic phosphate (Pi) 5
inotropy 42
inspiration 44-45
insulin 16, 22, 188
 deficiency effect, acute 275*f*
 resistance 274
insulin-dependent diabetes mellitus (IDDM) 274
insulin-like growth factors (IGFs) 22
intensity
 of activity 78
 of exercise 284
 aerobic 110
 movements 94
 of training 132, 144, 262
intercalated disks 40
interferons (IFN) 60
interleukins (IL) 60
internal intercostal 44
internodal pathways 41
interstitial fluid 202
interval sprints 100
interval training 100*f*
interventricular septum 40
intracellular fluid 202
intrafusal fibers 8, 156
intrapulmonary pressure 45
iron 192
islets of Langerhans 22, 274
isokinetic testing 171-172
isokinetic training 84
isometric muscle action 78
isometric training
 benefits 82
 limitations 82
isotonic contraction 82
- J**
joint angle 72
joint structure 159
jump performance
 training styles compared 146*f*
 foot contacts by season 150*f*
- K**
ketone bodies 274
ketosis 274
- khellin derivatives 288
Krebs cycle 30, 31*f*
- L**
lactate
 concentrations 21, 269
 dehydrogenase 35
 production 37
 threshold 110, 112-113, 122
lactic acid 30
larynx 44
lateral shoulder stretch 166
L-drill 106-108
leukocytes
 clusters of differentiation on 60
 distribution of 58*f*
 response to acute exercise 62-63
 response to long-term training 63-64
 types of 58-59
ligaments 159
line drill 175*f*
lipids 188
 metabolism of 274
lipolysis 30, 196
LH. See luteinizing hormone
Lock-and-key theory 17
lower back exercises 165-166
lumen 40
luteinizing hormones (LH) 18
lying achilles stretch 163
lymphatic tissue 58
lymphocytes 58, 59-60
lymphoid lineage 58
lysis 61
lysosomes 59
lysozymes 58
- M**
macrominerals 192
macrophages 59
main competition phase 132
maintenance phase 134
major histocompatibility complex (MHC) 60
mast cells 59, 286
Matveyev, Leonid 132-141
 Model of Periodization 133*f*
maximal aerobic capacity 110-111, 122
 effect of concurrent training on 123*f*
maximal aerobic capacity (VO_2) 229
maximal aerobic power 205
maximal heart rate 115
maximal oxygen consumption 284
maximal oxygen uptake 176*f*
maximal strength, effect of concurrent strength
 and endurance training on 123-125

mean power 174
 medical analysis 78
 medullary fibers 6
 mesocycles 133
 metabolic acidosis 274
 metabolic adaptations
 to anaerobic exercise 35-37
 endurance training 31-35
 metabolic changes 28
 metabolic heat 238
 metabolic rate 228
 metabolism 28
 metarterioles 43
 microcycles 134
 microminerals 192
 minerals 188, 192-194
 functions and requirements 193
 minute ventilation 51, 54-55, 241
 temperature and 241*f*
 mitochondrial content 111
 mitochondrial function 32-33
 mitral valve 40
 MNC. *See* major histocompatibility complex
 monocyte 137
 monocytes 58
 monosaccharides 188
 morphological changes 28
 motor units 6, 8*f*
 muscle enzyme concentrations, changes in 36*f*
 muscle fibers
 altitude and size 255*f*
 changes in 13*f*
 concurrent training effect on characteristics of
 126-128
 effect of concurrent training on alterations of
 127*f*
 size principle 8
 types 7-8, 111-112
 I and II 9*f*, 127
 muscle glycogen
 exercise duration and 195*f*
 use in exercise 195*f*
 muscles
 action types 78
 agonist and antagonist groups 156
 changes and altitude 255*f*
 concurrent training effect on growth 126-128
 contraction of 4-5
 relation of groups and 156
 cross-sectional area 159
 fibers. *See* muscle fibers
 force 18
 glycogen. *See* muscle glycogen

origin and insertion 159
 pH 30
 power 156
 proprioceptors 8-10, 157*f*
 recruitment 8
 spindles 8, 156
 strength of 156
 stretch of 156
 structure of 4, 4*f*
 synergistic groups 144
 muscle-tendon complex 10, 156
 myelin sheath 6
 myeloid lineage 58
 myoblasts 13
 myocardium 40
 myofibrils 4
 myofilaments 4
 myoglobin content 32
 myokinase 35
 myosin
 ATPase 5
 heads 4
 myotubes 13

N

natriuresis 251
 natural killer (NK) cells 58, 60
 neck exercises
 flexion and extension 167
 rotational stretch 167
 needs analysis 78, 94
 negative feedback 16
 nervous system, sympathetic 42, 264
 neural and muscular adaptations 11*f*
 neuroendocrine system 266
 neuromuscular adaptations
 electromyographic changes 11
 fiber-type conversions 14
 inhibitory mechanisms 11
 muscle hyperplasia 13-14
 muscle hypertrophy 12-13
 neural 10
 recruitment patterns 11
 skeletal muscle 12-14
 synchronization 11
 neuromuscular system 5-7
 neurons 6
 NIDDM. *See* non-insulin-dependent diabetes
 mellitus
 nitric oxide 59
 NK. *See* natural killer cells
 nociceptors 30
 nodes of Ranvier 6
 nonevaporation 228

- non-insulin-dependent diabetes mellitus (NIDDM) 274
 - insulin and glucose reaction to exercise 280*f*
 - potential mechanisms for onset 276*f*
- nonmedullary 6
- norepinephrine 267
- neuromuscular junctions 6
- nutrients
 - classes and functions of 188-194
 - utilization 194-198
- nutritional intake
 - postcompetition 199-200
 - precompetition 198-199
 - timing of 198-200
- nylate cyclase 18
- O**
- OBLA. *See* onset of blood lactate accumulation
- onset of blood lactate accumulation (OBLA) 112
- opioids 26
- opsonin 61
- opsonization 61
- osmolality 24, 203, 210
- osmoreceptors 203
- osmotic diuresis 274
- overcompensation 263
- overload principle 72
- overreaching 95, 262
- overtraining 132
 - autonomic nervous system disturbances 264-266
 - basketball team monitoring 271*f*
 - biochemical disturbances 269
 - definitions of 262-263
 - immunological disturbances 269
 - major symptoms 265-266*t*
 - neuroendocrine disturbances 266-268
 - performance and 262*f*
 - indicators 269
 - tests for 271*f*
 - psychological disturbances 269
 - recognition of 264-270
 - susceptibility to 263-264
 - syndrome 95, 123, 262
 - treatment for 270
- oxidation 197
 - energy system 28
 - enzymes 33, 255
 - metabolism, ATP from 32*t*
- oxygen
 - consumption ($\dot{V}O_2$) 46
 - content in acclimatized subjects 254*f*
 - radicals 59
 - saturation 46*f*
 - transport 45?46
 - uptake, temperature, and 241*f*
- oxytocin 16
- P**
- P. *See* power
- palmitic acid 30
- pancreas 274
- parasympathetic nervous system 42, 264
- partial pressure 45, 248
- partner-assisted stretches
 - calf 163
 - internal rotator 166
- pathogens 58
- PC. *See* phosphocreatine
- peak expiratory flow rate (PEFR) 284
 - asthmatic and nonasthmatic subjects 284*f*
- peaking phase 133
- peak power 174
- pectoralis stretch with partner 166
- PEFR. *See* peak expiratory flow rate
- peptides 17
- percent body fat 182
- performance testing, 170-171
- perimysium 4
- periodization 132-141
 - efficacy of 134-137
 - models 133*f*
 - entire season training 134*f*
 - linear, nonlinear, and undulation 137-141
 - strength training program, volume and intensity 134*t*
- periodized training
 - for endurance 141, 141*f*
 - nonlinear 137*t*
 - resistance studies 135-136*t*
 - for single event 139
 - for special event 139-141
 - for team sport 137-139, 138*f*
- peripheral resistance 43
- pernio 246
- phagocytes 58
 - action 59*f*
 - cell function, exercise training and 64-65
- phagocytosis 58-59
- pharynx 44
- phosphagen energy system (ATP-PC) 28
 - PC relationship 29*f*
- phosphatase 195
- phosphocreatine (PC) 28
 - system 95
- phosphofructokinase 35
- phospholipases 58
- phosphorus 192

- phosphorylase 29, 195
 - phosphorylation 28
 - physiological analysis 78
 - Pi. *See* inorganic phosphate
 - pituitary glands 18
 - pituitary insensitivity 268
 - planes 159
 - plasma 46, 202
 - renin activity (PRA) 25
 - volume 251
 - pleural sacs 44
 - plyometrics 144
 - drills 152-153*f*
 - exercises 151-154
 - resistance training and 151
 - plyometric training 87
 - integration of 147, 151
 - program design 149-150
 - risk of injury 149-150
 - scientific basis for 144-147
 - strength training and 151-153*f*
 - PO₂. *See* pressure of oxygen
 - polypeptides 20
 - polysaccharides 188
 - POMC. *See* proopiomelanocortin
 - POMS. *See* profile of mood states
 - positive feedback 16
 - power (P) 78
 - expression of 86
 - muscle temperature and 243
 - training programs 144
 - velocity curve 86*f*
 - PRA. *See* plasma renin activity
 - precompetition phase 132
 - pre-exhaustion training 79
 - pregnenolone, conversion pathways 216
 - preparatory phase 132, 133
 - prescription 72
 - pressure gradient 45*f*, 248
 - pressure of oxygen (PO₂) 248
 - prestretch 144
 - pretraining status 73, 80
 - principle of diminishing returns 74
 - profile of mood states (POMS) 269
 - progression principle 72-73
 - endurance training and 73*f*
 - progressive overload 73
 - proopiomelanocortin (POMC) 26
 - proprioceptive neuromuscular facilitation (PNF) 158
 - hamstrings stretch 158*f*
 - proprioceptors 156
 - prostaglandins 285
 - proteases 58
 - proteins 189
 - synthesis 17, 128, 216
 - after postexercise supplements 200
 - utilization 197-198
 - by endurance athletes 198
 - by strength/power athletes 197-198
 - proteolytic fragments 65
 - protons 30
 - pulmonary circulation 40
 - pulmonary ventilation 51
 - Purkinje fibers 41
 - pyramiding down 217
 - pyruvate 34
 - pyruvic acid 29
- Q**
- quadriceps exercises 165
 - and iliopsoas 165
 - quick feet 106
 - agility drills 107*f*
- R**
- radiation 228
 - range of motion (ROM) 78, 156, 159
 - healthy adult values 161*f*
 - rating of perceived exertion (RPE) 115, 115*f*
 - for endurance programs 116
 - Raynaud's disease 246
 - RDA. *See* recommended dietary allowance
 - reaction time 156
 - receptors 17
 - reciprocal inhibition 156
 - recommended dietary allowance (RDA) 188
 - recovery 123, 150-151, 262
 - periods 231
 - red blood cells 55
 - refractory period 285
 - rehydration 202
 - relaxation phase 40
 - renin 25
 - repetition maximum (RM) 19, 79
 - determining 81*f*
 - number of 81*f*
 - theoretical continuum 80*f*
 - repetition sprints 100
 - repetitive relays 100-101, 101*f*
 - residual volume 54, 182, 284
 - resistance training 72, 122, 144
 - acute program variables 78-81
 - administration of 81-82
 - body composition and 89
 - cardiovascular fitness and 88-89
 - effects of 84-89

- resistance training (*continued*)
 exercise
 intensity 79-80
 order 79
 selection 79
 flexibility and 89
 frequency 81
 integration with plyometric training 151
 kicking 88
 modes of 82-84
 needs analysis 78
 number of sets 80
 performance and
 agility 88
 sprint 87-88
 programs 89-91
 bodybuilding 90
 circuit 91
 development 78-82
 in-season 75*f*
 maximal strength 90
 muscle toning 91
 rest period 80
 sprint training and 129
 swimming 88
 throwing 88
 volume 80
 women and 89
 respiratory adaptations 54
 respiratory alkalosis 250
 respiratory rate 54-55
 respiratory system 44-46
 anatomy of 44*f*
 rest 151
 resting membrane potential 6
 resting metabolic rate (RMR) 128
 reversibility principle 75
 RM. *See* repetition maximum
 RMR. *See* resting metabolic rate
 rolling sprints 101, 101*f*
 ROM. *See* range of motion
 RPE. *See* rating of perceived exertion
 running
 economy in 113*f*
 mechanics of 103*t*
- S**
 saltatory conduction 6
 SA node. *See* sinoatrial node
 SaO₂. *See* arterial saturation
 sarcolemma 4
 sarcomeres 4
 unit 5*f*
 sarcoplasmic reticulum 5
 transverse tubules 7*f*
 satellite cells 13
 SDH. *See* succinate dehydrogenase
 sea level, training at 256-257
 secretory apparatus 16
 selenium 191
 semilunar valves 40
 semistraddle exercise 163-164
 sequence of training 125-126
 Seyle, Hans 132
 shivering 239
 shoulder exercises 166
 flexor stretch 167
 side shuffle 105
 sinoatrial node (SA node) 41
 sit-and-reach test 162*f*
 percentile ranks for 162*t*
 sitting toe touch 164
 with partner 164
 SJ. *See* squat jump
 skinfold
 measurements 182
 sites 183*t*
 slow static stretching 156-157
 slow-twitch 7
 (type I) fibers 111
 sodium bicarbonate 222-223
 soma 6
 somatomedins 22
 specific endurance 141
 specificity 94, 150
 principle 72, 111
 specific preparation 132
 speed 78, 94, 178-179
 development of, 101-102
 endurance drills for 100
 spinal twist, 166
 spread eagle 164
 sprinter training programs
 100-m and 200-m 99*t*
 400-m speed-endurance 100*t*
 resistance training and 129
 sprinting
 interval 100
 mechanics of 104*f*
 NCAA collegiate athletic standards 179*t*
 squat jump (SJ) 146
 stacking regimen 216
 staleness 262
 standard atmosphere model 248
 starch 188
 static resistance training 82
 stem cells 58
 steroids 17
 sticking point 82

- straddle exercise 164
 - with partner 164
 - strength 84-86
 - concurrent training and 122
 - fitness and 78
 - muscle temperature and 243
 - NCAA collegiate athlete standards 173*f*
 - in periodized training program 133
 - tests for 171-173
 - strength/power 133
 - athletes compared to endurance athletes 263-264
 - flexibility and production 161-163
 - sports 262
 - strength training
 - endurance, effect on performance 125*f*
 - integrated with plyometric training 151-153*t*
 - programs 144
 - improvements 85*t*
 - stretching techniques
 - benefits and risks of 157
 - types of 157-158
 - stretch reflex 156
 - stretch exercises
 - achilles 163
 - back 166
 - ballistic movement 157-158
 - butterfly 164
 - external rotator 167
 - flexor 167
 - hamstring 158*f*
 - hurdler 165
 - neck 167
 - partner 163, 166
 - pectoralis 166
 - shortening 144
 - shoulder 166
 - slow static 156-157
 - stride length 101, 113
 - changes with running velocity 102*f*
 - stride rate 101, 113
 - changes with running velocity 102*f*
 - stroke volume (SV) 41, 52-53, 203, 251
 - acute exercise and 48-49
 - exercise intensity and 47*f*
 - subacute hypothermia 244
 - submaximal treadmill protocol 178*f*
 - substrate utilization, exercise duration and 196*f*
 - succinate dehydrogenase (SDH) 33, 112
 - activity 34*f*
 - concentration changes 34*f*
 - sucrose 188
 - supercompensation 262
 - superficial frostbite 244
 - superior vena cava 43
 - super setting 79
 - supplementation 212
 - support phase 101
 - SV. *See* stroke volume
 - sweating 202
 - rate 229
 - sympathetic nervous system 42, 264
 - synapse 6
 - synergistic muscle group 144
 - synergists 10
 - systemic circulation 40
 - systole 40
 - systolic blood pressure 43
- T**
- tachycardia 42
 - tapering 134
 - T cells 58, 60
 - T-drill 105
 - tendons 4, 156
 - tension development 156
 - terminal cisternae 5
 - testing order 184
 - testosterone 17-20, 216
 - concentrations of 128
 - overtraining and 266
 - precursors 220
 - response to 20*f*
 - thermal balance
 - body composition and 240
 - exercise and 239-240
 - thermal expenditure theory 286
 - thermal homeostasis 238
 - thermogenesis 239
 - thermoregulation 202
 - fatigue 239
 - lag 240
 - system 228
 - thorax 44
 - thyroid gland 24
 - thyroid hormones 24
 - thyroxine (T4) 24
 - tidal volume 51
 - time to fatigue 122
 - TNF. *See* tumor necrosis factor
 - torque 171
 - trace elements 192
 - trachea 44
 - tracheobronchial tree 285
 - training
 - bi-cycle, tri-cycle, and multi-cycle plans 140
 - curve, 74*f*
 - frequency 113-114
 - intensity 18, 114-116, 150-151

- training (*continued*)
 phases of year 132
 status 170
 volume 18, 116
 reduced 272*t*
- transamination 197
- transitional phase 132
- treadmill protocol, submaximal 178*f*
- trench foot 246
- triad 5
- triceps exercises 167
- tricuspid valve 40
- triglycerides 22, 28, 188
 synthesis 274
- triiodothyronine (T3) 24
- trophils 58
- tropomyosin 5
- troponin 5
 -tropomyosin complex 5
- T-test 180*f*
- tumor necrosis factor (TNF) 60
- twitch, fast vs. slow 170
- U**
- unloading phases 134
- upper respiratory tract infections (URTI) 66-67, 269
- up-regulation 17, 280
- URTI. *See* upper respiratory tract infections
- useful consciousness 250
- V**
- vagus nerves 42
- Valsalva 50
- variable resistance training 83
- vascular system 43
- vasculature 43
- vasoconstriction 238
- vasodilation 228
- velocity 78, 144
- venous return 229
- venous system 43
- ventilation 45, 249
 /perfusion inequality 253
- ventilatory equivalent 51, 54-55
- ventilatory response 251*f*
- ventricle 40
 fibrillation 244
 mass, left 54
 wall 53-54
- venules 43
- vessels 40
- vital capacity 54, 284
- vitamins 188, 189-192
 fat-soluble 189
 functions and requirements 190-191
 water-soluble 189
- $\dot{V}O_2$. *See* oxygen consumption
- $\dot{V}O_{2max}$. *See* aerobic capacity
- volume 72
 preseason anaerobic conditioning 95
 pressure, temperature, and 248
 of training 132, 150, 262
- W**
- WAnT. *See* Wingate Anaerobic Test
- Warm-up 156
- water 188, 194
 balance 202-203
 temperature effect 209*f*
- WBGT. *See* wet bulb globe temperature
- weight loss, concurrent training and 128-129
- wet bulb globe temperature (WBGT) 235-236
- windchill 238
 chart 238*f*
- window of adaptation 148, 148*f*
- Wingate Anaerobic Test (WAnT). 174*f*
 protocol 174
- women
 resistance training and 89
 training effects on sedentary 67*f*
- work/rest ratio 94
- Y**
- YMCA submaximal cycle ergometer test 179*f*
- Z**
- Zig-zag drill 105
 agility 106*f*
- Z line 4